



West Nile virus disease cases and presumptive viremic blood donors reported to ArboNET, United States, 2008

State	Neuroinvasive disease cases*	Non-neuroinvasive disease cases	Total cases†	Deaths	Presumptive viremic blood donors‡
Alabama	11	7	18	0	1
Arizona	62	52	114	7	27
Arkansas	7	2	9	0	0
California	292	153	445	15	72
Colorado	17	54	71	1	1
Connecticut	5	3	8	0	0
Delaware	0	1	1	0	0
District of Columbia	4	4	8	0	0
Florida	3	0	3	0	0
Georgia	4	4	8	0	4
Idaho	4	35	39	1	0
Illinois	12	8	20	1	0
Indiana	3	1	4	0	0
Iowa	3	3	6	1	2
Kansas	14	17	31	0	0
Kentucky	3	0	3	0	2
Louisiana	18	31	49	1	8
Maryland	6	8	14	0	4
Massachusetts	1	0	1	0	0
Michigan	11	6	17	0	2
Minnesota	2	8	10	0	3
Mississippi	22	43	65	2	5
Missouri	12	3	15	1	0
Montana	0	5	5	0	1
Nebraska	7	40	47	1	8
Nevada	9	7	16	0	6
New Jersey	6	4	10	2	1
New Mexico	5	3	8	0	0
New York	32	14	46	6	2
North Carolina	2	1	3	0	0
North Dakota	2	35	37	0	6
Ohio	14	1	15	1	0
Oklahoma	4	5	9	0	1
Oregon	3	13	16	0	0
Pennsylvania	12	2	14	1	0
Rhode Island	1	0	1	0	0
South Carolina	0	1	1	0	0
South Dakota	11	28	39	0	3
Tennessee	12	7	19	1	0
Texas	40	24	64	1	6
Utah	6	20	26	0	5
Virginia	0	1	1	0	1
Washington	2	1	3	0	1
West Virginia	1	0	1	0	0
Wisconsin	4	4	8	1	2
Wyoming	0	8	8	0	0
Total	689	667	1,356	44	174

*Includes cases reported as meningitis, encephalitis, or acute flaccid paralysis.

†Includes confirmed and probable cases.

‡Presumptive viremic blood donors (PVDs) are people who had no symptoms at the time of donating blood through a blood collection agency, but whose blood tested positive when screened for the presence of West Nile virus. Some PVDs develop symptoms after donation; of the 174 PVDs, 52 (30%) developed clinical illness and are also included as disease cases.