



## West Nile virus disease cases and presumptive viremic blood donors reported to ArboNET, United States, 2009

State	Neuroinvasive disease cases*	Non-neuroinvasive disease cases	Total cases†	Deaths	Presumptive viremic blood donors‡
Arizona	12	8	20	0	4
Arkansas	6	0	6	1	0
California	67	45	112	4	24
Colorado	36	67	103	3	2
District of Columbia	2	0	2	0	1
Florida	2	1	3	0	0
Georgia	4	0	4	2	2
Idaho	9	29	38	2	2
Illinois	5	0	5	0	0
Indiana	2	2	4	1	2
Iowa	0	5	5	0	1
Kansas	4	9	13	0	0
Kentucky	3	0	3	0	1
Louisiana	10	11	21	0	0
Maryland	0	1	1	0	1
Michigan	1	0	1	0	1
Minnesota	1	3	4	0	0
Mississippi	31	22	53	5	4
Missouri	4	1	5	0	0
Montana	2	3	5	0	0
Nebraska	11	41	52	0	7
Nevada	7	5	12	0	16
New Jersey	3	0	3	0	1
New Mexico	6	2	8	1	2
New York	6	1	7	0	0
North Dakota	0	1	1	0	0
Ohio	0	2	2	0	0
Oklahoma	8	2	10	1	4
Oregon	1	10	11	0	1
South Carolina	3	0	3	0	0
South Dakota	6	15	21	0	1
Tennessee	4	5	9	1	0
Texas	93	22	115	9	29
Utah	1	1	2	0	0
Virginia	5	0	5	0	2
Washington	26	12	38	1	6
Wisconsin	1	0	1	0	0
Wyoming	4	8	12	1	2
<b>Total</b>	<b>386</b>	<b>334</b>	<b>720</b>	<b>32</b>	<b>116</b>

\*Includes cases reported as meningitis, encephalitis, or acute flaccid paralysis.

†Includes confirmed and probable cases.

‡Presumptive viremic blood donors (PVDs) are people who had no symptoms at the time of donating blood through a blood collection agency, but whose blood tested positive when screened for the presence of West Nile virus. Some PVDs develop symptoms after donation; of the 116 PVDs, 24 (21%) developed clinical illness and are also included as disease cases.