



West Nile virus disease cases and presumptive viremic blood donors reported to ArboNET, United States, 2010

State	Neuroinvasive disease cases*	Non-neuroinvasive disease cases	Total cases†	Deaths	Presumptive viremic blood donors‡
Alabama	1	2	3	0	0
Arizona	107	60	167	15	31
Arkansas	6	1	7	1	0
California	72	39	111	6	24
Colorado	26	55	81	4	1
Connecticut	7	4	11	0	5
District of Columbia	3	3	6	0	0
Florida	9	3	12	2	1
Georgia	4	9	13	0	1
Idaho	0	1	1	0	0
Illinois	45	16	61	4	5
Indiana	6	7	13	1	0
Iowa	5	4	9	2	1
Kansas	4	15	19	0	1
Kentucky	2	1	3	1	7
Louisiana	20	7	27	0	7
Maryland	17	6	23	2	0
Massachusetts	6	1	7	0	1
Michigan	25	4	29	3	2
Minnesota	4	4	8	0	1
Mississippi	3	5	8	0	2
Missouri	3	0	3	0	0
Nebraska	10	29	39	2	10
Nevada	0	2	2	0	0
New Hampshire	1	0	1	0	0
New Jersey	15	15	30	2	0
New Mexico	21	4	25	1	6
New York	89	39	128	4	16
North Dakota	2	7	9	0	0
Ohio	4	1	5	0	0
Oklahoma	1	0	1	0	1
Pennsylvania	19	9	28	0	0
South Carolina	1	0	1	0	0
South Dakota	4	16	20	0	0
Tennessee	2	2	4	0	1
Texas	77	12	89	6	14
Utah	1	1	2	0	3
Virginia	4	1	5	1	2
Washington	1	1	2	0	0
Wisconsin	0	2	2	0	1
Wyoming	2	4	6	0	0
Total	629	392	1,021	57	144

*Includes cases reported as meningitis, encephalitis, or acute flaccid paralysis.

†Includes confirmed and probable cases.

‡Presumptive viremic blood donors (PVDs) are people who had no symptoms at the time of donating blood through a blood collection agency, but whose blood tested positive when screened for the presence of West Nile virus. Some PVDs develop symptoms after donation; of the 144 PVDs, 34 (24%) developed clinical illness and are also included as disease cases.