

West Nile Virus Disease Cases* and Presumptive Viremic Blood Donors by State – United States, 2018

State	Neuroinvasive Disease Cases [†]	Non-neuroinvasive Disease Cases	Total cases	Deaths	Presumptive Viremic Blood Donors [‡]
Alabama	16	12	28	1	5
Alaska	1	0	1	0	0
Arizona	25	1	26	6	0
Arkansas	6	2	8	1	0
California	154	63	217	11	27
Colorado	52	44	96	5	4
Connecticut	18	5	23	1	1
Delaware	8	2	10	2	1
District of Columbia	7	6	13	0	0
Florida	30	5	35	4	7
Georgia	30	6	36	2	2
Hawaii	0	0	0	0	0
Idaho	10	6	16	1	0
Illinois	126	50	176	17	15
Indiana	26	9	35	4	16
Iowa	59	45	104	9	8
Kansas	23	24	47	5	4
Kentucky	9	3	12	0	0
Louisiana	56	27	83	6	12
Maine	1	1	2	0	0
Maryland	35	10	45	2	5
Massachusetts	42	7	49	2	2
Michigan	80	22	102	9	12
Minnesota	34	29	63	2	24
Mississippi	31	19	50	0	3
Missouri	17	6	23	3	6
Montana	25	22	47	1	5
Nebraska	124	127	251	11	46
Nevada	3	6	9	0	2
New Hampshire	0	0	0	0	0
New Jersey	44	17	61	3	6
New Mexico	5	2	7	1	2
New York	77	21	98	6	10
North Carolina	10	0	10	2	0
North Dakota	60	144	204	2	33
Ohio	45	20	65	6	18
Oklahoma	12	6	18	2	6
Oregon	2	0	2	0	0
Pennsylvania	95	35	130	8	27
Puerto Rico	0	0	0	0	0
Rhode Island	0	1	1	0	0
South Carolina	12	3	15	1	4
South Dakota	47	122	169	4	19
Tennessee	11	1	12	4	1
Texas	108	38	146	11	24
Utah	7	4	11	1	0
Vermont	1	0	1	0	0
Virginia	38	10	48	8	5
Washington	2	1	3	0	2
West Virginia	2	0	2	1	0
Wisconsin	29	4	33	1	8
Wyoming	3	1	4	1	0
Totals	1,658	989	2,647	167	372

*E.g., meningitis, encephalitis, or acute flaccid paralysis

†Includes confirmed and probable cases



‡Presumptive viremic blood donors (PVDs) are people who had no symptoms at the time of donating blood through a blood collection agency, but whose blood tested positive when screened for the presence of West Nile virus. Some PVDs develop symptoms after donation; of the 372 PVDs, 75 (20%) developed clinical illness and are also included as disease cases.