

West Nile Virus Disease Cases* and Presumptive Viremic Blood Donors by State – United States, 2017

State	Neuroinvasive Disease Cases [†]	Non-neuroinvasive Disease Cases	Total cases	Deaths	Presumptive Viremic Blood Donors [‡]
Alabama	40	20	60	2	13
Arizona	98	13	111	8	16
Arkansas	15	3	18	4	5
California	401	152	553	44	54
Colorado	29	39	68	4	4
Connecticut	2	1	3	0	0
Delaware	0	1	1	0	0
District of Columbia	1	3	4	0	0
Florida	4	1	5	0	2
Georgia	44	4	48	7	15
Idaho	16	9	25	0	7
Illinois	72	18	90	8	2
Indiana	18	8	26	4	6
Iowa	10	2	12	2	5
Kansas	12	15	27	0	4
Kentucky	9	1	10	1	0
Louisiana	38	15	53	4	4
Maryland	5	1	6	0	0
Massachusetts	5	1	6	0	1
Michigan	32	8	40	1	8
Minnesota	13	17	30	1	19
Mississippi	46	17	63	2	3
Missouri	17	2	19	1	2
Montana	3	8	11	0	3
Nebraska	19	49	68	2	18
Nevada	31	36	67	3	5
New Hampshire	0	1	1	0	0
New Jersey	6	2	8	2	0
New Mexico	23	10	33	1	2
New York	45	6	51	4	0
North Carolina	8	0	8	2	0
North Dakota	20	42	62	2	1
Ohio	23	11	34	5	8
Oklahoma	34	8	42	4	6
Oregon	3	3	6	1	2
Pennsylvania	15	5	20	3	2
Rhode Island	1	1	2	0	1
South Carolina	16	2	18	2	5
South Dakota	27	46	73	4	2
Tennessee	22	8	30	1	2
Texas	87	48	135	6	14
Utah	39	23	62	6	6
Vermont	2	1	3	0	1
Virginia	12	1	13	1	3
Washington	10	3	13	0	2
West Virginia	1	0	1	0	0
Wisconsin	47	4	51	4	13
Wyoming	4	3	7	0	0
Totals	1,425	672	2,097	146	266

*E.g., meningitis, encephalitis, or acute flaccid paralysis

[†]Includes confirmed and probable cases

[‡]Presumptive viremic blood donors (PVDs) are people who had no symptoms at the time of donating blood through a blood collection agency, but whose blood tested positive when screened for the presence of West Nile virus. Some PVDs develop symptoms after donation; of the 266 PVDs, 44 (17%) developed clinical illness and are also included as disease cases.