

West Nile Virus Disease Cases* and Presumptive Viremic Blood Donors by State – United States, 2015

State	Neuroinvasive Disease Cases [†]	Non-neuroinvasive Disease Cases	Total cases	Deaths	Presumptive Viremic Blood Donors [‡]
Alabama	5	4	9	0	1
Arizona	67	36	103	7	17
Arkansas	16	2	18	2	0
California	585	198	783	53	77
Colorado	57	44	101	3	8
Connecticut	8	2	10	0	0
Delaware	0	6	6	0	4
District of Columbia	3	2	5	0	0
Florida	12	1	13	2	2
Georgia	13	2	15	0	2
Idaho	5	8	13	0	6
Illinois	51	26	77	9	1
Indiana	16	5	21	3	11
Iowa	4	10	14	0	5
Kansas	12	22	34	2	17
Kentucky	1	1	2	1	3
Louisiana	41	10	51	5	21
Maine	1	0	1	0	0
Maryland	31	14	45	5	9
Massachusetts	7	3	10	2	2
Michigan	16	2	18	2	3
Minnesota	3	6	9	0	7
Mississippi	25	13	38	1	3
Missouri	23	6	29	4	16
Montana	3	0	3	0	1
Nebraska	19	49	68	2	25
Nevada	4	3	7	0	6
New Jersey	23	3	26	3	0
New Mexico	12	2	14	1	3
New York	42	15	57	5	2
North Carolina	4	0	4	1	2
North Dakota	10	13	23	1	2
Ohio	23	12	35	2	10
Oklahoma	49	40	89	9	18
Oregon	0	1	1	0	6
Pennsylvania	17	13	30	1	2
South Carolina	0	0	0	0	2
South Dakota	11	29	40	0	2
Tennessee	5	3	8	0	4
Texas	196	79	275	16	29
Utah	5	3	8	0	2
Virginia	13	8	21	2	3
Washington	8	16	24	1	10
Wisconsin	6	3	9	1	1
Wyoming	3	5	8	0	0
Totals	1,455	720	2,175	146	345

*Includes cases reported as meningitis, encephalitis, or acute flaccid paralysis.

†Includes confirmed and probable cases.

‡Presumptive viremic blood donors (PVDs) are people who had no symptoms at the time of donating blood through a blood collection agency, but whose blood tested positive when screened for the presence of West Nile virus. Some PVDs develop symptoms after donation; of the 345 PVDs, 40 (12%) developed clinical illness and are also included as disease cases.