

2009 Youth Risk Behavior Survey (YRBS)

2009 National YRBS Data Users Manual

Where can I get more information? Visit www.cdc.gov/healthyyouth or call 800–CDC–INFO (800–232–4636).



U.S. Department of Health and Human Services
Centers for Disease Control and Prevention
National Center for Chronic Disease Prevention and Health Promotion
Division of Adolescent and School Health



This page intentionally left blank.

United States High School Survey Data Users Manual

Table of Contents

1. Introduction to the YRBSS1

Explains the background and purpose of the YRBSS, and how the results from the YRBS are used for the YRBSS.

2. Sample Description2

Provides the school, student, and overall response rates for the 2009 National YRBS.

3. Data Edits3

Describes the procedures that were used to edit the 2009 National YRBS data set to ensure data quality and consistency.

3.1. Single Question Edits.....	3
3.2. Height, Weight, and Body Mass Index (BMI) Edits	3
3.2.1. Height/Weight Edits.....	4
3.2.2. BMI Edits.....	5
3.2.3. Biologically Implausible Value Edits	5
3.3. Logical Consistency Edits.....	5
3.4. Subversion of Records	8

4. Variable Documentation9

Describes how the race/ethnicity, overweight, obese, and other dichotomous variables were calculated.

4.1. Race/Ethnicity.....	9
4.2. BMI Percentile, Overweight, and Obese	10
4.3. Dichotomous	11
4.3.1. QN# Variables	11
4.3.2. Supplemental Dichotomous Variables.....	44
4.4. Data Analysis Variables.....	49
4.4.1. Weight.....	49
4.4.2. Stratum.....	49
4.4.3. Primary Sampling Unit (PSU)	49

United States High School Survey Data Users Manual

5. Analysis Software Technical Notes.....50

Explains the requirements for software that can precisely calculate sampling variances for cluster sample designs that must be used when analyzing YRBS data.

5.1. Software Requirements50

5.2. How to Use the SAS format library50

6. Codebook52

Describes the format of the public-use data files. Includes variable location in the data sets (i.e. column positions), variable names, question wording, unweighted frequencies, and weighted percentages for all questions and supplemental variables.

United States High School Survey Data Users Manual

1. Introduction to the YRBSS

The Youth Risk Behavior Surveillance System (YRBSS) is an epidemiologic surveillance system established by the Centers for Disease Control and Prevention (CDC) to monitor the prevalence of youth behaviors that most influence health.

The YRBSS focuses on priority health-risk behaviors established during youth that result in the most significant mortality, morbidity, disability, and social problems during both youth and adulthood. These include: behaviors that result in unintentional and intentional injuries; tobacco use; alcohol and other drug use; sexual behaviors that result in HIV infection, other sexually transmitted diseases (STDs), and unintended pregnancies; dietary behaviors; and physical activity, plus overweight and asthma.

Results from the YRBSS will be used by CDC to: (1) monitor how priority health-risk behaviors among high school students (grades 9-12) increase, decrease, or remain the same over time; (2) evaluate the impact of broad national, state, and local efforts to prevent priority health-risk behaviors; and (3) monitor progress in achieving relevant national health objectives. Results also will be used to help focus school health programs and policies on the behaviors that contribute most to the leading causes of mortality and morbidity.

The National Youth Risk Behavior Survey (YRBS) uses a three-stage cluster sample design to produce a representative sample of 9th through 12th grade students. The target population consisted of all public, Catholic, and other private school students in grades 9 through 12. A weighting factor was applied to each student record to adjust for nonresponse and the oversampling of black and Hispanic students in the sample. The final, overall weights were scaled so the weighted count of students was equal to the total sample size, and the weighted proportions of students in each grade matched population projections for each survey year. Because of the complexity of the cluster sampling design used, a statistical software package that can calculate sampling variance appropriately must be used. This document provides the information needed to correctly use and analyze the 2009 National YRBS.

For more information on the YRBSS, its methodology, or answers to frequently asked questions please visit the YRBSS web site at www.cdc.gov/yrbs.

United States High School Survey Data Users Manual

2. Sample Description

School Level – All regular public, Catholic, and other private school students, in grades 9 through 12, in the 50 States and the District of Columbia were included in the sampling frame. Puerto Rico, the trust territories, and the Virgin Islands were excluded from the frame. Schools were selected systematically with probability proportional to enrollment in grades 9 through 12 using a random start. One hundred and ninety-six schools were sampled.

Class Level – All classes in a required subject or all classes meeting during a particular period of the day, depending on the school, were included in the sampling frame. Systematic equal probability sampling with a random start was used to select classes from each school that participated in the survey.

Response Rates:

School response rate - 81% - 158 of the 196 sampled schools participated.

Student response rate - 88% - 16,460 of the 18,573 sampled students submitted questionnaires;
16,410 questionnaires were usable after data editing.

Overall response rate - $81\% * 88\% = 71\%$

United States High School Survey Data Users Manual

3. Data Edits

This section describes the procedures used to edit the 2009 National YRBS data to ensure data quality. Editing consists of checking responses for range, height/weight plausibility, and logical consistency. Data deemed invalid are set to missing.

3.1. Single Question Edits

- If the response to a question does not correspond to one of the possible responses, the response for that question is invalid and is set to missing. This can occur if the only response options for a question are “A” or “B” and the response recorded is “C”, “D”, “E”, “F”, “G”, or “H”, for example.
- If more than one response is selected for a question, the response for that question will be considered invalid and set to missing. The one exception is the race question (Q5), which can have multiple responses.

3.2. Height, Weight, and Body Mass Index (BMI) Edits

The following two questions collect height and weight, which are used to calculate BMI.

- Q6 How tall are you without your shoes on?
 Directions: Write your height in the shaded blank boxes. Fill in the matching oval below each number.

Example

Height	
Feet	Inches
5	7
<input type="text" value="3"/>	<input type="text" value="0"/>
<input type="text" value="4"/>	<input type="text" value="1"/>
<input type="text" value="6"/>	<input type="text" value="2"/>
<input type="text" value="6"/>	<input type="text" value="3"/>
<input type="text" value="7"/>	<input type="text" value="4"/>
	<input type="text" value="5"/>
	<input type="text" value="6"/>
	<input type="text" value="8"/>
	<input type="text" value="9"/>
	<input type="text" value="10"/>
	<input type="text" value="11"/>

Height	
Feet	Inches
<input type="text" value="3"/>	<input type="text" value="0"/>
<input type="text" value="4"/>	<input type="text" value="1"/>
<input type="text" value="5"/>	<input type="text" value="2"/>
<input type="text" value="6"/>	<input type="text" value="3"/>
<input type="text" value="7"/>	<input type="text" value="4"/>
	<input type="text" value="5"/>
	<input type="text" value="6"/>
	<input type="text" value="7"/>
	<input type="text" value="8"/>
	<input type="text" value="9"/>
	<input type="text" value="10"/>
	<input type="text" value="11"/>

United States High School Survey Data Users Manual

- Q7 How much do you weigh without your shoes on?
 Directions: Write your weight in the shaded blank boxes. Fill in the matching oval below each number.

Example

Weight		
Pounds		
1	5	2
<input type="radio"/> 0	<input type="radio"/> 0	<input type="radio"/> 0
<input checked="" type="radio"/> 1	<input type="radio"/> 1	<input type="radio"/> 1
<input type="radio"/> 2	<input type="radio"/> 2	<input checked="" type="radio"/> 2
<input type="radio"/> 3	<input type="radio"/> 3	<input type="radio"/> 3
	<input type="radio"/> 4	<input type="radio"/> 4
	<input checked="" type="radio"/> 5	<input type="radio"/> 5
	<input type="radio"/> 6	<input type="radio"/> 6
	<input type="radio"/> 7	<input type="radio"/> 7
	<input type="radio"/> 8	<input type="radio"/> 8
	<input type="radio"/> 9	<input type="radio"/> 9

Weight		
Pounds		
<input type="radio"/> 0	<input type="radio"/> 0	<input type="radio"/> 0
<input type="radio"/> 1	<input type="radio"/> 1	<input type="radio"/> 1
<input type="radio"/> 2	<input type="radio"/> 2	<input type="radio"/> 2
<input type="radio"/> 3	<input type="radio"/> 3	<input type="radio"/> 3
	<input type="radio"/> 4	<input type="radio"/> 4
	<input type="radio"/> 5	<input type="radio"/> 5
	<input type="radio"/> 6	<input type="radio"/> 6
	<input type="radio"/> 7	<input type="radio"/> 7
	<input type="radio"/> 8	<input type="radio"/> 8
	<input type="radio"/> 9	<input type="radio"/> 9

3.2.1. Height/Weight Edits

Height is read as a three-column character variable. It is not compressed or justified by the scanning program. The possible responses for the first column range from “3” to “7” and indicate feet; the possible responses for the second and third columns range from “00” to “11” and indicate inches. The height in feet and inches is converted to height in meters using the formula below.

$$\text{Height (in m)} = [(\text{feet} \times 12) + \text{inches}] \times 0.0254 \text{ m/in}$$

- If either feet or inches is not filled in or is unreadable, then *Height* is set to missing.
- If *Weight* is missing or set to missing, then *Height* is set to missing.

Weight is read as a three-column character variable. It is not compressed or justified by the scanning program. The first column indicates 100s of pounds ranging from “0” to “3”; the second column indicates 10s of pounds and ranges from “0” to “9”; the third column indicates single pounds and ranges from “0” to “9”. The weight in pounds is then converted to weight in kilograms using the following formula:

$$\text{Weight (in kg)} = \text{Weight (in lbs)} \times 0.4536 \text{ kg/lb}$$

- If any weight-related column is left blank or is unreadable, all columns are set to missing and *Weight* is set to missing.

United States High School Survey Data Users Manual

- If *Height* is missing or set to missing, then *Weight* is set to missing.

3.2.2. BMI Edits

BMI is calculated using *Height* and *Weight* in the following formula:

$$BMI = \text{kg/m}^2 = \text{Weight (in kg)} / [\text{Height (in m)}^2]$$

- If *Height* or *Weight* are missing, BMI is set to missing
- If age or sex is missing, *Height*, *Weight*, and BMI are set to missing because the biologically implausible limits (see section 2c) are based on age and sex.

3.2.3. Biologically Implausible Value Edits

When the basic edits for BMI are complete, further edits are applied to *Height*, *Weight*, and BMI to ensure the results are biologically plausible. *Height*, *Weight*, and BMI are set to missing when an observation lies outside the following limits developed by the Division of Nutrition, Physical Activity and Obesity, CDC.

Age	Males	Females
≤ 10	Weight: 13.61-90.72 kg Height: 0.94-1.68 m BMI: 11.5 –41	Weight: 13.61-90.72 kg Height: 0.94-1.73 m BMI: 11-40
11-12	Weight: 20.41-136.08 kg Height: 1.02-1.83 m BMI: 11.5-41	Weight: 15.88-136.08 kg Height: 1.02-1.83 m BMI: 11-40
13-14	Weight: 27.22-181.44 kg Height: 1.27-1.98 m BMI: 13-55	Weight: 27.22-181.44 kg Height: 1.27-1.98 m BMI: 13-55
≥ 15	Weight: 31.75-181.44 kg Height: 1.27-2.11 m BMI: 13-55	Weight: 27.22-181.44 kg Height: 1.27-1.98 m BMI: 13-55

3.3. Logical Consistency Edits

The majority of the edit criteria compare two questions at a time to ensure logical consistency. If responses from two questions conflict logically, both questions are set to blank. (Exception – data from demographic questions are not set to missing in this case.)

United States High School Survey Data Users Manual

Lists of the logical edits used for the 2009 national high school questionnaire follow. If an edit criterion is met, data from the questions are changed to missing, unless they are demographic questions.

2009 National High School YRBS Edit Criteria

Weapon Carrying

1. If Q12=a and Q13=b,c,d,e
2. If Q12=b and Q13=c,d,e
3. If Q12=c and Q13=d,e
4. If Q12=d and Q13=e
5. If Q12=a and Q14=b,c,d,e
6. If Q12=b and Q14=c,d,e
7. If Q12=c and Q14=d,e
8. If Q12=d and Q14=e

Fighting

9. If Q17=a and Q18=b,c,d,e
10. If Q17=b and Q18=c,d,e
11. If Q17=c and Q18=d,e
12. If Q17=d and Q18=e
13. If Q17=a and Q19=b,c,d,e,f,g,h
14. If Q17=b and Q19=c,d,e,f,g,h
15. If Q17=c and Q19=d,e,f,g,h
16. If Q17=d and Q19=e,f,g,h
17. If Q17=e and Q19=f,g,h
18. If Q17=f and Q19=g,h
19. If Q17=g and Q19=h

Suicide

20. If Q26=a and Q27=b,c
21. If Q27=a and Q26=b,c,d,e

Tobacco Use

22. If Q1=a and Q29=e,f,g
23. If Q1=b and Q29=f,g
24. If Q1=c and Q29=f,g
25. If Q1=d and Q29=g
26. If Q1=e and Q29=g
27. If Q28=b and Q29=b,c,d,e,f,g
28. If Q28=b and Q30=b,c,d,e,f,g
29. If Q28=b and Q31=b,c,d,e,f,g
30. If Q28=b and Q32=b,c,d,e,f,g,h
31. If Q28=b and Q33=b,c,d,e,f,g

32. If Q28=b and Q34=a
33. If Q28=b and Q35=b
34. If Q29=a and Q31=c,d,e,f,g
35. If Q29=a and Q34=a
36. If Q29=a and Q35=b
37. If Q30=a and Q31=b,c,d,e,f,g
38. If Q30=a and Q32=b,c,d,e,f,g,h
39. If Q30=a and Q33=b,c,d,e,f,g
40. If Q30=b and Q33=c,d,e,f,g
41. If Q30=c and Q33=d,e,f,g
42. If Q30=d and Q33=e,f,g
43. If Q30=e and Q33=f,g
44. If Q30=f and Q33=g
45. If Q31=a and Q30=b,c,d,e,f,g
46. If Q31=a and Q32=b,c,d,e,f,g,h
47. If Q31=a and Q33=b,c,d,e,f,g
48. If Q32=a and Q30=b,c,d,e,f,g
49. If Q32=a and Q31=b,c,d,e,f,g
50. If Q32=a and Q33=b,c,d,e,f,g
51. If Q35=a and Q30=b,c,d,e,f,g
52. If Q35=a and Q31=b,c,d,e,f,g
53. If Q35=a and Q32=b,c,d,e,f,g,h
54. If Q35=a and Q33=b,c,d,e,f,g
55. If Q36=a and Q37=b,c,d,e,f,g
56. If Q36=b and Q37=c,d,e,f,g
57. If Q36=c and Q37=d,e,f,g
58. If Q36=d and Q37=e,f,g
59. If Q36=e and Q37=f,g
60. If Q36=f and Q37=g

Alcohol Use

61. If Q1=a and Q40=e,f,g
62. If Q1=b and Q40=f,g
63. If Q1=c and Q40=f,g
64. If Q1=d and Q40=g
65. If Q1=e and Q40=g
66. If Q39=a and Q11=b,c,d,e
67. If Q39=a and Q41=b,c,d,e,f,g

United States High School Survey Data Users Manual

- 68. If Q39=b and Q41=c,d,e,f,g
- 69. If Q39=c and Q41=e,f,g
- 70. If Q39=d and Q41=f,g
- 71. If Q39=a and Q42=b,c,d,e,f,g
- 72. If Q39=b and Q42=d,e,f,g
- 73. If Q39=c and Q42=f,g
- 74. If Q39=d and Q42=g
- 75. If Q39=a and Q43=b,c,d,e,f,g,h
- 76. If Q39=a and Q44=b,c,d,e,f,g
- 77. If Q39=b and Q44=c,d,e,f,g
- 78. If Q39=c and Q44=e,f,g
- 79. If Q39=d and Q44=f,g
- 80. If Q41=a and Q11=b,c,d,e
- 81. If Q41=a and Q42=b,c,d,e,f,g
- 82. If Q41=b and Q42=d,e,f,g
- 83. If Q41=c and Q42=e,f,g
- 84. If Q41=d and Q42=f,g
- 85. If Q41=e and Q42=g
- 86. If Q41=a and Q43=b,c,d,e,f,g,h
- 87. If Q41=a and Q44=b,c,d,e,f,g
- 88. If Q41=b and Q44=c,d,e,f,g
- 89. If Q41=c and Q44=d,e,f,g
- 90. If Q41=d and Q44=e,f,g
- 91. If Q41=e and Q44=f,g
- 92. If Q41=f and Q44=g
- 93. If Q43=a and Q11=b,c,d,e
- 94. If Q43=a and Q41=b,c,d,e,f,g
- 95. If Q43=a and Q42=b,c,d,e,f,g
- 96. If Q43=a and Q44=b,c,d,e,f,g

Marijuana Use

- 97. If Q1=a and Q46=e,f,g
- 98. If Q1=b and Q46=f,g
- 99. If Q1=c and Q46=f,g
- 100. If Q1=d and Q46=g
- 101. If Q1=e and Q46=g
- 102. If Q45=a and Q46=b,c,d,e,f,g
- 103. If Q45=a and Q47=b,c,d,e,f
- 104. If Q45=b and Q47=c,d,e,f
- 105. If Q45=c and Q47=d,e,f
- 106. If Q45=d and Q47=e,f
- 107. If Q45=e and Q47=f
- 108. If Q45=a and Q48=b,c,d,e,f
- 109. If Q45=b and Q48=c,d,e,f

- 110. If Q45=c and Q48=d,e,f
- 111. If Q45=d and Q48=e,f
- 112. If Q45=e and Q48=f
- 113. If Q46=a and Q45=b,c,d,e,f,g
- 114. If Q46=a and Q47=b,c,d,e,f
- 115. If Q46=a and Q48=b,c,d,e,f
- 116. If Q47=a and Q48=b,c,d,e,f
- 117. If Q47=b and Q48=c,d,e,f
- 118. If Q47=c and Q48=d,e,f
- 119. If Q47=d and Q48=e,f
- 120. If Q47=e and Q48=f

Cocaine and Other Drug Use

- 121. If Q49=a and Q50=b,c,d,e,f
- 122. If Q49=b and Q50=c,d,e,f
- 123. If Q49=c and Q50=d,e,f
- 124. If Q49=d and Q50=e,f
- 125. If Q49=e and Q50=f

Sexual Behaviors

- 126. If Q1=a and Q59=d,e,f,g,h
- 127. If Q1=b and Q59=e,f,g,h
- 128. If Q1=c and Q59=f,g,h
- 129. If Q1=d and Q59=g,h
- 130. If Q1=e and Q59=h
- 131. If Q58=a and Q59=a
- 132. If Q58=b and Q59=b,c,d,e,f,g,h
- 133. If Q58=a and Q60=a
- 134. If Q58=b and Q60=b,c,d,e,f,g
- 135. If Q58=a and Q61=a
- 136. If Q58=b and Q61=b,c,d,e,f,g,h
- 137. If Q58=a and Q62=a
- 138. If Q58=b and Q62=b,c
- 139. If Q58=a and Q63=a
- 140. If Q58=b and Q63=b,c
- 141. If Q58=a and Q64=a
- 142. If Q58=b and Q64=b,c,d,e,f,g,h
- 143. If Q59=a and Q60=b,c,d,e,f,g
- 144. If Q59=a and Q61=b,c,d,e,f,g,h
- 145. If Q59=a and Q62=b,c
- 146. If Q59=a and Q63=b,c
- 147. If Q59=a and Q64=b,c,d,e,f,g,h
- 148. If Q60=a and Q59=b,c,d,e,f,g,h
- 149. If Q60=a and Q61=b,c,d,e,f,g,h

United States High School Survey Data Users Manual

150. If Q60=b and Q61=d,e,f,g,h	167. If Q62=a and Q64=b,c,d,e,f,g,h
151. If Q60=c and Q61=e,f,g,h	168. If Q63=a and Q59=b,c,d,e,f,g,h
152. If Q60=d and Q61=f,g,h	169. If Q63=a and Q60=b,c,d,e,f,g
153. If Q60=e and Q61=g,h	170. If Q63=a and Q61=b,c,d,e,f,g,h
154. If Q60=f and Q61=h	171. If Q63=a and Q62=b,c
155. If Q60=a and Q62=b,c	172. If Q63=a and Q64=b,c,d,e,f,g,h
156. If Q60=a and Q63=b,c	173. If Q63=c and Q64=d
157. If Q60=a and Q64=b,c,d,e,f,g,h	174. If Q64=a and Q59=b,c,d,e,f,g,h
158. If Q61=a and Q59=b,c,d,e,f,g,h	175. If Q64=a and Q60=b,c,d,e,f,g
159. If Q61=a and Q60=b,c,d,e,f,g	176. If Q64=a and Q61=b,c,d,e,f,g,h
160. If Q61=a and Q62=b,c	177. If Q64=a and Q62=b,c
161. If Q61=a and Q63=b,c	178. If Q64=a and Q63=b,c
162. If Q61=a and Q64=b,c,d,e,f,g,h	
163. If Q62=a and Q59=b,c,d,e,f,g,h	
164. If Q62=a and Q60=b,c,d,e,f,g	
165. If Q62=a and Q61=b,c,d,e,f,g,h	
166. If Q62=a and Q63=b,c	

Sex and Alcohol or Drugs

179. If Q62=b and Q39=a and Q45=a and Q49=a and Q51=a and Q52=a and Q53=a and Q54=a

3.4. Subversion of Records

Records are marked “subverted” under the following conditions:

When there are more than 50 total questions and if a student answers 20 or less questions or answers with b, c, d, e, f, g, or h 15 or more times in a row, all values except the demographic variables are set to missing.

When there are 50 or fewer total questions and if a student answers 15 or less questions or answers with b, c, d, e, f, g, or h 12 or more times in a row, all values except the demographic variables are set to missing.

Subverting records eliminates records that are judged too incomplete overall to be valid for analysis.

United States High School Survey Data Users Manual

4. Variable Documentation

This section describes how the race/ethnicity, overweight, obese, and dichotomous variables were generated from the original survey questions.

4.1. Race/Ethnicity

Race/ethnicity (*raceeth*) for the 2009 YRBS is computed from two questions:

4. Are you Hispanic or Latino?
 - A. Yes
 - B. No

5. What is your race? (Select one or more responses.)
 - A. American Indian or Alaska Native
 - B. Asian
 - C. Black or African American
 - D. Native Hawaiian or Other Pacific Islander
 - E. White

Ethnicity (Q4) is scanned as a single column variable with either A or B as valid responses. Race (Q5) is the only YRBS question that permits the selection of more than one response. It is a “check all that apply” type question and is scanned as an eight-column character variable. If the student selected “A”, then the first column contains an “A”. If they selected “B”, then the second column contains a “B”, and so on.

Prior to 2007, a single question was used to ascertain race/ethnicity. To maintain comparability, Q4 and Q5 are combined to create the two-column *raceeth* variable. If the student selected “B” for Q4 and only one response option for Q5 then *raceeth* is set to a number between “1” and “5” depending on the Q5 option selected. If they selected “A” for Q4 and no response for Q5, *raceeth* is set to “6” indicating “Hispanic/Latino”. If they selected “A” for Q4 and one or more responses for Q5, then *raceeth* is set to “7” indicating “Multiple – Hispanic/Latino”. If they selected “B” for Q4 and more than one response for Q5, then *raceeth* is set to “8” indicating “Multiple – Non-Hispanic/Latino”. *Raceeth* is set to “missing” if they answered “B” to Q4 and left Q5 blank, or they left Q4 blank regardless of the response for Q5, or if Q4 or Q5 is out of range.

United States High School Survey Data Users Manual

<i>Q4: Ethnicity</i>	<i>Q5: Race</i>	<i>Raceeth (Values and Labels*)</i>
B	A	1 (American Indian/Alaskan Native)
B	B	2 (Asian)
B	C	3 (Black or African American)
B	D	4 (Native Hawaiian or Other Pacific Islander)
B	E	5 (White)
A	Missing	6 (Hispanic/Latino)
A	1 or more responses	7 (Multiple– Hispanic/Latino)
B	2 or more responses	8 (Multiple– Non-Hispanic/Latino)
B	Missing	Missing
Missing	Missing or Any response	Missing
Out of range	Out of range	Missing

*The labels are based on standard Q5 response options. The labels will vary if the site modified the Q5 response options. The site may modify the *Race* question by adding response options up to a total of 8. The values for “Hispanic/Latino”, “Multiple – Hispanic/Latino”, and “Multiple Non-Hispanic/Latino” will vary according to how many response options are included in Q5. For example, if a site has 7 response options for Q5, then the values for “Hispanic/Latino”, “Multiple – Hispanic/Latino”, and “Multiple Non-Hispanic/Latino” would be 8, 9, and 10, respectively.

4.2. BMI Percentile, Overweight, and Obese

Age (Q1), Sex (Q2), and BMI are used to determine *Overweight** (QNOWT) and *Obese** (QNOBESE). The student is considered overweight, and QNOWT is set to “1”, when BMI percentile is at or above the 85th percentile and below the 95th percentile for BMI by age and sex. The student is considered obese, and QNOBESE is set to “1”, when BMI percentile is at or above the 95th percentile for BMI by age and sex. If BMI is missing, then QNOWT and QNOBESE are set to missing. QNOWT and QNOBESE are mutually exclusive. The BMI percentile for age and sex (BMIPCT), QNOWT, and QNOBESE variables are included in the edited data set.

The “SAS Program for the 2000 CDC Growth Charts” developed by the CDC’s Division of Nutrition, Physical Activity, and Obesity has been used to calculate BMI and BMI percentile for age and sex, and to generate QNOWT and QNOBESE. This program and technical documentation for its use are posted at:

<http://www.cdc.gov/nccdphp/dnpa/growthcharts/resources/sas.htm>

and are available for use by anyone who would like to regenerate the variables. Please note the units required by the SAS program are specified in the documentation available at the web site

* Note: YRBS reports prior to 2007 used the terms “overweight” to describe those youth with a BMI $\geq 95^{\text{th}}$ percentile for age and sex and “at risk for overweight” for those with a BMI $\geq 85^{\text{th}}$ percentile and $< 95^{\text{th}}$ percentile. However, the terms “obese” and “overweight” are used in YRBS reports for 2007 and after in accordance with the 2007 recommendations from the Expert Committee on the Assessment, Prevention, and Treatment of Child and Adolescent Overweight and Obesity convened by the American Medical Association (AMA) and cofunded by AMA in collaboration with the Health Resources and Services Administration and the CDC.

United States High School Survey Data Users Manual

referenced above. YRBS data for height are stored in meters but the program requires height in centimeters. The program requires age in months but YRBS only has age in years. Therefore, age in months is approximated by adding six months to the age in years reported by the respondent. That is, if a YRBS respondent reports that they are 14 years of age, their age in months is calculated as (14 years * 12 months) + 6 months = 174 months.

4.3. Dichotomous

There are two types of dichotomous variables - **QN#** and **QNword**. The dichotomous variables present the percentage of students answering the predetermined response(s) of interest (ROI). Students answering the ROI(s) are in the numerator. The denominator is either all students or a subset of students who have indicated they participate in a selected activity or behavior. Students must have provided valid data to be included in any dichotomous variable calculations. Therefore students with missing responses or who had their answers subverted are not included. The variables are created and added to the master datasets during editing.

4.3.1. QN# Variables

Each standard question will have a corresponding dichotomous variable. The name of the dichotomous variable corresponds to the standard question number. For example, the dichotomous variable for Q10 is named QN10. The table below provides the question and response options used for each standard Q# variable and related QN# variable. The bolded responses indicate the ROIs for that question. The ROIs are set to “1” for the QN# variables; the remaining responses are set to “2” or to “missing” for the QN# variable. The numerator and denominator are further defined below the responses. The summary text appearing in the title of the tables for each QN# variable is also listed.

Q1.	How old are you?	
A.	12 years old or younger	
B.	13 years old	
C.	14 years old	
D.	15 years old	
E.	16 years old	
F.	17 years old	
G.	18 years old or older	
	Variable label:	How old are you
Q2.	What is your sex?	
A.	Female	
B.	Male	
	Variable label:	What is your sex

United States High School Survey Data Users Manual

Q3.	In what grade are you? A. 9th grade B. 10th grade C. 11th grade D. 12th grade E. Ungraded or other grade Variable label: In what grade are you
Q4.	Are you Hispanic or Latino? A. Yes B. No Variable label: Are you Hispanic/Latino
Q5.	What is your race? (Select one or more responses.) A. American Indian or Alaska Native B. Asian C. Black or African American D. Native Hawaiian or Other Pacific Islander E. White Variable label: What is your race
Q6.	How tall are you without your shoes on? Variable label: How tall are you
Q7.	How much do you weigh without your shoes on? Variable label: How much do you weigh
Q8.	When you rode a bicycle during the past 12 months, how often did you wear a helmet? A. I did not ride a bicycle during the past 12 months B. Never wore a helmet C. Rarely wore a helmet D. Sometimes wore a helmet E. Most of the time wore a helmet F. Always wore a helmet Variable label: How often wear bicycle helmet
QN8:	Numerator: Students who answered B or C for Q8 Denominator: Students who answered B, C, D, E, or F for Q8 Summary text: Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet QN variable label: Never/rarely wore bicycle helmet

United States High School Survey Data Users Manual

Q9.	How often do you wear a seat belt when riding in a car driven by someone else?
A.	Never
B.	Rarely
C.	Sometimes
D.	Most of the time
E.	Always
Variable label:	How often wore a seat belt
QN9:	Numerator: Students who answered A or B for Q9
Denominator:	Students who answered A, B, C, D, or E for Q9
Summary text:	Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else
QN variable label:	Never/rarely wore seat belt
Q10.	During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?
A.	0 times
B.	1 time
C.	2 or 3 times
D.	4 or 5 times
E.	6 or more times
Variable label:	How often ride w/drinking driver 30 days
QN10:	Numerator: Students who answered B, C, D, or E for Q10
Denominator:	Students who answered A, B, C, D, or E for Q10
Summary text:	Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol
QN variable label:	Rode 1+ times with drinking driver
Q11.	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?
A.	0 times
B.	1 time
C.	2 or 3 times
D.	4 or 5 times
E.	6 or more times
Variable label:	How often drive while drinking 30 days
QN11:	Numerator: Students who answered B, C, D, or E for Q11
Denominator:	Students who answered A, B, C, D, or E for Q11
Summary text:	Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol
QN variable label:	Drove 1+ times when drinking

United States High School Survey Data Users Manual

Q12.	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?
A.	0 days
B.	1 day
C.	2 or 3 days
D.	4 or 5 days
E.	6 or more days
Variable label:	Carried weapon 30 days
QN12:	Numerator: Students who answered B, C, D, or E for Q12 Denominator: Students who answered A, B, C, D, or E for Q12 Summary text: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days QN variable label: Carried weapon 1+ times past 30 days
Q13.	During the past 30 days, on how many days did you carry a gun ?
A.	0 days
B.	1 day
C.	2 or 3 days
D.	4 or 5 days
E.	6 or more days
Variable label:	Carried gun 30 days
QN13:	Numerator: Students who answered B, C, D, or E for Q13 Denominator: Students who answered A, B, C, D, or E for Q13 Summary text: Percentage of students who carried a gun on one or more of the past 30 days QN variable label: Carried gun 1+ past 30 days
Q14.	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property ?
A.	0 days
B.	1 day
C.	2 or 3 days
D.	4 or 5 days
E.	6 or more days
Variable label:	Carried weapon at school 30 days
QN14:	Numerator: Students who answered B, C, D, or E for Q14 Denominator: Students who answered A, B, C, D, or E for Q14 Summary text: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days QN variable label: Carried weapon school 1+ past 30 days

United States High School Survey Data Users Manual

Q15.	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?
A.	0 days
B.	1 day
C.	2 or 3 days
D.	4 or 5 days
E.	6 or more days
Variable label:	How many days feel unsafe@school 30 days
QN15:	Numerator: Students who answered B, C, D, or E for Q15 Denominator: Students who answered A, B, C, D, or E for Q15 Summary text: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school QN variable label: Missed school b/c unsafe 1+ 30 days
Q16.	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?
A.	0 times
B.	1 time
C.	2 or 3 times
D.	4 or 5 times
E.	6 or 7 times
F.	8 or 9 times
G.	10 or 11 times
H.	12 or more times
Variable label:	How many times threatened@school 12 mos
QN16:	Numerator: Students who answered B, C, D, E, F, G, or H for Q16 Denominator: Students who answered A, B, C, D, E, F, G, or H for Q16 Summary text: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months QN variable label: Threatened at school 1+ times 12 mos

United States High School Survey Data Users Manual

Q17.	During the past 12 months, how many times were you in a physical fight?
A.	0 times
B.	1 time
C.	2 or 3 times
D.	4 or 5 times
E.	6 or 7 times
F.	8 or 9 times
G.	10 or 11 times
H.	12 or more times
Variable label:	How many times in fight 12 mos
QN17:	Numerator: Students who answered B, C, D, E, F, G, or H for Q17
	Denominator: Students who answered A, B, C, D, E, F, G, or H for Q17
	Summary text: Percentage of students who were in a physical fight one or more times during the past 12 months
	QN variable label: Fought 1+ times 12 mos
Q18.	During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?
A.	0 times
B.	1 time
C.	2 or 3 times
D.	4 or 5 times
E.	6 or more times
Variable label:	How many times injured in fight 12 mos
QN18:	Numerator: Students who answered B, C, D, or E for Q18
	Denominator: Students who answered A, B, C, D, or E for Q18
	Summary text: Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse
	QN variable label: Injured/treated 1+ times 12 mos
Q19.	During the past 12 months, how many times were you in a physical fight on school property?
A.	0 times
B.	1 time
C.	2 or 3 times
D.	4 or 5 times
E.	6 or 7 times
F.	8 or 9 times
G.	10 or 11 times
H.	12 or more times
Variable label:	How many times in fight @ school 12 mos
QN19:	Numerator: Students who answered B, C, D, E, F, G, or H for Q19
	Denominator: Students who answered A, B, C, D, E, F, G, or H for Q19
	Summary text: Percentage of students who were in a physical fight on school property one or more times during the past 12 months
	QN variable label: Fought school 1+ times 12 mos

United States High School Survey Data Users Manual

Q20.	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?
A.	Yes
B.	No
Variable label:	Did boyfriend/girlfriend hit/slap 12 mo
QN20:	Numerator: Students who answered A for Q20
	Denominator: Students who answered A or B for Q20
	Summary text: Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months
	QN variable label: Hit by bf/gf 12 mos
Q21.	Have you ever been physically forced to have sexual intercourse when you did not want to?
A.	Yes
B.	No
Variable label:	Have you been forced to have sex
QN21:	Numerator: Students who answered A for Q21
	Denominator: Students who answered A or B for Q21
	Summary text: Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to
	QN variable label: Forced to have sex
Q22.	During the past 12 months, have you ever been bullied on school property ?
A.	Yes
B.	No
Variable label:	Have you been bullied @ school 12 mos
QN22:	Numerator: Students who answered A for Q22
	Denominator: Students who answered A or B for Q22
	Summary text: Percentage of students who had ever been bullied on school property during the past 12 months
	QN variable label: Bullied at school 12 mos
Q23.	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?
A.	Yes
B.	No
Variable label:	Ever feel sad or hopeless 12 mos
QN23:	Numerator: Students who answered A for Q23
	Denominator: Students who answered A or B for Q23
	Summary text: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months
	QN variable label: Sad 2 wks past 12 mos

United States High School Survey Data Users Manual

Q24.	During the past 12 months, did you ever seriously consider attempting suicide?
A.	Yes
B.	No
Variable label:	Ever considered suicide 12 mos
QN24:	Numerator: Students who answered A for Q24
	Denominator: Students who answered A or B for Q24
	Summary text: Percentage of students who seriously considered attempting suicide during the past 12 months
	QN variable label: Considered suicide 12 mos
Q25.	During the past 12 months, did you make a plan about how you would attempt suicide?
A.	Yes
B.	No
Variable label:	Ever make suicide plan 12 mos
QN25:	Numerator: Students who answered A for Q25
	Denominator: Students who answered A or B for Q25
	Summary text: Percentage of students who made a plan about how they would attempt suicide during the past 12 months
	QN variable label: Made suicide plan 12 mos
Q26.	During the past 12 months, how many times did you actually attempt suicide?
A.	0 times
B.	1 time
C.	2 or 3 times
D.	4 or 5 times
E.	6 or more times
Variable label:	How many times attempt suicide 12 mos
QN26:	Numerator: Students who answered B, C, D, or E for Q26
	Denominator: Students who answered A, B, C, D, or E for Q26
	Summary text: Percentage of students who actually attempted suicide one or more times during the past 12 months
	QN variable label: Attempted suicide 1+ times 12 mos
Q27.	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?
A.	I did not attempt suicide during the past 12 months
B.	Yes
C.	No
Variable label:	Ever injured from suicide attempt 12 mos
QN27:	Numerator: Students who answered B for Q27
	Denominator: Students who answered A, B, or C for Q27
	Summary text: Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse
	QN variable label: Suicide attempt w/injury 12 mos

United States High School Survey Data Users Manual

Q28.	Have you ever tried cigarette smoking, even one or two puffs?
A.	Yes
B.	No
Variable label:	Ever smoked
QN28:	Numerator: Students who answered A for Q28 Denominator: Students who answered A or B for Q28 Summary text: Percentage of students who ever tried cigarette smoking, even one or two puffs QN variable label: Ever tried cigarettes
Q29.	How old were you when you smoked a whole cigarette for the first time?
A.	I have never smoked a whole cigarette
B.	8 years old or younger
C.	9 or 10 years old
D.	11 or 12 years old
E.	13 or 14 years old
F.	15 or 16 years old
G.	17 years old or older
Variable label:	How old when first smoked
QN29:	Numerator: Students who answered B, C, or D for Q29 Denominator: Students who answered A, B, C, D, E, F, or G for Q29 Summary text: Percentage of students who smoked a whole cigarette for the first time before age 13 years QN variable label: Smoked cigarette before 13
Q30.	During the past 30 days, on how many days did you smoke cigarettes?
A.	0 days
B.	1 or 2 days
C.	3 to 5 days
D.	6 to 9 days
E.	10 to 19 days
F.	20 to 29 days
G.	All 30 days
Variable label:	How many days smoked 30 days
QN30:	Numerator: Students who answered B, C, D, E, F, or G for Q30 Denominator: Students who answered A, B, C, D, E, F, or G for Q30 Summary text: Percentage of students who smoked cigarettes on one or more of the past 30 days QN variable label: Smoked 1+ past 30 days

United States High School Survey Data Users Manual

Q31. During the past 30 days, on the days you smoked, how many cigarettes did you smoke **per day**?

- A. I did not smoke cigarettes during the past 30 days
- B. Less than 1 cigarette per day
- C. 1 cigarette per day
- D. 2 to 5 cigarettes per day
- E. 6 to 10 cigarettes per day
- F. 11 to 20 cigarettes per day**
- G. More than 20 cigarettes per day**

Variable label: How many cigarettes/day 30 days

QN31: Numerator: Students who answered F or G for Q31

Denominator: Students who answered B, C, D, E, F, or G for Q30 and answered B, C, D, E, F, or G for Q31

Summary text: Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days

QN variable label: Smoked >10 cigarettes/day past 30 days

Q32. During the past 30 days, how did you **usually** get your own cigarettes? (Select only **one** response.)

- A. I did not smoke cigarettes during the past 30 days
- B. I bought them in a store such as a convenience store, supermarket, discount store, or gas station**
- C. I bought them from a vending machine
- D. I gave someone else money to buy them for me
- E. I borrowed (or bummed) them from someone else
- F. A person 18 years old or older gave them to me
- G. I took them from a store or family member
- H. I got them some other way

Variable label: How did you get cigarettes past 30 days

QN32: Numerator: Students who answered B for Q32

Denominator: Students who answered A, B, C, D, E, or F for Q1 and answered B, C, D, E, F, or G for Q30 and answered B, C, D, E, F, G, or H for Q32

Summary text: Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days

QN variable label: Got cigarettes in store 30 days

United States High School Survey Data Users Manual

Q33.	During the past 30 days, on how many days did you smoke cigarettes on school property ?
A.	0 days
B.	1 or 2 days
C.	3 to 5 days
D.	6 to 9 days
E.	10 to 19 days
F.	20 to 29 days
G.	All 30 days
Variable label:	How many days smoke @ school 30 days
QN33:	Numerator:
	Students who answered B, C, D, E, F, or G for Q33
	Denominator:
	Students who answered A, B, C, D, E, F, or G for Q33
	Summary text:
	Percentage of students who smoked cigarettes on school property on one or more of the past 30 days
	QN variable label:
	Smoked at school 1+ past 30 days
Q34.	Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?
A.	Yes
B.	No
Variable label:	Have you ever smoked daily
QN34:	Numerator:
	Students who answered A for Q34
	Denominator:
	Students who answered A or B for Q34
	Summary text:
	Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days
	QN variable label:
	Smoked daily for 30 days
Q35.	During the past 12 months, did you ever try to quit smoking cigarettes?
A.	I did not smoke during the past 12 months
B.	Yes
C.	No
Variable label:	Tried to quit smoking past 12 months
QN35:	Numerator:
	Students who answered B for Q35
	Denominator:
	Students who answered B, C, D, E, F, or G for Q30 and answered B or C for Q35
	Summary text:
	Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months
	QN variable label:
	Among smokers, tried to quit smoking

United States High School Survey Data Users Manual

Q36.	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip , such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?
A.	0 days
B.	1 or 2 days
C.	3 to 5 days
D.	6 to 9 days
E.	10 to 19 days
F.	20 to 29 days
G.	All 30 days
Variable label:	How many days use snuff past 30 days
QN36:	Numerator:
	Students who answered B, C, D, E, F, or G for Q36
	Denominator:
	Students who answered A, B, C, D, E, F, or G for Q36
	Summary text:
	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days
	QN variable label:
	Used snuff/dip 1+ past 30 days
Q37.	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?
A.	0 days
B.	1 or 2 days
C.	3 to 5 days
D.	6 to 9 days
E.	10 to 19 days
F.	20 to 29 days
G.	All 30 days
Variable label:	Days use snuff school property 30 days
QN37:	Numerator:
	Students who answered B, C, D, E, F, or G for Q37
	Denominator:
	Students who answered A, B, C, D, E, F, or G for Q37
	Summary text:
	Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days
	QN variable label:
	Used snuff/dip at school 1+ 30 days
Q38.	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?
A.	0 days
B.	1 or 2 days
C.	3 to 5 days
D.	6 to 9 days
E.	10 to 19 days
F.	20 to 29 days
G.	All 30 days
Variable label:	How many days smoke cigars 30 days
QN38:	Numerator:
	Students who answered B, C, D, E, F, or G for Q38
	Denominator:
	Students who answered A, B, C, D, E, F, or G for Q38
	Summary text:
	Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days
	QN variable label:
	Smoked cigars 1+ past 30 days

United States High School Survey Data Users Manual

Q39.	During your life, on how many days have you had at least one drink of alcohol?
A.	0 days
B.	1 or 2 days
C.	3 to 9 days
D.	10 to 19 days
E.	20 to 39 days
F.	40 to 99 days
G.	100 or more days
Variable label:	How many days drink alcohol
QN39:	Numerator:
	Students who answered B, C, D, E, F, or G for Q39
	Denominator:
	Students who answered A, B, C, D, E, F, or G for Q39
	Summary text:
	Percentage of students who had at least one drink of alcohol on one or more days during their life
	QN variable label:
	Had 1 drink on 1+ days in life
Q40.	How old were you when you had your first drink of alcohol other than a few sips?
A.	I have never had a drink of alcohol other than a few sips
B.	8 years old or younger
C.	9 or 10 years old
D.	11 or 12 years old
E.	13 or 14 years old
F.	15 or 16 years old
G.	17 years old or older
Variable label:	How old when first drank alcohol
QN40:	Numerator:
	Students who answered B, C, or D for Q40
	Denominator:
	Students who answered A, B, C, D, E, F, or G for Q40
	Summary text:
	Percentage of students who had their first drink of alcohol other than a few sips before age 13 years
	QN variable label:
	Had first drink before 13
Q41.	During the past 30 days, on how many days did you have at least one drink of alcohol?
A.	0 days
B.	1 or 2 days
C.	3 to 5 days
D.	6 to 9 days
E.	10 to 19 days
F.	20 to 29 days
G.	All 30 days
Variable label:	How many days drink alcohol 30 days
QN41:	Numerator:
	Students who answered B, C, D, E, F, or G for Q41
	Denominator:
	Students who answered A, B, C, D, E, F, or G for Q41
	Summary text:
	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days
	QN variable label:
	Had 1+ drinks past 30 days

United States High School Survey Data Users Manual

Q42.	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?
A.	0 days
B.	1 day
C.	2 days
D.	3 to 5 days
E.	6 to 9 days
F.	10 to 19 days
G.	20 or more days
Variable label:	How many days have 5+ drinks 30 days
QN42:	Numerator: Students who answered B, C, D, E, F, or G for Q42
	Denominator: Students who answered A, B, C, D, E, F, or G for Q42
	Summary text: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days
	QN variable label: Five+ drinks 1+ past 30 days
Q43.	During the past 30 days, how did you usually get the alcohol you drank?
A.	I did not drink alcohol during the past 30 days
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station
C.	I bought it at a restaurant, bar, or club
D.	I bought it at a public event such as a concert or sporting event
E.	I gave someone else money to buy it for me
F.	Someone gave it to me
G.	I took it from a store or family member
H.	I got it some other way
Variable label:	How did you get alcohol past 30 days
QN43:	Numerator: Students who answered F for Q43
	Denominator: Students who answered B, C, D, E, F, or G for Q41 and answered B, C, D, E, F, G, or H for Q43
	Summary text: Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days
	QN variable label: Someone gave alcohol to me past 30 days

United States High School Survey Data Users Manual

Q44.	<p>During the past 30 days, on how many days did you have at least one drink of alcohol on school property?</p> <p>A. 0 days</p> <p>B. 1 or 2 days</p> <p>C. 3 to 5 days</p> <p>D. 6 to 9 days</p> <p>E. 10 to 19 days</p> <p>F. 20 to 29 days</p> <p>G. All 30 days</p>
	<p>Variable label: How many days drink @ school 30 days</p>
QN44:	<p>Numerator: Students who answered B, C, D, E, F, or G for Q44</p> <p>Denominator: Students who answered A, B, C, D, E, F, or G for Q44</p> <p>Summary text: Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days</p> <p>QN variable label: Had 1+ drinks at school 1+ 30 days</p>
Q45.	<p>During your life, how many times have you used marijuana?</p> <p>A. 0 times</p> <p>B. 1 or 2 times</p> <p>C. 3 to 9 times</p> <p>D. 10 to 19 times</p> <p>E. 20 to 39 times</p> <p>F. 40 to 99 times</p> <p>G. 100 or more times</p>
	<p>Variable label: How many times smoke marijuana</p>
QN45:	<p>Numerator: Students who answered B, C, D, E, F, or G for Q45</p> <p>Denominator: Students who answered A, B, C, D, E, F, or G for Q45</p> <p>Summary text: Percentage of students who used marijuana one or more times during their life</p> <p>QN variable label: Tried marijuana 1+ times in life</p>
Q46.	<p>How old were you when you tried marijuana for the first time?</p> <p>A. I have never tried marijuana</p> <p>B. 8 years old or younger</p> <p>C. 9 or 10 years old</p> <p>D. 11 or 12 years old</p> <p>E. 13 or 14 years old</p> <p>F. 15 or 16 years old</p> <p>G. 17 years old or older</p>
	<p>Variable label: How old when first tried marijuana</p>
QN46:	<p>Numerator: Students who answered B, C, or D for Q46</p> <p>Denominator: Students who answered A, B, C, D, E, F, or G for Q46</p> <p>Summary text: Percentage of students who tried marijuana for the first time before age 13 years</p> <p>QN variable label: Tried marijuana before 13</p>

United States High School Survey Data Users Manual

Q47.	During the past 30 days, how many times did you use marijuana?
A.	0 times
B.	1 or 2 times
C.	3 to 9 times
D.	10 to 19 times
E.	20 to 39 times
F.	40 or more times
Variable label:	How many times use marijuana 30 days
QN47:	Numerator:
	Students who answered B, C, D, E, or F for Q47
	Denominator:
	Students who answered A, B, C, D, E, or F for Q47
	Summary text:
	Percentage of students who used marijuana one or more times during the past 30 days
	QN variable label:
	Used marijuana 1+ times past 30 days
Q48.	During the past 30 days, how many times did you use marijuana on school property ?
A.	0 times
B.	1 or 2 times
C.	3 to 9 times
D.	10 to 19 times
E.	20 to 39 times
F.	40 or more times
Variable label:	How many times marijuana@school 30 days
QN48:	Numerator:
	Students who answered B, C, D, E, or F for Q48
	Denominator:
	Students who answered A, B, C, D, E, or F for Q48
	Summary text:
	Percentage of students who used marijuana on school property one or more times during the past 30 days
	QN variable label:
	Used marijuana school 1+ times 30 day
Q49.	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?
A.	0 times
B.	1 or 2 times
C.	3 to 9 times
D.	10 to 19 times
E.	20 to 39 times
F.	40 or more times
Variable label:	How many times use cocaine
QN49:	Numerator:
	Students who answered B, C, D, E, or F for Q49
	Denominator:
	Students who answered A, B, C, D, E, or F for Q49
	Summary text:
	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life
	QN variable label:
	Used cocaine 1+ times in life

United States High School Survey Data Users Manual

Q50.	<p>During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?</p> <p>A. 0 times</p> <p>B. 1 or 2 times</p> <p>C. 3 to 9 times</p> <p>D. 10 to 19 times</p> <p>E. 20 to 39 times</p> <p>F. 40 or more times</p>
	<p>Variable label: How many times use cocaine 30 days</p>
QN50:	<p>Numerator: Students who answered B, C, D, E, or F for Q50</p> <p>Denominator: Students who answered A, B, C, D, E, or F for Q50</p> <p>Summary text: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days</p> <p>QN variable label: Used cocaine 1+ times past 30 days</p>
Q51.	<p>During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?</p> <p>A. 0 times</p> <p>B. 1 or 2 times</p> <p>C. 3 to 9 times</p> <p>D. 10 to 19 times</p> <p>E. 20 to 39 times</p> <p>F. 40 or more times</p>
	<p>Variable label: How many times sniffed glue</p>
QN51:	<p>Numerator: Students who answered B, C, D, E, or F for Q51</p> <p>Denominator: Students who answered A, B, C, D, E, or F for Q51</p> <p>Summary text: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life</p> <p>QN variable label: Sniffed glue 1+ times in life</p>
Q52.	<p>During your life, how many times have you used heroin (also called smack, junk, or China White)?</p> <p>A. 0 times</p> <p>B. 1 or 2 times</p> <p>C. 3 to 9 times</p> <p>D. 10 to 19 times</p> <p>E. 20 to 39 times</p> <p>F. 40 or more times</p>
	<p>Variable label: How many times used heroin</p>
QN52:	<p>Numerator: Students who answered B, C, D, E, or F for Q52</p> <p>Denominator: Students who answered A, B, C, D, E, or F for Q52</p> <p>Summary text: Percentage of students who used heroin one or more times during their life</p> <p>QN variable label: Used heroin 1+ times in life</p>

United States High School Survey Data Users Manual

Q53.	<p>During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?</p> <p>A. 0 times</p> <p>B. 1 or 2 times</p> <p>C. 3 to 9 times</p> <p>D. 10 to 19 times</p> <p>E. 20 to 39 times</p> <p>F. 40 or more times</p>
	<p>Variable label: How many times used methamphetamines</p>
QN53:	<p>Numerator: Students who answered B, C, D, E, or F for Q53</p> <p>Denominator: Students who answered A, B, C, D, E, or F for Q53</p> <p>Summary text: Percentage of students who used methamphetamines one or more times during their life</p> <p>QN variable label: Used meth 1+ times in life</p>
Q54.	<p>During your life, how many times have you used ecstasy (also called MDMA)?</p> <p>A. 0 times</p> <p>B. 1 or 2 times</p> <p>C. 3 to 9 times</p> <p>D. 10 to 19 times</p> <p>E. 20 to 39 times</p> <p>F. 40 or more times</p>
	<p>Variable label: Ecstasy one or more time</p>
QN54:	<p>Numerator: Students who answered B, C, D, E, or F for Q54</p> <p>Denominator: Students who answered A, B, C, D, E, or F for Q54</p> <p>Summary text: Percentage of students who used ecstasy one or more times during their life</p> <p>QN variable label: Used ecstasy 1+ times in life</p>
Q55.	<p>During your life, how many times have you taken steroid pills or shots without a doctor's prescription?</p> <p>A. 0 times</p> <p>B. 1 or 2 times</p> <p>C. 3 to 9 times</p> <p>D. 10 to 19 times</p> <p>E. 20 to 39 times</p> <p>F. 40 or more times</p>
	<p>Variable label: How many times used steroids</p>
QN55:	<p>Numerator: Students who answered B, C, D, E, or F for Q55</p> <p>Denominator: Students who answered A, B, C, D, E, or F for Q55</p> <p>Summary text: Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life</p> <p>QN variable label: Took steroids 1+ times in life</p>

United States High School Survey Data Users Manual

Q56.	During your life, how many times have you used a needle to inject any illegal drug into your body?
A.	0 times
B.	1 time
C.	2 or more times
Variable label:	How many times injected drugs
QN56:	Numerator: Students who answered B or C for Q56 Denominator: Students who answered A, B, or C for Q56 Summary text: Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life QN variable label: Injected drugs 1+ times in life
Q57.	During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property ?
A.	Yes
B.	No
Variable label:	Offered drugs @ school 12 mos
QN57:	Numerator: Students who answered A for Q57 Denominator: Students who answered A or B for Q57 Summary text: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months QN variable label: Offered/sold drugs at school 12 mos
Q58.	Have you ever had sexual intercourse?
A.	Yes
B.	No
Variable label:	Ever had sex
QN58:	Numerator: Students who answered A for Q58 Denominator: Students who answered A or B for Q58 Summary text: Percentage of students who ever had sexual intercourse QN variable label: Had sex ever
Q59.	How old were you when you had sexual intercourse for the first time?
A.	I have never had sexual intercourse
B.	11 years old or younger
C.	12 years old
D.	13 years old
E.	14 years old
F.	15 years old
G.	16 years old
H.	17 years old or older
Variable label:	How old at first sex
QN59:	Numerator: Students who answered B or C for Q59 Denominator: Students who answered A, B, C, D, E, F, G, or H for Q59 Summary text: Percentage of students who had sexual intercourse for the first time before age 13 years QN variable label: Had sex before 13

United States High School Survey Data Users Manual

Q60.	During your life, with how many people have you had sexual intercourse?
A.	I have never had sexual intercourse
B.	1 person
C.	2 people
D.	3 people
E.	4 people
F.	5 people
G.	6 or more people
Variable label:	How many sex partners
QN60:	Numerator: Students who answered E, F, or G for Q60
Denominator:	Students who answered A, B, C, D, E, F, or G for Q60
Summary text:	Percentage of students who had sexual intercourse with four or more people during their life
QN variable label:	Had sex with 4+ people in life

Q61.	During the past 3 months, with how many people did you have sexual intercourse?
A.	I have never had sexual intercourse
B.	I have had sexual intercourse, but not during the past 3 months
C.	1 person
D.	2 people
E.	3 people
F.	4 people
G.	5 people
H.	6 or more people
Variable label:	How many sex partners 3 mos
QN61:	Numerator: Students who answered C, D, E, F, G, or H for Q61
Denominator:	Students who answered A, B, C, D, E, F, G, or H for Q61
Summary text:	Percentage of students who had sexual intercourse with one or more people during the past three months
QN variable label:	Had sex with 1+ people 3 mos

Q62.	Did you drink alcohol or use drugs before you had sexual intercourse the last time ?
A.	I have never had sexual intercourse
B.	Yes
C.	No
Variable label:	Did you use alcohol/drugs @ last sex
QN62:	Numerator: Students who answered B for Q62
Denominator:	Students who answered C, D, E, F, G, or H for Q61 and answered B or C for Q62
Summary text:	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse
QN variable label:	Of current sex, used alcohol last time

United States High School Survey Data Users Manual

Q63.	The last time you had sexual intercourse, did you or your partner use a condom?
A.	I have never had sexual intercourse
B.	Yes
C.	No
Variable label:	Did you use condom @ last sex
QN63:	Numerator: Students who answered B for Q63
Denominator:	Students who answered C, D, E, F, G, or H for Q61 and answered B or C for Q63
Summary text:	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse
QN variable label:	Of current sex, used condom last time
Q64.	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy ? (Select only one response.)
A.	I have never had sexual intercourse
B.	No method was used to prevent pregnancy
C.	Birth control pills
D.	Condoms
E.	Depo-Provera (injectable birth control)
F.	Withdrawal
G.	Some other method
H.	Not sure
Variable label:	What birth control @ last sex
QN64:	Numerator: Students who answered C for Q64
Denominator:	Students who answered C, D, E, F, G, or H for Q61 and answered B, C, D, E, F, G, or H for Q64
Summary text:	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse
QN variable label:	Of current sex, used birth ctl last sx
Q65.	How do you describe your weight?
A.	Very underweight
B.	Slightly underweight
C.	About the right weight
D.	Slightly overweight
E.	Very overweight
Variable label:	How do you describe your weight
QN65:	Numerator: Students who answered D or E for Q65
Denominator:	Students who answered A, B, C, D, or E for Q65
Summary text:	Percentage of students who described themselves as slightly or very overweight
QN variable label:	Slightly/very overweight

United States High School Survey Data Users Manual

Q66.	Which of the following are you trying to do about your weight?
A.	Lose weight
B.	Gain weight
C.	Stay the same weight
D.	I am not trying to do anything about my weight
Variable label:	What are you trying to do about weight
QN66:	Numerator:
	Students who answered A for Q66
	Denominator:
	Students who answered A, B, C, or D for Q66
	Summary text:
	Percentage of students who were trying to lose weight
	QN variable label:
	Trying to lose weight
Q67.	During the past 30 days, did you exercise to lose weight or to keep from gaining weight?
A.	Yes
B.	No
Variable label:	Did you exercise to lose weight 30 days
QN67:	Numerator:
	Students who answered A for Q67
	Denominator:
	Students who answered A or B for Q67
	Summary text:
	Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days
	QN variable label:
	Exercised to lose weight past 30 days
Q68.	During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?
A.	Yes
B.	No
Variable label:	Did you eat less to lose weight 30 days
QN68:	Numerator:
	Students who answered A for Q68
	Denominator:
	Students who answered A or B for Q68
	Summary text:
	Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days
	QN variable label:
	Ate less to lose weight past 30 days
Q69.	During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?
A.	Yes
B.	No
Variable label:	Did you fast to lose weight 30 days
QN69:	Numerator:
	Students who answered A for Q69
	Denominator:
	Students who answered A or B for Q69
	Summary text:
	Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days
	QN variable label:
	Fasted to lose weight past 30 days

United States High School Survey Data Users Manual

Q70.	During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight? (Do not include meal replacement products such as Slim Fast.)
A.	Yes
B.	No
Variable label:	Did you take pill to lose weight 30 days
QN70:	Numerator: Students who answered A for Q70 Denominator: Students who answered A or B for Q70 Summary text: Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days QN variable label: Took pills to lose weight past 30 days
Q71.	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?
A.	Yes
B.	No
Variable label:	Did you vomit to lose weight 30 days
QN71:	Numerator: Students who answered A for Q71 Denominator: Students who answered A or B for Q71 Summary text: Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days QN variable label: Vomited to lose weight past 30 days
Q72.	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)
A.	I did not drink 100% fruit juice during the past 7 days
B.	1 to 3 times during the past 7 days
C.	4 to 6 times during the past 7 days
D.	1 time per day
E.	2 times per day
F.	3 times per day
G.	4 or more times per day
Variable label:	How many times fruit juice 7 days
QN72:	Numerator: Students who answered B, C, D, E, F, or G for Q72 Denominator: Students who answered A, B, C, D, E, F, or G for Q72 Summary text: Percentage of students who drank 100% fruit juices one or more times during the past seven days QN variable label: Drank fruit juice past 7 days

United States High School Survey Data Users Manual

Q73.	<p>During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)</p> <p>A. I did not eat fruit during the past 7 days</p> <p>B. 1 to 3 times during the past 7 days</p> <p>C. 4 to 6 times during the past 7 days</p> <p>D. 1 time per day</p> <p>E. 2 times per day</p> <p>F. 3 times per day</p> <p>G. 4 or more times per day</p>
	<p>Variable label: How many times fruit 7 days</p>
QN73:	<p>Numerator: Students who answered B, C, D, E, F, or G for Q73</p> <p>Denominator: Students who answered A, B, C, D, E, F, or G for Q73</p> <p>Summary text: Percentage of students who ate fruit one or more times during the past seven days</p> <p>QN variable label: Ate fruit past 7 days</p>
Q74.	<p>During the past 7 days, how many times did you eat green salad?</p> <p>A. I did not eat green salad during the past 7 days</p> <p>B. 1 to 3 times during the past 7 days</p> <p>C. 4 to 6 times during the past 7 days</p> <p>D. 1 time per day</p> <p>E. 2 times per day</p> <p>F. 3 times per day</p> <p>G. 4 or more times per day</p>
	<p>Variable label: How many time green salad 7 days</p>
QN74:	<p>Numerator: Students who answered B, C, D, E, F, or G for Q74</p> <p>Denominator: Students who answered A, B, C, D, E, F, or G for Q74</p> <p>Summary text: Percentage of students who ate green salad one or more times during the past seven days</p> <p>QN variable label: Ate green salad past 7 days</p>
Q75.	<p>During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)</p> <p>A. I did not eat potatoes during the past 7 days</p> <p>B. 1 to 3 times during the past 7 days</p> <p>C. 4 to 6 times during the past 7 days</p> <p>D. 1 time per day</p> <p>E. 2 times per day</p> <p>F. 3 times per day</p> <p>G. 4 or more times per day</p>
	<p>Variable label: How many times potatoes 7 days</p>
QN75:	<p>Numerator: Students who answered B, C, D, E, F, or G for Q75</p> <p>Denominator: Students who answered A, B, C, D, E, F, or G for Q75</p> <p>Summary text: Percentage of students who ate potatoes one or more times during the past seven days</p> <p>QN variable label: Ate potatoes past 7 days</p>

United States High School Survey Data Users Manual

Q76.	During the past 7 days, how many times did you eat carrots ?
A.	I did not eat carrots during the past 7 days
B.	1 to 3 times during the past 7 days
C.	4 to 6 times during the past 7 days
D.	1 time per day
E.	2 times per day
F.	3 times per day
G.	4 or more times per day
Variable label:	How many times carrots 7 days
QN76:	Numerator:
	Students who answered B, C, D, E, F, or G for Q76
	Denominator:
	Students who answered A, B, C, D, E, F, or G for Q76
	Summary text:
	Percentage of students who ate carrots one or more times during the past seven days
	QN variable label:
	Ate carrots past 7 days
Q77.	During the past 7 days, how many times did you eat other vegetables ? (Do not count green salad, potatoes, or carrots.)
A.	I did not eat other vegetables during the past 7 days
B.	1 to 3 times during the past 7 days
C.	4 to 6 times during the past 7 days
D.	1 time per day
E.	2 times per day
F.	3 times per day
G.	4 or more times per day
Variable label:	How many times other vegetables 7 days
QN77:	Numerator:
	Students who answered B, C, D, E, F, or G for Q77
	Denominator:
	Students who answered A, B, C, D, E, F, or G for Q77
	Summary text:
	Percentage of students who ate other vegetables one or more times during the past seven days
	QN variable label:
	Ate vegetables past 7 days
Q78.	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop , such as Coke, Pepsi, or Sprite? (Do not include diet soda or diet pop.)
A.	I did not drink soda or pop during the past 7 days
B.	1 to 3 times during the past 7 days
C.	4 to 6 times during the past 7 days
D.	1 time per day
E.	2 times per day
F.	3 times per day
G.	4 or more times per day
Variable label:	How many times drink soda past 7 days
QN78:	Numerator:
	Students who answered D, E, F, or G for Q78
	Denominator:
	Students who answered A, B, C, D, E, F, or G for Q78
	Summary text:
	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days
	QN variable label:
	Drank soda 1+ times/day past 7 days

United States High School Survey Data Users Manual

Q79.	During the past 7 days, how many glasses of milk did you drink? (Include the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk served at school as equal to one glass.)
A.	I did not drink milk during the past 7 days
B.	1 to 3 glasses during the past 7 days
C.	4 to 6 glasses during the past 7 days
D.	1 glass per day
E.	2 glasses per day
F.	3 glasses per day
G.	4 or more glasses per day
Variable label:	How many glass of milk 7 days
QN79:	Numerator: Students who answered F or G for Q79
	Denominator: Students who answered A, B, C, D, E, F, or G for Q79
	Summary text: Percentage of students who drank three or more glasses per day of milk during the past seven days
	QN variable label: Drank 3+ glasses milk past 7 days
Q80.	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day ? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)
A.	0 days
B.	1 day
C.	2 days
D.	3 days
E.	4 days
F.	5 days
G.	6 days
H.	7 days
Variable label:	Days active 60 min plus past 7 days
QN80:	Numerator: Students who answered F, G, or H for Q80
	Denominator: Students who answered A, B, C, D, E, F, G, or H for Q80
	Summary text: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days
	QN variable label: Active 60 min on 5+ past 7 days

United States High School Survey Data Users Manual

Q81.	On an average school day, how many hours do you watch TV?
A.	I do not watch TV on an average school day
B.	Less than 1 hour per day
C.	1 hour per day
D.	2 hours per day
E.	3 hours per day
F.	4 hours per day
G.	5 or more hours per day
Variable label:	How many hours watch TV
QN81:	Numerator:
	Students who answered E, F, or G for Q81
Denominator:	Students who answered A, B, C, D, E, F, or G for Q81
Summary text:	Percentage of students who watched three or more hours per day of TV on an average school day
QN variable label:	Watched 3+ hours of TV average day
Q82.	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Include activities such as Nintendo, Game Boy, PlayStation, Xbox, computer games, and the Internet.)
A.	I do not play video or computer games or use a computer for something that is not school work
B.	Less than 1 hour per day
C.	1 hour per day
D.	2 hours per day
E.	3 hours per day
F.	4 hours per day
G.	5 or more hours per day
Variable label:	How many hours/day play video games
QN82:	Numerator:
	Students who answered E, F, or G for Q82
Denominator:	Students who answered A, B, C, D, E, F, or G for Q82
Summary text:	Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day
QN variable label:	Played video games 3+ hours/day
Q83.	In an average week when you are in school, on how many days do you go to physical education (PE) classes?
A.	0 days
B.	1 day
C.	2 days
D.	3 days
E.	4 days
F.	5 days
Variable label:	How many days go to PE class
QN83:	Numerator:
	Students who answered B, C, D, E, or F for Q83
Denominator:	Students who answered A, B, C, D, E, or F for Q83
Summary text:	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school
QN variable label:	Attended PE class 1+ days average week

United States High School Survey Data Users Manual

Q84.	<p>During the past 12 months, on how many sports teams did you play? (Include any teams run by your school or community groups.)</p> <p>A. 0 teams</p> <p>B. 1 team</p> <p>C. 2 teams</p> <p>D. 3 or more teams</p>
	<p>Variable label: On how many sports team 12 mos</p>
QN84:	<p>Numerator: Students who answered B, C, or D for Q84</p> <p>Denominator: Students who answered A, B, C, or D for Q84</p> <p>Summary text: Percentage of students who played on one or more sports teams during the past 12 months</p> <p>QN variable label: Played on 1+ sports teams past 12 mos</p>
Q85.	<p>Have you ever been taught about AIDS or HIV infection in school?</p> <p>A. Yes</p> <p>B. No</p> <p>C. Not sure</p>
	<p>Variable label: Ever taught about AIDS/HIV @ school</p>
QN85:	<p>Numerator: Students who answered A for Q85</p> <p>Denominator: Students who answered A, B, or C for Q85</p> <p>Summary text: Percentage of students who had ever been taught in school about AIDS or HIV infection</p> <p>QN variable label: Taught about AIDS/HIV @ school</p>
Q86.	<p>Has a doctor or nurse ever told you that you have asthma?</p> <p>A. Yes</p> <p>B. No</p> <p>C. Not sure</p>
	<p>Variable label: Ever been told you have asthma</p>
QN86:	<p>Numerator: Students who answered A for Q86</p> <p>Denominator: Students who answered A, B, or C for Q86</p> <p>Summary text: Percentage of students who had ever been told by a doctor or nurse that they had asthma</p> <p>QN variable label: Told by doctor/nurse they had asthma</p>

United States High School Survey Data Users Manual

Q87.	Do you still have asthma? A. I have never had asthma B. Yes C. No D. Not sure
Variable label:	Do you still have asthma
QN87:	Numerator: Students who answered A for Q86 and answered B for Q87 Denominator: Students who answered A, B, or C for Q86 and answered A, B, C, or D for Q87 Summary text: Percentage of students who had been told by a doctor or nurse that they had asthma and who still have asthma QN variable label: With current asthma
Q88.	When you rode a motorcycle during the past 12 months, how often did you wear a helmet? A. I did not ride a motorcycle during the past 12 months B. Never wore a helmet C. Rarely wore a helmet D. Sometimes wore a helmet E. Most of the time wore a helmet F. Always wore a helmet
Variable label:	How often wear motorcycle helmet
QN88:	Numerator: Students who answered B or C for Q88 Denominator: Students who answered B, C, D, E, or F for Q88 Summary text: Among students who rode a motorcycle during the past 12 months, the percentage who never or rarely wore a motorcycle helmet QN variable label: Never/rarely wear helmet
Q89.	During your life, how many times have you used hallucinogenic drugs , such as LSD, acid, PCP, angel dust, mescaline, or mushrooms? A. 0 times B. 1 or 2 times C. 3 to 9 times D. 10 to 19 times E. 20 to 39 times F. 40 or more times
Variable label:	Ever used LSD
QN89:	Numerator: Students who answered B, C, D, E, or F for Q89 Denominator: Students who answered A, B, C, D, E, or F for Q89 Summary text: Percentage of students who have used hallucinogenic drugs, such as LSD, acid, PCP, angel dust, mescaline, or mushrooms one or more times during their life QN variable label: Used LSD 1+ times

United States High School Survey Data Users Manual

Q90.	<p>During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax) without a doctor's prescription?</p> <p>A. 0 times</p> <p>B. 1 or 2 times</p> <p>C. 3 to 9 times</p> <p>D. 10 to 19 times</p> <p>E. 20 to 39 times</p> <p>F. 40 or more times</p>
Variable label:	Times prescription drug wo prescription
QN90:	<p>Numerator: Students who answered B, C, D, E, or F for Q90</p> <p>Denominator: Students who answered A, B, C, D, E, or F for Q90</p> <p>Summary text: Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life</p> <p>QN variable label: Taken prescription drug wo prescription</p>
Q91.	<p>On how many of the past 7 days did you exercise or participate in physical activity for at least 20 minutes that made you sweat and breathe hard, such as basketball, soccer, running, swimming laps, fast bicycling, fast dancing, or similar aerobic activities?</p> <p>A. 0 days</p> <p>B. 1 day</p> <p>C. 2 days</p> <p>D. 3 days</p> <p>E. 4 days</p> <p>F. 5 days</p> <p>G. 6 days</p> <p>H. 7 days</p>
Variable label:	Did you do vigorous exercise 7 days
QN91:	<p>Numerator: Students who answered D, E, F, G, or H for Q91</p> <p>Denominator: Students who answered A, B, C, D, E, F, G, or H for Q91</p> <p>Summary text: Percentage of students who exercised or participated in physical activity that made them sweat and breathe hard for 20 minutes or more on three or more of the past seven days</p> <p>QN variable label: Vigorous exercise past 7 days</p>

United States High School Survey Data Users Manual

Q92. On how many of the past 7 days did you participate in physical activity for **at least 30 minutes that did not make you sweat or breathe hard**, such as fast walking, slow bicycling, skating, pushing a lawn mower, or mopping floors?

- A. 0 days
- B. 1 day
- C. 2 days
- D. 3 days
- E. 4 days
- F. 5 days**
- G. 6 days**
- H. 7 days**

Variable label: Did you do moderate exercise 7 days

QN92: Numerator: Students who answered F, G, or H for Q92

Denominator: Students who answered A, B, C, D, E, F, G, or H for Q92

Summary text: Percentage of students who participated in physical activity that did not make them sweat or breathe hard for 30 minutes or more on five or more of the past seven days

QN variable label: Moderate exercise past 7 days

Q93. During an average physical education (PE) class, how many minutes do you spend actually exercising or playing sports?

- A. I do not take PE
- B. Less than 10 minutes
- C. 10 to 20 minutes
- D. 21 to 30 minutes**
- E. 31 to 40 minutes**
- F. 41 to 50 minutes**
- G. 51 to 60 minutes**
- H. More than 60 minutes**

Variable label: How many minutes exercise in PE class

QN93: Numerator: Students who answered D, E, F, G, or H for Q93

Denominator: Students who answered B, C, D, E, F, G, or H for Q93

Summary text: Among students enrolled in physical education (PE) class, the percentage who actually exercised or played sports more than 20 minutes during an average PE class

QN variable label: Exercised in PE 21+ minutes

United States High School Survey Data Users Manual

Q94.	<p>Have you ever been tested for HIV, the virus that causes AIDS? (Do not count tests done if you donated blood.)</p> <p>A. Yes B. No C. Not sure</p>
Variable label:	Ever tested for HIV
QN94:	<p>Numerator: Students who answered A for Q94 Denominator: Students who answered A, B, or C for Q94 Summary text: Percentage of students who had ever been tested for HIV, the virus that causes AIDS QN variable label: Tested for HIV</p>
Q95.	<p>When you are outside for more than one hour on a sunny day, how often do you wear sunscreen with an SPF of 15 or higher?</p> <p>A. Never B. Rarely C. Sometimes D. Most of the time E. Always</p>
Variable label:	Sunscreen use outside
QN95:	<p>Numerator: Students who answered D or E for Q95 Denominator: Students who answered A, B, C, D or E for Q95 Summary text: Percentage of students who most of the time or always wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day QN variable label: Mostly or always wear sunscreen</p>
Q96.	<p>During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do not include getting a spray-on tan.)</p> <p>A. 0 times B. 1 or 2 times C. 3 to 9 times D. 10 to 19 times E. 20 to 39 times F. 40 or more times</p>
Variable label:	How many times indoor tanning
QN96:	<p>Numerator: Students who answered B, C, D, E, or F for Q96 Denominator: Students who answered A, B, C, D, E, or F for Q96 Summary text: Percentage of students who used an indoor tanning device such as a sunlamp, sunbed, or tanning booth one or more times during the past 12 months QN variable label: Used 1+ times indoor tanning</p>

United States High School Survey Data Users Manual

Q97. On an average school night, how many hours of sleep do you get?

- A. 4 or less hours
- B. 5 hours
- C. 6 hours
- D. 7 hours
- E. 8 hours**
- F. 9 hours**
- G. 10 or more hours**

Variable label: Hours of sleep on school night

QN97: Numerator: Students who answered E, F, or G for Q97

Denominator: Students who answered A, B, C, D, E, F, or G for Q97

Summary text: Percentage of students who get eight or more hours of sleep on an average school night

QN variable label: Get 8+ hours sleep

Q98. During the past 12 months, how would you describe your grades in school?

- A. Mostly A's
- B. Mostly B's
- C. Mostly C's
- D. Mostly D's**
- E. Mostly F's**
- F. None of these grades
- G. Not sure

Variable label: How were your grades past 12 months

QN98: Numerator: Students who answered D or E for Q98

Denominator: Students who answered A, B, C, D, E, F, or G for Q98

Summary text: Percentage of students who described their grades in school as mostly D's and F's during the past 12 months

QN variable label: Grades mostly Ds and Fs

United States High School Survey Data Users Manual

4.3.2. Supplemental Dichotomous Variables

The **QNword** variables are supplemental, dichotomous variables that are calculated based on results from one or more than one question. You will not have the supplemental variables if you modified or deleted any of the questions needed for the calculation. How these variables are derived, including which students are used in the numerator and denominator, and the SAS program used are detailed in the following table. The values included in the SAS programs are numbers that correspond to the original responses; 1 = A, 2 = B, etc.

QNFRDIG:	
Numerator:	Students who answered F or G for Q30
Denominator:	Students who answered A, B, C, D, E, F, or G for Q30
Summary text:	Percentage of students who smoked cigarettes on 20 or more of the past 30 days
QN variable label:	Smoked on 20 past 30 days
Dependence:	Depends on Q30
SAS code:	if Q30 in ('6','7') then QNFRDIG=1; else if Q30 in ('1','2','3','4','5') then QNFRDIG=2;
QNANYTOB:	
Numerator:	Students who answered B, C, D, E, F, or G for Q30, Q36, or Q38
Denominator:	Students who answered A, B, C, D, E, F, or G for Q30, Q36, and Q38
Summary text:	Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days
QN variable label:	Used any tobacco past 30 days
Dependence:	Depends on Q30, Q36, and Q38
SAS code:	QNANYTOB=2; if Q30 in ('2','3','4','5','6','7') then QNANYTOB=1; if Q36 in ('2','3','4','5','6','7') then QNANYTOB=1; if Q38 in ('2','3','4','5','6','7') then QNANYTOB=1; if Q30=' ' or Q36=' ' or Q38=' ' then QNANYTOB=.

United States High School Survey Data Users Manual

QNOWT:	
Summary text:	Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)
QN variable label:	Overweight
Dependence:	Depends on Q1, Q2, Q6, and Q7
SAS Code:	See section 4.2 for information on how to calculate QNOWT.
QNOBESE:	
Summary text:	Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)
QN variable label:	Obese
Dependence:	Depends on Q1, Q2, Q6, and Q7
SAS Code:	See section 4.2 for information on how to calculate QNOBESE.
QNFRVG:	
Numerator:	Calculated
Denominator:	Students who answered A, B, C, D, E, F, or G for Q72, Q73, Q74, Q75, Q76, and Q77
Summary text:	Percentage of students who ate fruits and vegetables five or more times per day during the past seven days
QN variable label:	Ate 5+ fruits/vegetables/day 7 days
Dependence:	Depends on Q72, Q73, Q74, Q75, Q76, and Q77
SAS code:	<pre>length qfrvg1 qfrvg2 qfrvg3 qfrvg4 qfrvg5 qfrvg6 8; qfrvgtot=0; array qfv{6} q72 q73 q74 q75 q76 q77; array qfrvg{6} qfrvg1 qfrvg2 qfrvg3 qfrvg4 qfrvg5 qfrvg6; do i=1 to 6; select (qfv{i}); when ('1') qfrvg{i}=0; when ('2') qfrvg{i}=2/7; when ('3') qfrvg{i}=5/7; when ('4') qfrvg{i}=1; when ('5') qfrvg{i}=2; when ('6') qfrvg{i}=3; when ('7') qfrvg{i}=4; otherwise qfrvg{i}=.; end; qfrvgtot=qfrvgtot+qfrvg{i}; end; if qfrvgtot>=5 then QNFRVG=1; else if qfrvgtot ne . then QNFRVG=2; else QNFRVG=.; drop qfrvg1-qfrvg6 qfrvgtot;</pre>

United States High School Survey Data Users Manual

QNFRUIT:

Numerator: Calculated
 Denominator: Students who answered A, B, C, D, E, F, or G for Q72 and Q73
 Summary text: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days

QN variable label: Ate fruit/drank juice 2+ times/days

Dependence: Depends on Q72 and Q73

SAS code: length qfruit1 qfruit2 8;
 qfirtot=0;
 array qfr{2} q72 q73;
 array qfruit{2} qfruit1 qfruit2;
 do i=1 to 2;
 select (qfr{i});
 when ('1') qfruit{i}=0;
 when ('2') qfruit{i}=2/7;
 when ('3') qfruit{i}=5/7;
 when ('4') qfruit{i}=1;
 when ('5') qfruit{i}=2;
 when ('6') qfruit{i}=3;
 when ('7') qfruit{i}=4;
 otherwise qfruit{i}=.;
 end;
 qfirtot=qfirtot+qfruit{i};
end;
if qfirtot>=2 then QNFRUIT=1;
 else if qfirtot ne . then QNFRUIT=2;
 else QNFRUIT=.;
drop qfruit1-qfruit2 qfirtot;

United States High School Survey Data Users Manual

QNVEG:

Numerator: Calculated
 Denominator: Students who answered A, B, C, D, E, F, or G for Q74, Q75, Q76, and Q77
 Summary text: Percentage of students who ate vegetables three or more times per day during the past seven days

QN variable label: Ate 3+ vegetables/day 7 days

Dependence: Depends on Q74, Q75, Q76, and Q77

SAS code:

```
length qveg1 qveg2 qveg3 qveg4 8;
qvgtot=0;
array qvg{4} q74 q75 q76 q77;
array qveg{4} qveg1 qveg2 qveg3 qveg4;
do i=1 to 4;
  select (qvg{i});
    when ('1') qveg{i}=0;
    when ('2') qveg{i}=2/7;
    when ('3') qveg{i}=5/7;
    when ('4') qveg{i}=1;
    when ('5') qveg{i}=2;
    when ('6') qveg{i}=3;
    when ('7') qveg{i}=4;
    otherwise qveg{i}=.;
  end;
  qvgtot=qvgtot+qveg{i};
end;
if qvgtot>=3 then QNVEG=1;
else if qvgtot ne . then QNVEG=2;
else QNVEG=.;
drop qveg1-qveg4 qvgtot;
```

QNDLYPE:

Numerator: Students who answered F for Q83
 Denominator: Students who answered A, B, C, D, E, or F for Q83
 Summary text: Percentage of students who attended physical education (PE) classes daily in an average week when they were in school

QN variable label: Attended PE classes daily

Dependence: Depends on Q83

SAS code:

```
if Q83='6' then QNDLYPE=1;
else if Q83 in ('1','2','3','4','5') then QNDLYPE=2;
```

United States High School Survey Data Users Manual

QNDEPO:	
Numerator:	Students who answered E for Q64
Denominator:	Students who answered C, D, E, F, G, or H for Q61 and answered B, C, D, E, F, G, or H for Q64
Summary text:	Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) to prevent pregnancy before last sexual intercourse
QN variable label:	Used Depo @ last sex
Dependence:	Depends on Q61 and Q64
SAS code:	<pre> if q61 in ('3','4','5','6','7','8') then do; if q64 in ('5') then QNDEPO=1; else if q64 in ('2','3','4','5','6','8') then QNDEPO=2; end; </pre>
QNDEPOPL:	
Numerator:	Students who answered C or E for Q64
Denominator:	Students who answered C, D, E, F, G, or H for Q61 and answered B, C, D, E, F, G, or H for Q64
Summary text:	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills or Depo-Provera (injectable birth control) to prevent pregnancy before last sexual intercourse
QN variable label:	Used pill or Depo @ last sex
Dependence:	Depends on Q61 and Q64
SAS code:	<pre> if q61 in ('3','4','5','6','7','8') then do; if q64 in ('3','5') then QNDEPOPL=1; else if q64 in ('2','3','4','5','6','8') then QNDEPOPL=2; end; </pre>
QNDUAL:	
Numerator:	Students who answered B for Q63 and C or E for Q64
Denominator:	Students who answered C, D, E, F, G, or H for Q61 and answered B or C for Q63 and answered B, C, D, E, F, G, or H for Q64
Summary text:	Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills or Depo-Provera (injectable birth control) to prevent pregnancy before last sexual intercourse
QN variable label:	Used condom and pill or Depo @ last sex
Dependence:	Depends on Q61
SAS code:	<pre> if q61 in ('3','4','5','6','7','8') then do; if q63='2' and q64 in ('3','5') then QNDUAL=1; else if q63 in (' ') or q64 in (' ') then QNDUAL=.; else if q63 in ('3') or q64 in ('2','4','6','7','8') then QNDUAL=2; end; </pre>

United States High School Survey Data Users Manual

QNPA0DAY:	
Numerator:	Students who answered A for Q80
Denominator:	Students who answered A, B, C, D, E, F, G, or H for Q80
Summary text:	Percentage of students who were physically active for a total of at least 60 minutes per day on none of the past seven days
QN variable label:	Active 60 min on 0 of past 7 days
Dependence:	Depends on Q80
SAS code:	if q80='1' then QNPA0DAY=1; else if q80 in ('2','3','4','5','6','7','8') then QNPA0DAY=2; else QNPA0DAY=.;
QNPA7DAY:	
Numerator:	Students who answered H for Q80
Denominator:	Students who answered A, B, C, D, E, F, G, or H for Q80
Summary text:	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven of the past seven days
QN variable label:	Active 60 min on 7 of past 7 days
Dependence:	Depends on Q80
SAS code:	if q80='8' then QNPA7DAY=1; else if q80 in ('1','2','3','4','5','6','7') then QNPA7DAY=2; else QNPA7DAY=.;

4.4. Data Analysis Variables

4.4.1. Weight

A weight based on student sex, race/ethnicity, and grade level was applied to each record to adjust for school and student nonresponse and oversampling of black and Hispanic students. The overall weights were scaled so that the weighted count of students equals the total sample size, and the weighted proportions of students in each grade match the national population proportions. Thus the data are representative of students in grades 9-12 in public and private schools in the United States. "WEIGHT" indicates the weight factor assigned to each student record.

4.4.2. Stratum

The sample design employed a three-stage cluster sample stratified by racial/ethnic concentration and MSA status. "STRATUM" indicates the stratum the school the student attends was assigned to.

4.4.3. Primary Sampling Unit (PSU)

PSUs consist of counties, groups of smaller adjacent counties, or sub-areas of very large counties. "PSU" indicates the PSU the school the student attends was assigned to.

United States High School Survey Data Users Manual

5. Analysis Software Technical Notes

5.1. Software Requirements

The YRBS uses a multi-stage cluster sample design. Statistical software used to analyze YRBS data should account for this design. Many packages with this capability are available.

Please note that percentages generated by different software packages should always match one another and should also match YRBS publications. Small differences in confidence intervals will occur however as different software packages use different methods for calculating standard error and for handling missing data.

For more information on five statistical packages (SUDAAN, SAS, STATA, SPSS, and Epi Info) that can be used to analyze the YRBS, please refer to the Software for Analysis of YRBS Data document on the YRBS web site at <http://www.cdc.gov/yrbss>.

5.2. How to Use the SAS Format Library

The SAS YRBS data file is designed to be used with its companion format library file. The SAS format library file contains formats used to make SAS output more readable. Formats are linked to the data so that results are displayed as words (“Male” or “Female”, for instance) instead of numbers (1 or 2). You should download both the SAS data file and the SAS format library file if you want to use SAS to analyze YRBS data.

The following example SAS program shows how to use the format library. It assumes that both the data file and the format library have been downloaded to “c:\data”. Note that the program contains two libname statements. The first libname statement indicates where the data file is located; the second libname statement indicates where the format library is located.

```
libname mydata 'c:\data'; /* tells SAS where the data are */
libname library 'c:\data'; /* tells SAS where the formats are */
proc freq data=mydata.yrbs2009;
    tables q2;
run;
```

United States High School Survey Data Users Manual

Using the format library is recommended but technically is optional. If you do not want to use the format library, include the following statement at the start of your SAS program:

```
options nofmterr; /* tells SAS to not look for formats */
```

Please note that each year of YRBS data has its own format library. Format libraries are not the same across years of data. For further information on using format libraries, please consult your SAS documentation.

United States High School Survey Data Users Manual

6. Codebook

The codebook documents the SAS, SPSS, MS Access, and ASCII data files available for public use. The columns in the codebook include the following information:

Data Location:

This column contains the numbers indicating the beginning and ending column position for each variable. The data location is relevant only when you are using the ASCII formatted data file; for the other files, you will reference data by variable name, not location.

Variable Name:

This column contains the variable names listed in the order that the variables appear in the data files. Please refer to Section 4 of this document for more details on variable types and dichotomous variables.

Question Code and Label:

This column contains information about each variable in the data file. For each question (Q1 through Q98), this column contains question text, response option codes, and response option text. For QN# and QNword variables, this column contains text that summarizes the “responses of interest”, and the codes “1” and “2” for “Yes” and “No” respectively to indicate whether or not the response was one of the “responses of interest”.

Unweighted Frequency:

This column contains the number of students who chose a specific response option or response of interest.

Weighted Percentage:

This column contains the percentage of students who chose a specific response option or response of interest. These percentages are weighted and represent students in the United States.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	How old are you?		
		1 12 years old or younger	28	0.1
		2 13 years old	17	0.1
		3 14 years old	1,634	11.3
		4 15 years old	3,701	24.8
		5 16 years old	4,135	25.9
		6 17 years old	4,230	24.2
		7 18 years old or older	2,595	13.6
		Missing	70	
18-18	Q2	What is your sex?		
		1 Female	8,280	47.8
		2 Male	8,065	52.2
		Missing	65	
19-19	Q3	In what grade are you?		
		1 9th grade	4,153	28.0
		2 10th grade	3,926	26.2
		3 11th grade	4,092	23.5
		4 12th grade	4,137	22.2
		5 Ungraded or other grade	16	0.1
		Missing	86	
20-20	Q4	Are you Hispanic or Latino?		
		1 Yes	4,776	18.5
		2 No	11,428	81.5
		Missing	206	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	3	0.0
		G	1	0.0
		F	12	0.1
		FGH	1	0.0
		E	7,733	69.6
		D	363	1.8
		DE	35	0.2
		C	3,086	17.2
		C E	146	1.2
		CD	10	0.1
		CDE	4	0.0
		B	849	4.3
		B E	100	0.7
		B D	48	0.4
		B DE	16	0.1
		BC	37	0.2
		BC E	12	0.1
		BCD	2	0.0
		BCDE	4	0.0
		A	448	2.0
		A F	1	0.0
		A E	132	1.0
		A D	5	0.0
		A DE	2	0.0
		A C	56	0.3
		A C E	52	0.3
		A CD	3	0.0
		A CDE	1	0.0
		AB	6	0.0
		AB E	8	0.1
		AB D	2	0.0
		AB DE	8	0.1
		ABC	5	0.0
		ABC E	3	0.0
		ABCD	2	0.0
		ABCDE	20	0.1
			3,194	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
	1	I did not ride a bicycle during the past 12 months	5,368	30.5
	2	Never wore a helmet	8,309	53.3
	3	Rarely wore a helmet	819	5.6
	4	Sometimes wore a helmet	447	3.3
	5	Most of the time wore a helmet	355	3.0
	6	Always wore a helmet	556	4.4
		Missing	556	
40-40	Q9	How often do you wear a seat belt when riding in a car driven by someone else?		
	1	Never	521	3.1
	2	Rarely	1,087	6.6
	3	Sometimes	2,141	12.5
	4	Most of the time	4,581	28.5
	5	Always	7,890	49.3
		Missing	190	
41-41	Q10	During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?		
	1	0 times	11,468	71.7
	2	1 time	1,690	10.3
	3	2 or 3 times	1,887	10.7
	4	4 or 5 times	426	2.5
	5	6 or more times	876	4.8
		Missing	63	
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
	1	0 times	14,524	90.3
	2	1 time	674	4.4
	3	2 or 3 times	515	3.1
	4	4 or 5 times	131	0.7
	5	6 or more times	277	1.5
		Missing	289	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	13,398	82.5
		2 1 day	578	3.5
		3 2 or 3 days	654	4.2
		4 4 or 5 days	233	1.6
		5 6 or more days	1,247	8.2
		Missing	300	
44-44	Q13	During the past 30 days, on how many days did you carry a gun?		
		1 0 days	14,713	94.1
		2 1 day	274	1.6
		3 2 or 3 days	277	1.9
		4 4 or 5 days	90	0.5
		5 6 or more days	310	1.9
		Missing	746	
45-45	Q14	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	15,303	94.4
		2 1 day	281	1.7
		3 2 or 3 days	194	1.1
		4 4 or 5 days	61	0.4
		5 6 or more days	417	2.4
		Missing	154	
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	15,416	95.0
		2 1 day	439	2.2
		3 2 or 3 days	253	1.4
		4 4 or 5 days	69	0.4
		5 6 or more days	194	1.0
		Missing	39	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	15,049	92.3
		2 1 time	543	3.2
		3 2 or 3 times	322	1.9
		4 4 or 5 times	111	0.7
		5 6 or 7 times	67	0.4
		6 8 or 9 times	43	0.3
		7 10 or 11 times	17	0.1
		8 12 or more times	215	1.2
		Missing	43	
48-48	Q17	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	10,844	68.5
		2 1 time	2,202	13.6
		3 2 or 3 times	1,750	10.4
		4 4 or 5 times	498	2.9
		5 6 or 7 times	210	1.1
		6 8 or 9 times	116	0.7
		7 10 or 11 times	62	0.3
		8 12 or more times	448	2.6
		Missing	280	
49-49	Q18	During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?		
		1 0 times	15,095	96.2
		2 1 time	423	2.5
		3 2 or 3 times	126	0.6
		4 4 or 5 times	35	0.2
		5 6 or more times	70	0.4
		Missing	661	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
50-50	Q19	During the past 12 months, how many times were you in a physical fight on school property?		
		1 0 times	14,168	88.9
		2 1 time	1,170	6.9
		3 2 or 3 times	470	2.7
		4 4 or 5 times	83	0.4
		5 6 or 7 times	60	0.3
		6 8 or 9 times	19	0.1
		7 10 or 11 times	7	0.0
		8 12 or more times	112	0.6
		Missing	321	
51-51	Q20	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?		
		1 Yes	1,793	9.8
		2 No	14,424	90.2
		Missing	193	
52-52	Q21	Have you ever been physically forced to have sexual intercourse when you did not want to?		
		1 Yes	1,285	7.4
		2 No	14,450	92.6
		Missing	675	
53-53	Q22	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	2,964	19.9
		2 No	12,669	80.1
		Missing	777	
54-54	Q23	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	4,525	26.1
		2 No	11,707	73.9
		Missing	178	
55-55	Q24	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	2,349	13.8
		2 No	13,871	86.2
		Missing	190	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
56-56	Q25	During the past 12 months, did you make a plan about how you would attempt suicide?		
		1 Yes	1,873	10.9
		2 No	14,340	89.1
		Missing	197	
57-57	Q26	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	13,556	93.7
		2 1 time	546	3.3
		3 2 or 3 times	310	1.9
		4 4 or 5 times	68	0.4
		5 6 or more times	129	0.8
		Missing	1,801	
58-58	Q27	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	13,466	93.7
		2 Yes	332	1.9
		3 No	716	4.4
		Missing	1,896	
59-59	Q28	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	7,586	46.3
		2 No	8,302	53.7
		Missing	522	
60-60	Q29	How old were you when you smoked a whole cigarette for the first time?		
		1 I have never smoked a whole cigarette	10,060	64.6
		2 8 years old or younger	459	2.7
		3 9 or 10 years old	435	2.5
		4 11 or 12 years old	886	5.5
		5 13 or 14 years old	1,756	11.3
		6 15 or 16 years old	1,647	10.6
		7 17 years old or older	496	2.9
		Missing	671	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
61-61	Q30	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	12,783	80.5
		2 1 or 2 days	900	5.3
		3 3 to 5 days	422	2.8
		4 6 to 9 days	275	1.8
		5 10 to 19 days	339	2.3
		6 20 to 29 days	276	2.0
		7 All 30 days	767	5.3
		Missing	648	
62-62	Q31	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	12,612	80.4
		2 Less than 1 cigarette per day	675	3.9
		3 1 cigarette per day	597	3.9
		4 2 to 5 cigarettes per day	1,118	7.7
		5 6 to 10 cigarettes per day	338	2.5
		6 11 to 20 cigarettes per day	133	0.9
		7 More than 20 cigarettes per day	113	0.6
		Missing	824	
63-63	Q32	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	12,519	80.4
		2 I bought them in a store such as a convenience store, supermarket, discount store, or gas station	748	5.0
		3 I bought them from a vending machine	28	0.2
		4 I gave someone else money to buy them for me	646	4.6
		5 I borrowed (or bummed) them from someone else	693	5.0
		6 A person 18 years old or older gave them to me	289	1.8
		7 I took them from a store or family member	163	0.9
		8 I got them some other way	365	2.1
		Missing	959	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
64-64	Q33	During the past 30 days, on how many days did you smoke cigarettes on school property?		
		1 0 days	15,021	94.9
		2 1 or 2 days	353	2.2
		3 3 to 5 days	108	0.7
		4 6 to 9 days	80	0.5
		5 10 to 19 days	74	0.4
		6 20 to 29 days	52	0.4
		7 All 30 days	163	1.0
		Missing	559	
65-65	Q34	Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?		
		1 Yes	1,624	11.2
		2 No	13,807	88.8
		Missing	979	
66-66	Q35	During the past 12 months, did you ever try to quit smoking cigarettes?		
		1 I did not smoke during the past 12 months	11,327	73.9
		2 Yes	1,997	13.2
		3 No	1,989	12.8
		Missing	1,097	
67-67	Q36	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	14,900	91.1
		2 1 or 2 days	359	2.5
		3 3 to 5 days	163	1.1
		4 6 to 9 days	132	0.9
		5 10 to 19 days	133	1.0
		6 20 to 29 days	84	0.7
		7 All 30 days	363	2.8
		Missing	276	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
68-68	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?		
		1 0 days	15,217	94.5
		2 1 or 2 days	232	1.6
		3 3 to 5 days	104	0.8
		4 6 to 9 days	76	0.6
		5 10 to 19 days	75	0.5
		6 20 to 29 days	49	0.4
		7 All 30 days	221	1.5
		Missing	436	
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1 0 days	13,499	86.0
		2 1 or 2 days	1,033	6.9
		3 3 to 5 days	424	2.7
		4 6 to 9 days	252	1.8
		5 10 to 19 days	166	1.0
		6 20 to 29 days	71	0.4
		7 All 30 days	226	1.3
		Missing	739	
70-70	Q39	During your life, on how many days have you had at least one drink of alcohol?		
		1 0 days	4,166	27.5
		2 1 or 2 days	2,715	15.7
		3 3 to 9 days	2,830	17.5
		4 10 to 19 days	1,800	11.2
		5 20 to 39 days	1,599	10.1
		6 40 to 99 days	1,303	8.4
		7 100 or more days	1,540	9.5
		Missing	457	
71-71	Q40	How old were you when you had your first drink of alcohol other than a few sips?		
		1 I have never had a drink of alcohol other than a few sips	4,836	31.6
		2 8 years old or younger	1,156	6.0
		3 9 or 10 years old	918	5.5
		4 11 or 12 years old	1,599	9.6
		5 13 or 14 years old	3,724	24.0
		6 15 or 16 years old	3,302	19.9
		7 17 years old or older	672	3.5
		Missing	203	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
72-72	Q41	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	8,618	58.2
		2 1 or 2 days	3,087	20.5
		3 3 to 5 days	1,516	10.5
		4 6 to 9 days	853	5.8
		5 10 to 19 days	557	3.7
		6 20 to 29 days	89	0.5
		7 All 30 days	144	0.8
		Missing	1,546	
73-73	Q42	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1 0 days	12,159	75.8
		2 1 day	1,361	8.5
		3 2 days	944	6.0
		4 3 to 5 days	849	5.3
		5 6 to 9 days	393	2.7
		6 10 to 19 days	181	1.2
		7 20 or more days	122	0.6
		Missing	401	
74-74	Q43	During the past 30 days, how did you usually get the alcohol you drank?		
		1 I did not drink alcohol during the past 30 days	8,577	57.7
		2 I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	304	1.9
		3 I bought it at a restaurant, bar, or club	102	0.6
		4 I bought it at a public event such as a concert or sporting event	41	0.2
		5 I gave someone else money to buy it for me	1,437	10.5
		6 Someone gave it to me	2,655	17.6
		7 I took it from a store or family member	584	3.7
		8 I got it some other way	1,274	7.9
		Missing	1,436	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
75-75	Q44	During the past 30 days, on how many days did you have at least one drink of alcohol on school property?		
		1 0 days	15,181	95.5
		2 1 or 2 days	529	2.8
		3 3 to 5 days	166	0.9
		4 6 to 9 days	47	0.3
		5 10 to 19 days	25	0.1
		6 20 to 29 days	6	0.0
		7 All 30 days	70	0.4
		Missing	386	
76-76	Q45	During your life, how many times have you used marijuana?		
		1 0 times	9,916	63.2
		2 1 or 2 times	1,430	8.3
		3 3 to 9 times	1,187	7.1
		4 10 to 19 times	721	4.2
		5 20 to 39 times	672	4.0
		6 40 to 99 times	606	3.8
		7 100 or more times	1,528	9.4
		Missing	350	
77-77	Q46	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	9,938	63.1
		2 8 years old or younger	279	1.4
		3 9 or 10 years old	274	1.5
		4 11 or 12 years old	800	4.6
		5 13 or 14 years old	2,183	13.0
		6 15 or 16 years old	2,182	13.8
		7 17 years old or older	478	2.6
		Missing	276	
78-78	Q47	During the past 30 days, how many times did you use marijuana?		
		1 0 times	12,744	79.2
		2 1 or 2 times	1,161	7.2
		3 3 to 9 times	814	5.1
		4 10 to 19 times	447	2.7
		5 20 to 39 times	295	1.9
		6 40 or more times	651	3.8
		Missing	298	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
79-79	Q48	During the past 30 days, how many times did you use marijuana on school property?		
		1 0 times	15,248	95.4
		2 1 or 2 times	375	2.1
		3 3 to 9 times	188	1.0
		4 10 to 19 times	101	0.6
		5 20 to 39 times	46	0.2
		6 40 or more times	128	0.7
		Missing	324	
80-80	Q49	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	15,027	93.6
		2 1 or 2 times	530	2.8
		3 3 to 9 times	230	1.2
		4 10 to 19 times	131	0.8
		5 20 to 39 times	94	0.5
		6 40 or more times	192	1.0
		Missing	206	
81-81	Q50	During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?		
		1 0 times	15,064	97.2
		2 1 or 2 times	221	1.2
		3 3 to 9 times	114	0.7
		4 10 to 19 times	48	0.3
		5 20 to 39 times	17	0.1
		6 40 or more times	93	0.5
		Missing	853	
82-82	Q51	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
		1 0 times	14,324	88.3
		2 1 or 2 times	941	5.7
		3 3 to 9 times	499	2.8
		4 10 to 19 times	205	1.3
		5 20 to 39 times	98	0.6
		6 40 or more times	226	1.3
		Missing	117	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	15,306	97.5
		2 1 or 2 times	142	0.8
		3 3 to 9 times	70	0.4
		4 10 to 19 times	46	0.3
		5 20 to 39 times	38	0.2
		6 40 or more times	129	0.8
		Missing	679	
84-84	Q53	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1 0 times	15,576	95.9
		2 1 or 2 times	302	1.8
		3 3 to 9 times	140	0.7
		4 10 to 19 times	74	0.4
		5 20 to 39 times	52	0.3
		6 40 or more times	145	0.8
		Missing	121	
85-85	Q54	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	14,750	93.3
		2 1 or 2 times	561	3.3
		3 3 to 9 times	249	1.5
		4 10 to 19 times	99	0.6
		5 20 to 39 times	71	0.4
		6 40 or more times	157	0.9
		Missing	523	
86-86	Q55	During your life, how many times have you taken steroid pills or shots without a doctor's prescription?		
		1 0 times	15,765	96.7
		2 1 or 2 times	193	1.1
		3 3 to 9 times	118	0.7
		4 10 to 19 times	64	0.4
		5 20 to 39 times	53	0.3
		6 40 or more times	127	0.7
		Missing	90	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
87-87	Q56	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	15,765	97.9
		2 1 time	161	0.9
		3 2 or more times	214	1.2
		Missing	270	
88-88	Q57	During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?		
		1 Yes	3,903	22.7
		2 No	12,358	77.3
		Missing	149	
89-89	Q58	Have you ever had sexual intercourse?		
		1 Yes	7,591	46.0
		2 No	7,474	54.0
		Missing	1,345	
90-90	Q59	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	7,472	54.0
		2 11 years old or younger	559	3.2
		3 12 years old	463	2.7
		4 13 years old	913	5.5
		5 14 years old	1,546	9.7
		6 15 years old	1,921	11.8
		7 16 years old	1,451	9.0
		8 17 years old or older	721	4.1
		Missing	1,364	
91-91	Q60	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	7,467	54.1
		2 1 person	2,618	16.6
		3 2 people	1,494	9.0
		4 3 people	1,057	6.4
		5 4 people	572	3.3
		6 5 people	423	2.6
		7 6 or more people	1,356	7.9
		Missing	1,423	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
92-92	Q61	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	7,473	54.1
		2 I have had sexual intercourse, but not during the past 3 months	1,969	11.8
		3 1 person	3,982	24.4
		4 2 people	856	5.5
		5 3 people	315	1.8
		6 4 people	142	0.8
		7 5 people	41	0.2
		8 6 or more people	239	1.4
		Missing	1,393	
93-93	Q62	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	7,462	54.0
		2 Yes	1,485	9.4
		3 No	6,072	36.6
		Missing	1,391	
94-94	Q63	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	7,455	54.4
		2 Yes	4,665	29.1
		3 No	2,765	16.5
		Missing	1,525	
95-95	Q64	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	7,468	54.9
		2 No method was used to prevent pregnancy	1,009	5.4
		3 Birth control pills	1,048	7.7
		4 Condoms	3,827	23.7
		5 Depo-Provera (injectable birth control)	219	1.2
		6 Withdrawal	706	4.4
		7 Some other method	199	1.1
		8 Not sure	296	1.6
		Missing	1,638	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
96-96	Q65	How do you describe your weight?		
		1 Very underweight	365	2.1
		2 Slightly underweight	1,813	11.6
		3 About the right weight	9,356	58.6
		4 Slightly overweight	3,946	23.9
		5 Very overweight	643	3.8
		Missing	287	
97-97	Q66	Which of the following are you trying to do about your weight?		
		1 Lose weight	7,378	44.4
		2 Gain weight	2,668	16.3
		3 Stay the same weight	3,088	19.2
		4 I am not trying to do anything about my weight	3,017	20.2
		Missing	259	
98-98	Q67	During the past 30 days, did you exercise to lose weight or to keep from gaining weight?		
		1 Yes	9,870	61.5
		2 No	6,239	38.5
		Missing	301	
99-99	Q68	During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?		
		1 Yes	6,295	39.5
		2 No	9,804	60.5
		Missing	311	
100-100	Q69	During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?		
		1 Yes	1,783	10.6
		2 No	14,332	89.4
		Missing	295	
101-101	Q70	During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight?		
		1 Yes	860	5.0
		2 No	15,260	95.0
		Missing	290	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
102-102	Q71	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?		
		1 Yes	704	4.0
		2 No	15,396	96.0
		Missing	310	
103-103	Q72	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	3,160	19.4
		2 1 to 3 times during the past 7 days	5,570	34.3
		3 4 to 6 times during the past 7 days	2,899	17.9
		4 1 time per day	1,268	8.6
		5 2 times per day	1,408	8.9
		6 3 times per day	752	4.6
		7 4 or more times per day	1,110	6.3
		Missing	243	
104-104	Q73	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	1,878	11.4
		2 1 to 3 times during the past 7 days	5,708	33.9
		3 4 to 6 times during the past 7 days	3,323	20.6
		4 1 time per day	1,807	12.3
		5 2 times per day	1,777	11.5
		6 3 times per day	801	4.9
		7 4 or more times per day	938	5.4
		Missing	178	
105-105	Q74	During the past 7 days, how many times did you eat green salad?		
		1 I did not eat green salad during the past 7 days	6,305	36.6
		2 1 to 3 times during the past 7 days	6,237	40.0
		3 4 to 6 times during the past 7 days	1,737	11.8
		4 1 time per day	1,133	7.0
		5 2 times per day	417	2.4
		6 3 times per day	123	0.7
		7 4 or more times per day	268	1.5
		Missing	190	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
106-106	Q75	During the past 7 days, how many times did you eat potatoes?		
		1 I did not eat potatoes during the past 7 days	5,446	31.2
		2 1 to 3 times during the past 7 days	7,754	49.7
		3 4 to 6 times during the past 7 days	1,721	11.3
		4 1 time per day	605	3.7
		5 2 times per day	326	1.9
		6 3 times per day	127	0.7
		7 4 or more times per day	245	1.4
		Missing	186	
107-107	Q76	During the past 7 days, how many times did you eat carrots?		
		1 I did not eat carrots during the past 7 days	8,736	51.8
		2 1 to 3 times during the past 7 days	5,377	34.9
		3 4 to 6 times during the past 7 days	945	6.2
		4 1 time per day	589	3.6
		5 2 times per day	244	1.4
		6 3 times per day	123	0.7
		7 4 or more times per day	209	1.3
		Missing	187	
108-108	Q77	During the past 7 days, how many times did you eat other vegetables?		
		1 I did not eat other vegetables during the past 7 days	3,045	16.7
		2 1 to 3 times during the past 7 days	6,241	37.8
		3 4 to 6 times during the past 7 days	3,500	23.0
		4 1 time per day	1,705	11.8
		5 2 times per day	948	6.1
		6 3 times per day	316	1.9
		7 4 or more times per day	460	2.7
		Missing	195	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
109-109	Q78	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	2,991	19.4
		2 1 to 3 times during the past 7 days	5,322	32.9
		3 4 to 6 times during the past 7 days	3,023	18.5
		4 1 time per day	1,498	9.5
		5 2 times per day	1,392	8.5
		6 3 times per day	789	4.3
		7 4 or more times per day	1,173	6.9
		Missing	222	
110-110	Q79	During the past 7 days, how many glasses of milk did you drink?		
		1 I did not drink milk during the past 7 days	3,028	17.3
		2 1 to 3 glasses during the past 7 days	3,933	22.9
		3 4 to 6 glasses during the past 7 days	2,643	15.9
		4 1 glass per day	2,385	15.0
		5 2 glasses per day	2,105	14.3
		6 3 glasses per day	1,081	7.6
		7 4 or more glasses per day	999	7.0
		Missing	236	
111-111	Q80	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	4,014	23.1
		2 1 day	1,655	10.1
		3 2 days	1,807	11.1
		4 3 days	1,691	10.3
		5 4 days	1,313	8.4
		6 5 days	1,862	11.6
		7 6 days	1,024	7.0
		8 7 days	2,743	18.4
		Missing	301	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
112-112	Q81	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	1,576	9.8
		2 Less than 1 hour per day	2,723	18.7
		3 1 hour per day	2,340	15.7
		4 2 hours per day	3,641	23.0
		5 3 hours per day	2,619	15.2
		6 4 hours per day	1,405	8.0
		7 5 or more hours per day	1,822	9.6
		Missing	284	
113-113	Q82	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	2,957	17.0
		2 Less than 1 hour per day	3,695	23.9
		3 1 hour per day	2,741	17.6
		4 2 hours per day	2,659	16.6
		5 3 hours per day	1,734	10.9
		6 4 hours per day	891	5.6
		7 5 or more hours per day	1,447	8.4
		Missing	286	
114-114	Q83	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	7,016	43.6
		2 1 day	430	3.2
		3 2 days	624	4.7
		4 3 days	1,556	12.8
		5 4 days	437	2.5
		6 5 days	5,515	33.3
		Missing	832	
115-115	Q84	During the past 12 months, on how many sports teams did you play?		
		1 0 teams	6,821	41.7
		2 1 team	4,102	26.0
		3 2 teams	2,660	17.8
		4 3 or more teams	1,979	14.5
		Missing	848	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
116-116	Q85	Have you ever been taught about AIDS or HIV infection in school?		
		1 Yes	13,891	87.0
		2 No	1,491	8.5
		3 Not sure	727	4.5
		Missing	301	
117-117	Q86	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	3,457	22.0
		2 No	12,085	74.7
		3 Not sure	547	3.4
		Missing	321	
118-118	Q87	Do you still have asthma?		
		1 I have never had asthma	9,972	62.0
		2 Yes	1,791	11.5
		3 No	3,004	18.7
		4 Not sure	1,258	7.9
		Missing	385	
119-119	Q88	When you rode a motorcycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a motorcycle during the past 12 months	10,791	73.9
		2 Never wore a helmet	1,067	6.4
		3 Rarely wore a helmet	328	2.0
		4 Sometimes wore a helmet	296	1.8
		5 Most of the time wore a helmet	447	3.4
		6 Always wore a helmet	1,659	12.7
		Missing	1,822	
120-120	Q89	During your life, how many times have you used hallucinogenic drugs, such as LSD, acid, PCP, angel dust, mescaline, or mushrooms?		
		1 0 times	13,754	92.0
		2 1 or 2 times	572	4.1
		3 3 to 9 times	253	1.8
		4 10 to 19 times	116	0.8
		5 20 to 39 times	61	0.4
		6 40 or more times	147	0.9
		Missing	1,507	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
121-121	Q90	During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax) without a doctor's prescription?		
		1 0 times	12,082	79.8
		2 1 or 2 times	1,021	7.0
		3 3 to 9 times	751	5.1
		4 10 to 19 times	394	2.8
		5 20 to 39 times	273	1.9
		6 40 or more times	496	3.5
		Missing	1,393	
122-122	Q91	On how many of the past 7 days did you exercise or participate in physical activity for at least 20 minutes that made you sweat and breathe hard, such as basketball, soccer, running, swimming laps, fast bicycling, fast dancing, or similar aerobic activities?		
		1 0 days	2,342	14.7
		2 1 day	1,241	8.1
		3 2 days	1,477	9.5
		4 3 days	1,822	12.2
		5 4 days	1,399	9.4
		6 5 days	2,093	14.1
		7 6 days	1,080	8.1
		8 7 days	3,327	23.9
		Missing	1,629	
123-123	Q92	On how many of the past 7 days did you participate in physical activity for at least 30 minutes that did not make you sweat or breathe hard, such as fast walking, slow bicycling, skating, pushing a lawn mower, or mopping floors?		
		1 0 days	4,383	28.7
		2 1 day	1,704	12.0
		3 2 days	1,887	12.9
		4 3 days	1,585	10.6
		5 4 days	1,018	7.2
		6 5 days	1,073	7.3
		7 6 days	486	3.4
		8 7 days	2,491	18.0
		Missing	1,783	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
124-124	Q93	During an average physical education (PE) class, how many minutes do you spend actually exercising or playing sports?		
		1 I do not take PE	5,668	37.2
		2 Less than 10 minutes	553	3.3
		3 10 to 20 minutes	1,041	7.1
		4 21 to 30 minutes	1,626	12.0
		5 31 to 40 minutes	2,041	15.5
		6 41 to 50 minutes	1,556	10.4
		7 51 to 60 minutes	851	5.4
		8 More than 60 minutes	1,391	9.2
		Missing	1,683	
125-125	Q94	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	2,096	12.7
		2 No	11,658	80.3
		3 Not sure	947	7.0
		Missing	1,709	
126-126	Q95	When you are outside for more than one hour on a sunny day, how often do you wear sunscreen with an SPF of 15 or higher?		
		1 Never	6,954	44.3
		2 Rarely	4,038	29.2
		3 Sometimes	2,293	17.2
		4 Most of the time	915	6.6
		5 Always	391	2.8
		Missing	1,819	
127-127	Q96	During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth?		
		1 0 times	12,564	84.4
		2 1 or 2 times	515	3.6
		3 3 to 9 times	521	4.3
		4 10 to 19 times	368	2.9
		5 20 to 39 times	305	2.4
		6 40 or more times	317	2.4
		Missing	1,820	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
128-128	Q97	On an average school night, how many hours of sleep do you get?		
		1 4 or less hours	923	5.6
		2 5 hours	1,569	10.2
		3 6 hours	3,222	21.8
		4 7 hours	4,419	31.6
		5 8 hours	3,440	23.3
		6 9 hours	891	5.9
		7 10 or more hours	318	1.8
		Missing	1,628	
129-129	Q98	During the past 12 months, how would you describe your grades in school?		
		1 Mostly A's	4,162	30.8
		2 Mostly B's	5,845	40.0
		3 Mostly C's	3,318	19.3
		4 Mostly D's	726	4.1
		5 Mostly F's	311	1.8
		6 None of these grades	87	0.5
		7 Not sure	616	3.5
		Missing	1,345	
175-175	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	9,128	84.7
		2 No	1,358	15.3
		Missing	5,924	
176-176	QN9	Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else		
		1 Yes	1,608	9.7
		2 No	14,612	90.3
		Missing	190	
177-177	QN10	Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol		
		1 Yes	4,879	28.3
		2 No	11,468	71.7
		Missing	63	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
178-178	QN11	Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol		
		1 Yes	1,597	9.7
		2 No	14,524	90.3
		Missing	289	
179-179	QN12	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	2,712	17.5
		2 No	13,398	82.5
		Missing	300	
180-180	QN13	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	951	5.9
		2 No	14,713	94.1
		Missing	746	
181-181	QN14	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	953	5.6
		2 No	15,303	94.4
		Missing	154	
182-182	QN15	Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		
		1 Yes	955	5.0
		2 No	15,416	95.0
		Missing	39	
183-183	QN16	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	1,318	7.7
		2 No	15,049	92.3
		Missing	43	
184-184	QN17	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	5,286	31.5
		2 No	10,844	68.5
		Missing	280	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
185-185	QN18	Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse		
		1 Yes	654	3.8
		2 No	15,095	96.2
		Missing	661	
186-186	QN19	Percentage of students who were in a physical fight on school property one or more times during the past 12 months		
		1 Yes	1,921	11.1
		2 No	14,168	88.9
		Missing	321	
187-187	QN20	Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months		
		1 Yes	1,793	9.8
		2 No	14,424	90.2
		Missing	193	
188-188	QN21	Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to		
		1 Yes	1,285	7.4
		2 No	14,450	92.6
		Missing	675	
189-189	QN22	Percentage of students who had ever been bullied on school property during the past 12 months		
		1 Yes	2,964	19.9
		2 No	12,669	80.1
		Missing	777	
190-190	QN23	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	4,525	26.1
		2 No	11,707	73.9
		Missing	178	
191-191	QN24	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	2,349	13.8
		2 No	13,871	86.2
		Missing	190	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
192-192	QN25	Percentage of students who made a plan about how they would attempt suicide during the past 12 months		
		1 Yes	1,873	10.9
		2 No	14,340	89.1
		Missing	197	
193-193	QN26	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	1,053	6.3
		2 No	13,556	93.7
		Missing	1,801	
194-194	QN27	Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	332	1.9
		2 No	14,182	98.1
		Missing	1,896	
195-195	QN28	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	7,586	46.3
		2 No	8,302	53.7
		Missing	522	
196-196	QN29	Percentage of students who smoked a whole cigarette for the first time before age 13 years		
		1 Yes	1,780	10.7
		2 No	13,959	89.3
		Missing	671	
197-197	QN30	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	2,979	19.5
		2 No	12,783	80.5
		Missing	648	
198-198	QN31	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	240	7.8
		2 No	2,700	92.2
		Missing	13,470	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
199-199	QN32	Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days		
		1 Yes	314	14.1
		2 No	1,952	85.9
		Missing	14,144	
200-200	QN33	Percentage of students who smoked cigarettes on school property on one or more of the past 30 days		
		1 Yes	830	5.1
		2 No	15,021	94.9
		Missing	559	
201-201	QN34	Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days		
		1 Yes	1,624	11.2
		2 No	13,807	88.8
		Missing	979	
202-202	QN35	Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months		
		1 Yes	1,440	50.8
		2 No	1,419	49.2
		Missing	13,551	
203-203	QN36	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	1,234	8.9
		2 No	14,900	91.1
		Missing	276	
204-204	QN37	Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days		
		1 Yes	757	5.5
		2 No	15,217	94.5
		Missing	436	
205-205	QN38	Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days		
		1 Yes	2,172	14.0
		2 No	13,499	86.0
		Missing	739	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
206-206	QN39	Percentage of students who had at least one drink of alcohol on one or more days during their life		
		1 Yes	11,787	72.5
		2 No	4,166	27.5
		Missing	457	
207-207	QN40	Percentage of students who had their first drink of alcohol other than a few sips before age 13 years		
		1 Yes	3,673	21.1
		2 No	12,534	78.9
		Missing	203	
208-208	QN41	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	6,246	41.8
		2 No	8,618	58.2
		Missing	1,546	
209-209	QN42	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	3,850	24.2
		2 No	12,159	75.8
		Missing	401	
210-210	QN43	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days		
		1 Yes	2,583	42.2
		2 No	3,538	57.8
		Missing	10,289	
211-211	QN44	Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days		
		1 Yes	843	4.5
		2 No	15,181	95.5
		Missing	386	
212-212	QN45	Percentage of students who used marijuana one or more times during their life		
		1 Yes	6,144	36.8
		2 No	9,916	63.2
		Missing	350	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
213-213	QN46	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	1,353	7.5
		2 No	14,781	92.5
		Missing	276	
214-214	QN47	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	3,368	20.8
		2 No	12,744	79.2
		Missing	298	
215-215	QN48	Percentage of students who used marijuana on school property one or more times during the past 30 days		
		1 Yes	838	4.6
		2 No	15,248	95.4
		Missing	324	
216-216	QN49	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	1,177	6.4
		2 No	15,027	93.6
		Missing	206	
217-217	QN50	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days		
		1 Yes	493	2.8
		2 No	15,064	97.2
		Missing	853	
218-218	QN51	Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life		
		1 Yes	1,969	11.7
		2 No	14,324	88.3
		Missing	117	
219-219	QN52	Percentage of students who used heroin one or more times during their life		
		1 Yes	425	2.5
		2 No	15,306	97.5
		Missing	679	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
220-220	QN53	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	713	4.1
		2 No	15,576	95.9
		Missing	121	
221-221	QN54	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	1,137	6.7
		2 No	14,750	93.3
		Missing	523	
222-222	QN55	Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life		
		1 Yes	555	3.3
		2 No	15,765	96.7
		Missing	90	
223-223	QN56	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	375	2.1
		2 No	15,765	97.9
		Missing	270	
224-224	QN57	Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months		
		1 Yes	3,903	22.7
		2 No	12,358	77.3
		Missing	149	
225-225	QN58	Percentage of students who ever had sexual intercourse		
		1 Yes	7,591	46.0
		2 No	7,474	54.0
		Missing	1,345	
226-226	QN59	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	1,022	5.9
		2 No	14,024	94.1
		Missing	1,364	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
227-227	QN60	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	2,351	13.8
		2 No	12,636	86.2
		Missing	1,423	
228-228	QN61	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	5,575	34.2
		2 No	9,442	65.8
		Missing	1,393	
229-229	QN62	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	1,153	21.6
		2 No	4,395	78.4
		Missing	10,862	
230-230	QN63	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	3,250	61.1
		2 No	2,204	38.9
		Missing	10,956	
231-231	QN64	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	888	19.8
		2 No	4,472	80.2
		Missing	11,050	
232-232	QN65	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	4,589	27.7
		2 No	11,534	72.3
		Missing	287	
233-233	QN66	Percentage of students who were trying to lose weight		
		1 Yes	7,378	44.4
		2 No	8,773	55.6
		Missing	259	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
234-234	QN67	Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	9,870	61.5
		2 No	6,239	38.5
		Missing	301	
235-235	QN68	Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	6,295	39.5
		2 No	9,804	60.5
		Missing	311	
236-236	QN69	Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	1,783	10.6
		2 No	14,332	89.4
		Missing	295	
237-237	QN70	Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	860	5.0
		2 No	15,260	95.0
		Missing	290	
238-238	QN71	Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	704	4.0
		2 No	15,396	96.0
		Missing	310	
239-239	QN72	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	13,007	80.6
		2 No	3,160	19.4
		Missing	243	
240-240	QN73	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	14,354	88.6
		2 No	1,878	11.4
		Missing	178	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
241-241	QN74	Percentage of students who ate green salad one or more times during the past seven days		
		1 Yes	9,915	63.4
		2 No	6,305	36.6
		Missing	190	
242-242	QN75	Percentage of students who ate potatoes one or more times during the past seven days		
		1 Yes	10,778	68.8
		2 No	5,446	31.2
		Missing	186	
243-243	QN76	Percentage of students who ate carrots one or more times during the past seven days		
		1 Yes	7,487	48.2
		2 No	8,736	51.8
		Missing	187	
244-244	QN77	Percentage of students who ate other vegetables one or more times during the past seven days		
		1 Yes	13,170	83.3
		2 No	3,045	16.7
		Missing	195	
245-245	QN78	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days		
		1 Yes	4,852	29.2
		2 No	11,336	70.8
		Missing	222	
246-246	QN79	Percentage of students who drank three or more glasses per day of milk during the past seven days		
		1 Yes	2,080	14.5
		2 No	14,094	85.5
		Missing	236	
247-247	QN80	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days		
		1 Yes	5,629	37.0
		2 No	10,480	63.0
		Missing	301	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
248-248	QN81	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	5,846	32.8
		2 No	10,280	67.2
		Missing	284	
249-249	QN82	Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day		
		1 Yes	4,072	24.9
		2 No	12,052	75.1
		Missing	286	
250-250	QN83	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	8,562	56.4
		2 No	7,016	43.6
		Missing	832	
251-251	QN84	Percentage of students who played on one or more sports teams during the past 12 months		
		1 Yes	8,741	58.3
		2 No	6,821	41.7
		Missing	848	
252-252	QN85	Percentage of students who had ever been taught in school about AIDS or HIV infection		
		1 Yes	13,891	87.0
		2 No	2,218	13.0
		Missing	301	
253-253	QN86	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	3,457	22.0
		2 No	12,632	78.0
		Missing	321	
254-254	QN87	Percentage of students who had been told by a doctor or nurse that they had asthma and who still have asthma		
		1 Yes	1,661	10.8
		2 No	14,337	89.2
		Missing	412	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
255-255	QN88	Among students who rode a motorcycle during the past 12 months, the percentage who never or rarely wore a motorcycle helmet		
		1 Yes	1,395	31.9
		2 No	2,402	68.1
		Missing	12,613	
256-256	QN89	Percentage of students who have used hallucinogenic drugs, such as LSD, acid, PCP, angel dust, mescaline, or mushrooms one or more times during their life		
		1 Yes	1,149	8.0
		2 No	13,754	92.0
		Missing	1,507	
257-257	QN90	Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life		
		1 Yes	2,935	20.2
		2 No	12,082	79.8
		Missing	1,393	
258-258	QN91	Percentage of students who exercised or participated in physical activity that made them sweat and breathe hard for 20 minutes or more on three or more of the past seven days		
		1 Yes	9,721	67.7
		2 No	5,060	32.3
		Missing	1,629	
259-259	QN92	Percentage of students who participated in physical activity that did not make them sweat or breathe hard for 30 minutes or more on five or more of the past seven days		
		1 Yes	4,050	28.7
		2 No	10,577	71.3
		Missing	1,783	
260-260	QN93	Among students enrolled in physical education (PE) class, the percentage who actually exercised or played sports more than 20 minutes during an average PE class		
		1 Yes	7,465	83.5
		2 No	1,594	16.5
		Missing	7,351	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
261-261	QN94	Percentage of students who had ever been tested for HIV, the virus that causes AIDS		
		1 Yes	2,096	12.7
		2 No	12,605	87.3
		Missing	1,709	
262-262	QN95	Percentage of students who most of the time or always wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day		
		1 Yes	1,306	9.3
		2 No	13,285	90.7
		Missing	1,819	
263-263	QN96	Percentage of students who used an indoor tanning device such as a sunlamp, sunbed, or tanning booth one or more times during the past 12 months		
		1 Yes	2,026	15.6
		2 No	12,564	84.4
		Missing	1,820	
264-264	QN97	Percentage of students who get eight or more hours of sleep on an average school night		
		1 Yes	4,649	30.9
		2 No	10,133	69.1
		Missing	1,628	
265-265	QN98	Percentage of students who described their grades in school as mostly D's and F's during the past 12 months		
		1 Yes	1,037	5.9
		2 No	14,028	94.1
		Missing	1,345	
350-350	QNFRCIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	1,043	7.3
		2 No	14,719	92.7
		Missing	648	
351-351	QNANYTOB	Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	3,666	26.0
		2 No	11,331	74.0
		Missing	1,413	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
352-352	QNFRVG	Percentage of students who ate fruits and vegetables five or more times per day during the past seven days		
		1 Yes	3,599	22.3
		2 No	12,458	77.7
		Missing	353	
353-353	QNFRUIT	Percentage of students who ate fruits two or more times per day during the past seven days		
		1 Yes	5,466	33.9
		2 No	10,675	66.1
		Missing	269	
354-354	QNVEG	Percentage of students who ate vegetables three or more times per day during the past seven days		
		1 Yes	2,262	13.8
		2 No	13,898	86.2
		Missing	250	
355-355	QNDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	5,515	33.3
		2 No	10,063	66.7
		Missing	832	
356-356	QNOWT	Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)		
		1 Yes	2,501	15.8
		2 No	12,677	84.2
		Missing	1,232	
357-357	QNOBESE	Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)		
		1 Yes	1,903	12.0
		2 No	13,275	88.0
		Missing	1,232	
358-358	QNDEPO	Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera before last sexual intercourse		
		1 Yes	188	3.1
		2 No	5,172	96.9
		Missing	11,100	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
359-359	QNDEPOPL	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills or Depo-Provera before last sexual intercourse		
		1 Yes	1,076	22.9
		2 No	4,284	77.1
		Missing	11,100	
360-360	QNDUAL	Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills or Depo-Provera before last sexual intercourse		
		1 Yes	394	8.9
		2 No	4,935	91.1
		Missing	11,131	
361-361	QNPA0DAY	Percentage of students who did not participate in 60 or more minutes of physical activity on any day during the 7 days before the survey		
		1 Yes	4,014	23.1
		2 No	12,095	76.9
		Missing	351	
362-362	QNPA7DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on all seven of the past 7 days		
		1 Yes	2,743	18.4
		2 No	13,366	81.6
		Missing	351	
363-372	WEIGHT			
373-375	STRATUM			
376-382	PSU			
388-392	BMIPCT			

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

United States High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
393-394	RACEETH			
		1 Am Indian / Alaska Native	139	0.6
		2 Asian	751	3.4
		3 Black or African American	2,832	14.4
		4 Native Hawaiian/other PI	180	0.8
		5 White	6,889	58.7
		6 Hispanic/Latino	3,037	11.0
		7 Multiple - Hispanic	1,722	7.6
		8 Multiple - non-Hispanic	559	3.6
		Missing	301	