

HIV Surveillance Report | Supplemental Report

Volume 21, Number 1

Diagnosed HIV Infection among Adults and Adolescents in Metropolitan Statistical Areas—United States and Puerto Rico, 2014

This issue of the *HIV Surveillance Supplemental Report* is published by the Division of HIV/AIDS Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Centers for Disease Control and Prevention (CDC), U.S. Department of Health and Human Services, Atlanta, Georgia.

Data are presented for diagnoses of HIV infection reported to CDC through July 2015.

The *HIV Surveillance Supplemental Report* is not copyrighted and may be used and copied without permission. Citation of the source is, however, appreciated.

Suggested citation

Centers for Disease Control and Prevention. Diagnosed HIV infection among adults and adolescents in metropolitan statistical areas—United States and Puerto Rico, 2014. *HIV Surveillance Supplemental Report* 2016;21(No. 1):[inclusive page numbers].
<http://www.cdc.gov/hiv/library/reports/surveillance/>. Published May 2016. Accessed [date].

On the Web: <http://www.cdc.gov/hiv/library/reports/surveillance/>.

Confidential information, referrals, and educational material on HIV infection

CDC-INFO

1-800-232-4636 (in English, en Español)

1-888-232-6348 (TTY)

<http://www.cdc.gov/cdc-info/requestform.html>

Acknowledgments

Publication of this report was made possible with the contributions of the state and territorial health departments and the HIV surveillance programs that provided surveillance data to CDC.

This report was prepared by the following staff and contractors of the Division of HIV/AIDS Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, CDC: Lakeshia Watson, Zanetta Gant, Baohua Wu, Hong Zhu, and Michael Friend (desktop publishing).

Contents

Commentary	5
Suggested Readings	8

Technical Notes	9
References	12

Tables

Section 1. Diagnosed HIV Infection among Adults and Adolescents, by Metropolitan Statistical Area (MSA) and Sex

1a Diagnoses of HIV infection, 2014, and persons living with diagnosed HIV infection (prevalence), year-end 2013, adults and adolescents, by metropolitan statistical area of residence—United States and Puerto Rico	13
1b Diagnoses of HIV infection, 2014, and persons living with diagnosed HIV infection (prevalence), year-end 2013, adult and adolescent males, by metropolitan statistical area of residence—United States and Puerto Rico	16
1c Diagnoses of HIV infection, 2014, and persons living with diagnosed HIV infection (prevalence), year-end 2013, adult and adolescent females, by metropolitan statistical area of residence—United States and Puerto Rico	19

Section 2. Diagnosed HIV Infection among Adults and Adolescents, by MSA, Sex, and Age

2a Diagnoses of HIV infection among adult and adolescent males, by age and metropolitan statistical area of residence, 2014—United States and Puerto Rico	22
2b Adult and adolescent males living with diagnosed HIV infection (prevalence), by age and metropolitan statistical area of residence, year-end 2013—United States and Puerto Rico	26
3a Diagnoses of HIV infection among adult and adolescent females, by age and metropolitan statistical area of residence, 2014—United States and Puerto Rico	30
3b Adult and adolescent females living with diagnosed HIV infection (prevalence), by age and metropolitan statistical area of residence, year-end 2013—United States and Puerto Rico	34

Section 3. Diagnosed HIV Infection among Adults and Adolescents, by MSA, Sex, and Race/Ethnicity

4a Diagnoses of HIV infection among adult and adolescent males, by race/ethnicity and metropolitan statistical area of residence, 2014—United States	38
4b Adult and adolescent males living with diagnosed HIV infection (prevalence), by race/ethnicity and metropolitan statistical area of residence, year-end 2013—United States	42
5a Diagnoses of HIV infection among adult and adolescent females, by race/ethnicity and metropolitan statistical area of residence, 2014—United States	46
5b Adult and adolescent females living with diagnosed HIV infection (prevalence), by race/ethnicity and metropolitan statistical area of residence, year-end 2013—United States	50

Section 4. Diagnosed HIV Infection among Adults and Adolescents, by MSA, Sex, and Transmission Category

6a	Diagnoses of HIV infection among adult and adolescent males, by transmission category and metropolitan statistical area of residence, 2014—United States and Puerto Rico	54
6b	Adult and adolescent males living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2013—United States and Puerto Rico	57
7a	Diagnoses of HIV infection among adult and adolescent females, by transmission category and metropolitan statistical area of residence, 2014—United States and Puerto Rico	60
7b	Adult and adolescent females living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2013—United States and Puerto Rico	63

Section 5. Diagnosed HIV Infection among Adults and Adolescents, by MSA, Race/Ethnicity, and Transmission Category

8a	Diagnoses of HIV infection among black/African American adults and adolescents, by transmission category and metropolitan statistical area of residence, 2014—United States	66
8b	Diagnoses of HIV infection among Hispanic/Latino adults and adolescents, by transmission category and metropolitan statistical area of residence, 2014—United States	69
8c	Diagnoses of HIV infection among white adults and adolescents, by transmission category and metropolitan statistical area of residence, 2014—United States	72
9a	Black/African American adults and adolescents living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2013—United States	75
9b	Hispanic/Latino adults and adolescents living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2013—United States	78
9c	White adults and adolescents living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2013—United States	81

Section 6. Deaths of Adults and Adolescents with Diagnosed HIV Infection, by MSA and Sex

10	Deaths of adults and adolescents with diagnosed HIV infection, by sex and metropolitan statistical area of residence, 2013—United States and Puerto Rico	84
----	--	----

Commentary

To best direct resources toward communities with the greatest need, health planners often establish priorities by comparing the magnitude and effect of HIV disease amongst geographic areas. This surveillance supplemental report complements the 2014 *HIV Surveillance Report* by presenting data on diagnoses of HIV infection during 2014 and on persons living with diagnosed HIV infection at year-end 2013 (prevalence) for adults and adolescents (aged 13 years and older) residing in metropolitan statistical areas (MSAs, population of 500,000 or more) in the United States and Puerto Rico. Consistent with CDC's approach of High-Impact HIV Prevention, HIV programs may use this information to focus on populations and areas at greatest need for HIV prevention and treatment services.

This report presents the unadjusted numbers and the estimated (statistically adjusted) numbers and rates (cases diagnosed per 100,000 persons) of diagnosed HIV infection during 2014 and of persons living with diagnosed HIV infection as of December 31, 2013 for adults and adolescents aged 13 years and older. Rankings for HIV diagnoses are based on the estimated rates derived from the MSA data.

REPORT FORMAT

Data in this report are presented by MSA of residence at the time of diagnosis for persons whose diagnosis of HIV infection was made during 2014 as well as for persons living with diagnosed HIV infection (prevalence) at year-end 2013. Data on diagnosis of HIV infection, by sex, age, and race/ethnicity include numerical rankings for estimated rates of diagnoses of HIV infection (Tables 1a–1c, 2a, 3a, 4a, 5a, 10).

Data were adjusted to account for delays in reporting of diagnoses of HIV infection and deaths of persons with diagnosed HIV infection but not for incomplete reporting. The multiple imputation procedure was used to assign transmission categories to cases of HIV infection that were reported without an identified risk factor (Tables 6a–9c). For more information on this procedure, refer to Technical Notes.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the

numbers have underlying relative standard errors greater than 30% and are considered unreliable. At the end of each table, rows are included to present summary data for all MSAs, smaller metropolitan areas (population 50,000–499,999), and nonmetropolitan areas (population less than 50,000).

Please read all titles and footnotes carefully to ensure a complete understanding of the data presented in each table.

HIGHLIGHTS OF ANALYSES

The statements in this section, unless otherwise indicated, are based on stable estimates (i.e., based on 12 or more diagnoses or prevalent cases). All rates are per 100,000 population and refer to adults and adolescents aged 13 years and older. Rates of diagnoses of HIV infection are based on the estimated (adjusted) number of diagnoses of HIV infection during 2014. HIV prevalence rates are based on the estimated (adjusted) number of persons living with diagnosed HIV infection as of December 31, 2013.

Diagnosed HIV Infection among Adults and Adolescents in MSAs, Smaller Metropolitan Areas, and Nonmetropolitan Areas

- For adults and adolescents residing in MSAs in the United States and Puerto Rico, rates of diagnoses of HIV infection (20.1) and prevalence rates (441.7) are approximately 2 times the rates of those residing in smaller metropolitan areas (9.8 and 190.6, respectively), and more than 3 times the rates of those residing in nonmetropolitan areas (6.4 and 122.7, respectively) (Table 1a).

Diagnosed HIV Infection among Adults and Adolescents by MSA and Sex

- Among adults and adolescents, the following 5 MSAs had the highest rates of diagnoses of HIV infection: Baton Rouge, LA (53.8), Miami-Fort Lauderdale-West Palm Beach, FL (50.0), New Orleans-Metairie, LA (44.0), Jackson, MS (39.2), and Orlando-Kissimmee-Sanford, FL (34.1).

- Among adult and adolescent males and females, MSAs in the South had the highest rates of diagnoses of HIV infection. For males, the following 5 MSAs had the highest rates of diagnoses of HIV infection: Miami-Fort Lauderdale-West Palm Beach, FL (83.3), Baton Rouge, LA (77.1), New Orleans-Metairie, LA (73.3), Jackson, MS (64.6), and Orlando-Kissimmee-Sanford, FL (54.7). For females, the following 5 MSAs had the highest rates of diagnoses of HIV infection: Baton Rouge, LA (31.8), Miami-Fort Lauderdale-West Palm Beach, FL (19.2), New Orleans-Metairie, LA (17.1), Jackson, MS (16.4), and Memphis, TN-MS-AR (16.1) (Tables 1b/c).
- Among adult and adolescent males and females, the HIV prevalence rates (1,532.9 and 609.4, respectively) were highest in Miami-Fort Lauderdale-West Palm Beach, FL (Tables 1b/c).

Diagnosed HIV Infection among Adults and Adolescents by MSA, Sex, and Age

- Among males aged 13–24 years, both the rate of diagnoses of HIV infection (121.8) and prevalence rate (330.7) were highest in New Orleans-Metairie, LA. Among males aged 25–34 years, the rate of diagnoses of HIV infection (157.3) was highest in Miami-Fort Lauderdale-West Palm Beach, FL, and the HIV prevalence rate (1,236.4) was highest in Atlanta-Sandy Springs-Roswell, GA. Among all other age groups for males (i.e., 35–44 years, 45–54 years, and 55 years and older), the rates of diagnoses of HIV infection (104.4, 104.0, and 29.2, respectively) and HIV prevalence rates (1,891.4; 3,217.4; and 1,410.6, respectively) were highest in Miami-Fort Lauderdale-West Palm Beach, FL (Tables 2a/b).
- Among females aged 13–24 years, the rate of diagnoses of HIV infection (22.1) was highest in Baton Rouge, LA, and the HIV prevalence rate (156.7) was highest in Miami-Fort Lauderdale-West Palm Beach, FL. Among females aged 25–34 and 35–44 years, the rates of diagnoses of HIV infection (54.7 and 67.3, respectively) and HIV prevalence rates (758.3 and 1,031.3, respectively) were highest in Baton Rouge, LA. Among females aged 45–54 years, the rate of diagnoses of HIV infection (31.1) was highest in

Baton Rouge, LA, and the HIV prevalence rate (1,160.7) was highest in Baltimore-Columbia-Towson, MD. Among females aged 55 years and older, the rate of diagnoses of HIV infection (10.3) was highest in Orlando-Kissimmee-Sanford, FL, and the HIV prevalence rate (468.2) was highest in New York-Newark-Jersey City, NY-NJ-PA (Tables 3a/b).

Diagnosed HIV Infection among Adults and Adolescents by MSA, Sex, and Race/Ethnicity

- Among American Indian/Alaska Native males, the only stable rate of diagnoses of HIV infection (i.e., based on 12 or more diagnoses; 85.1) was in Phoenix-Mesa-Scottsdale; the HIV prevalence rate (1,531.1) was highest in San Francisco-Oakland-Hayward, CA. Among American Indian/Alaska Native females, the HIV prevalence rate (482.9) was highest in Minneapolis-St. Paul-Bloomington, MN-WI. There were no stable rates of diagnoses of HIV infection for American Indian/Alaska Native females (Tables 4a–5b).
- Among Asian males, the rate of diagnoses of HIV infection (28.8) was highest in Miami-Fort Lauderdale-West Palm Beach, FL; the HIV prevalence rate (260.5) was highest in San Francisco-Oakland-Hayward, CA. Among Asian females, the HIV prevalence rate (51.8) was highest in Jacksonville, FL. There were no stable rates of diagnoses of HIV infection for Asian females (Tables 4a–5b).
- Among black/African American males, the 5 MSAs with the highest rates of diagnoses of HIV infection were in the South: Baton Rouge, LA (180.4), Tampa-St. Petersburg-Clearwater, FL (150.3), Jacksonville, FL (149.8), Miami-Fort Lauderdale-West Palm Beach, FL (148.7), and New Orleans-Metairie, LA (138.4). The HIV prevalence rate for black/African American males (3,174.4) was highest in Miami-Fort Lauderdale-West Palm Beach, FL. Among black/African American females, 3 of the 5 MSAs with the highest rates of diagnoses of HIV infection were in the South and 2 were in the Northeast: Baton Rouge, LA (84.2), Miami-Fort Lauderdale-West Palm Beach, FL (68.9), Bridgeport-Stamford-Norwalk, CT (65.5), Tampa-St. Petersburg-Clearwater, FL (56.9),

and Boston-Cambridge-Newton, MA-NH (54.0). The HIV prevalence rate for black/African American females (2,286.7) was highest in Miami-Fort Lauderdale-West Palm Beach, FL (Tables 4a–5b).

- Among Hispanic/Latino males, 4 of the 5 MSAs with the highest rates of diagnoses of HIV infection were in the South and 1 was in the Northeast: Louisville/Jefferson County, KY-IN (93.1), Miami-Fort Lauderdale-West Palm Beach, FL (83.3), Buffalo-Cheektowaga-Niagara Falls, NY (76.8), New Orleans-Metairie, LA (73.6), and Orlando-Kissimmee-Sanford, FL (72.4). The HIV prevalence rate for Hispanic/Latino males (1,837.9) was highest in New York-Newark-Jersey City, NY-NJ-PA. Among Hispanic/Latino females, 4 of the 5 MSAs with the highest rates of diagnoses of HIV infection were in the Northeast and 1 was in the South: Allentown-Bethlehem-Easton, PA-NJ (29.4), Orlando-Kissimmee-Sanford, FL (16.9), Boston-Cambridge-Newton, MA-NH (15.7), Philadelphia-Camden-Wilmington, PA-NJ-DE-MD (14.7), and New York-Newark-Jersey City, NY-NJ-PA (13.5). The HIV prevalence rate for Hispanic/Latino females (1,001.9) was highest in Rochester, NY (Tables 4a–5b).
- Data are not presented in Tables 4a–5b for Native Hawaiians/other Pacific Islanders due to small population denominators (i.e. less than 100). For Native Hawaiians/other Pacific Islanders (data not shown), there were no stable rates of diagnoses of HIV infection. Among Native Hawaiian/other Pacific Islander females, the only stable HIV prevalence rate (93.1) was in Honolulu (Urban), HI.
- Among white males, 3 of the 5 MSAs with the highest rates of diagnoses of HIV infection were in the South and 2 were in the West: Miami-Fort Lauderdale-West Palm Beach, FL (53.5), New Orleans-Metairie, LA (38.3), Orlando-Kissimmee-Sanford, FL (34.6), Los Angeles-Long Beach-Anaheim, CA (31.4), and San Francisco-Oakland-Hayward, CA (29.1). The HIV prevalence rate for white males (1,461.8) was highest in San Francisco-Oakland-Hayward, CA. Among white females, the 5 MSAs with the highest rates of diagnoses of HIV infection were

in the South: Deltona-Daytona Beach-Ormond Beach, FL (7.6), Miami-Fort Lauderdale-West Palm Beach, FL (6.7), Jacksonville, FL (5.5), Memphis, TN-MS-AR (4.8), and Tampa-St. Petersburg-Clearwater, FL (3.5). The HIV prevalence rate for white females (143.4) was highest in Miami-Fort Lauderdale-West Palm Beach, FL (Tables 4a–5b).

Diagnosed HIV Infection among Adults and Adolescents by MSA, Sex, and Transmission Category

- Among males, the estimated numbers of diagnosed HIV infections attributed to male-to-male sexual contact (2,811), injection drug use (271), and male-to-male sexual contact *and* injection drug use (75) were highest in New York-Newark-Jersey City, NY-NJ-PA. The number of diagnosed HIV infections attributed to heterosexual contact (353) was highest in Miami-Fort Lauderdale-West Palm Beach, FL. Also, the estimated numbers of males living with diagnosed HIV infection attributed to male-to-male sexual contact (59,267), injection drug use (21,791), male-to-male sexual contact *and* injection drug use (5,477), and heterosexual contact (11,540) were highest in New York-Newark-Jersey City, NY-NJ-PA. The estimated numbers of HIV diagnoses and the estimated HIV prevalence for all transmission categories among females, including injection drug use (166 and 13,972, respectively) and heterosexual contact (833 and 29,004, respectively) were highest in New York-Newark-Jersey City, NY-NJ-PA (Tables 6a–7b).

Diagnosed HIV Infection among Adults and Adolescents by MSA, Race/Ethnicity, and Transmission Category

- Among black/African American adults and adolescents, the estimated numbers of diagnosed HIV infections and persons living with diagnosed HIV infection attributed to male-to-male sexual contact (904 and 17,352, respectively), injection drug use (221 and 17,121, respectively), male-to-male sexual contact *and* injection drug use (28 and 1,838 respectively), and heterosexual contact (743 and 22,615, respectively) were highest in New York-Newark-Jersey City, NY-NJ-PA (Tables 8a, 9a).

- Among Hispanic/Latino adults and adolescents, the estimated numbers of diagnosed HIV infections attributed to male-to-male sexual contact (1,106) and male-to-male sexual contact *and* injection drug use (29) were highest in Los Angeles-Long Beach-Anaheim, CA, while diagnosed HIV infections attributed to injection drug use (140) and heterosexual contact (277) were highest in New York-Newark-Jersey City, NY-NJ-PA. The estimated numbers of persons living with diagnosed HIV infection attributed to male-to-male sexual contact (18,845), injection drug use (13,161), male-to-male sexual contact *and* injection drug use (2,095), and heterosexual contact (12,334) were highest in New York-Newark-Jersey City, NY-NJ-PA (Tables 8b, 9b).
- Among white adults and adolescents, the estimated numbers of diagnosed HIV infections and persons living with diagnosed HIV infection attributed to male-to-male sexual contact (649 and 18,547, respectively), injection drug use (51 and 3,588, respectively), and heterosexual contact (86 and 3,064, respectively) were highest in New York-Newark-Jersey City, NY-NJ-PA. For HIV infection attributed to male-to-male sexual contact *and* injection drug use, the estimated numbers of diagnosed HIV infections and persons living with diagnosed HIV infection (28 and 1,720, respectively) were highest in San Francisco-Oakland-Hayward, CA (Tables 8c, 9c).

Deaths of Adults and Adolescents with Diagnosed HIV Infection, by MSA and Sex

- Among adults and adolescents, the estimated death rates in 2013 for persons with diagnosed HIV infection were highest in Miami-Fort Lauderdale-West Palm Beach, FL (21.2), San Juan-Carolina-Caguas, PR (19.2), Baton Rouge, LA (18.0), New Orleans-Metairie, LA (17.4), and Memphis, TN-MS-AR (16.5) (Table 10).
- Among adult and adolescent males, the estimated death rates in 2013 for persons with diagnosed HIV infection were highest in Miami-Fort Lauderdale-West Palm Beach, FL (30.4), San Juan-Carolina-Caguas, PR (28.3), Memphis, TN-MS-AR (25.3), New Orleans-Metairie, LA (24.6), and Baton Rouge, LA (22.9) (Table 10).

- Among adult and adolescent females, the estimated death rates in 2013 for persons with diagnosed HIV infection were highest in Baton Rouge, LA (13.4), Miami-Fort Lauderdale-West Palm Beach, FL (12.6), Jacksonville, FL (11.5), San Juan-Carolina-Caguas, PR (11.2), and New Orleans-Metairie, LA (10.7) (Table 10).

SUGGESTED READINGS

- CDC. *HIV Surveillance Report, 2014*; vol. 26. <http://www.cdc.gov/hiv/library/reports/surveillance>. Published November 2015. Accessed April 8, 2016.
- CDC. Diagnosed HIV infection among adults and adolescents in metropolitan statistical areas—United States and Puerto Rico, 2013. *HIV Surveillance Supplemental Report* 2013;20(No. 4). Revised edition. <http://www.cdc.gov/hiv/library/reports/surveillance/>. Published September 2015. Accessed April 8, 2016.
- CDC. High-Impact HIV Prevention in the United States: CDC’s approach to reducing HIV infections in the United States. <http://go.usa.gov/p9xw>. Accessed April 8, 2016.
- CDC. Monitoring selected national HIV prevention and care objectives by using HIV surveillance data—United States and 6 dependent areas—2013. *HIV Surveillance Supplemental Report* 2015;20(No. 2). <http://www.cdc.gov/hiv/library/reports/surveillance/>. Published July 2015. Accessed April 8, 2016.
- CDC. Vital Signs: HIV diagnosis, care, and treatment among persons living with HIV—United States, 2011. *MMWR* 2014;63(47):1113–1117.
- The White House Office of National AIDS Policy. National HIV/AIDS strategy for the United States: updated to 2020. <http://www.aids.gov/federal-resources/national-hiv-aids-strategy/overview/>. Published July 2015. Accessed April 8, 2016.

Technical Notes

SURVEILLANCE OF HIV INFECTION

This report includes case report data from 50 states, the District of Columbia, and Puerto Rico in which laws or regulations require confidential reporting to the jurisdiction (not to CDC), by name for adults and adolescents with confirmed diagnoses of HIV infection.

After the removal of personal identifying information, data from these reports were submitted to CDC.

Numbers (statistically adjusted [estimated] and unadjusted) and rates (adjusted) for 107 MSAs and 28 divisions located within any of these areas were included in the tabulations. Aside from the summary totals for smaller metropolitan (50,000–499,999 population) and nonmetropolitan areas (less than 50,000) that were provided in the final rows of each table, data on diagnosed HIV infection among persons who resided in MSAs with populations of less than 500,000 are not presented in detail. The MSAs and divisions were located in 44 states (Alabama, Arizona, Arkansas, California, Colorado, Connecticut, Delaware, Florida, Georgia, Hawaii, Idaho, Illinois, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Maryland, Massachusetts, Michigan, Minnesota, Mississippi, Missouri, Nebraska, Nevada, New Hampshire, New Jersey, New Mexico, New York, North Carolina, Ohio, Oklahoma, Oregon, Pennsylvania, Rhode Island, South Carolina, Tennessee, Texas, Utah, Virginia, Washington, West Virginia, and Wisconsin), the District of Columbia, and 1 U.S. dependent area (Puerto Rico). Alaska, Montana, North Dakota, South Dakota, Vermont, and Wyoming do not have MSAs within their borders.

TABULATION AND PRESENTATION OF DATA

The data in this report include information received by CDC through July 31, 2015. Data are presented for adults and adolescents aged 13 years or older with HIV infection diagnosed during 2014 or living with diagnosed HIV infection as of December 31, 2013 (prevalence). Tables include the total numbers (statistically adjusted [estimated] and unadjusted) and rates (adjusted) of diagnoses of HIV infection in 2014, and the total numbers (statistically adjusted [estimated] and unadjusted) and rates (adjusted) of HIV prevalence at

year-end 2013 by MSA of residence at diagnosis. Summary data are provided for persons residing in MSAs (populations of 500,000 or more), in metropolitan areas with populations of 50,000–499,999, and in nonmetropolitan areas (populations of less than 50,000), including diagnoses of HIV infection among persons with an unknown county of residence.

Please use caution when interpreting reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers: the underlying relative standard errors are greater than 30%, so the numbers are considered unreliable. For the assessment of trends in diagnoses, deaths, and prevalence, it is preferable to use statistically adjusted (estimated) data to eliminate artifacts of reporting in the surveillance system.

In accordance with *Data Re-Release Agreement for HIV Surveillance and Surveillance-Related Data* (issued October 24, 2011) [1], a suppression rule was applied for population denominators less than 100. This affected Native Hawaiians/other Pacific Islanders, who had female populations of less than 100 in 15 MSAs and male populations of less than 100 in 17 MSAs.

Data for American Indians/Alaska Natives and Asians were excluded from tabulations by MSA, race/ethnicity, and transmission category (Tables 8a–9c), as nearly all of the case counts for American Indians/Alaska Natives and Asians in these tables were less than 12 and thus were associated with unstable estimated numbers and rates.

We excluded data for San Juan-Carolina-Caguas, PR from tables displaying diagnoses of HIV infection by race/ethnicity (Tables 4a–5b, 8a–9c). The 2014 postcensal estimates do not include population estimates for Puerto Rico by race/ethnicity, thereby preventing assessment of the suppression rule for these population denominators.

Diagnoses of HIV Infection

Data in this report were compiled from diagnoses of HIV infection that were reported by the 50 states, the District of Columbia, and Puerto Rico to CDC through July 31, 2015. All jurisdictions report diagnoses of HIV infection to CDC based on the guidelines for HIV case surveillance, and the jurisdictions classify HIV infec-

tion among adults and adolescents by using the 2008 and 2014 surveillance case definitions [2, 3]. Cases diagnosed before 2014 were classified according to the 2008 HIV case definition, and cases diagnosed in 2014 were classified according to the 2014 HIV case definition. Please use caution when interpreting data on diagnoses of HIV infection. HIV surveillance reports may not be representative of all persons with HIV because not all infected persons have (1) been tested or (2) tested at a time when the infection could be detected and diagnosed. Also, some states offer anonymous HIV testing; the results of anonymous tests are not reported to the confidential name-based HIV registries of state and local health departments. Therefore, reports of confidential test results may not represent all persons who tested positive for HIV infection. In addition, testing patterns are influenced by many factors, including the extent to which testing is routinely offered to specific groups, or the availability of, and access to, medical care and testing services. The data presented in this report provide a minimum estimate of persons for whom HIV infection has been diagnosed and reported to the surveillance system.

Persons Living with Diagnosed HIV Infection (Prevalence)

Prevalence of HIV infection was based on the number of persons living with diagnosed HIV infection, regardless of the stage of disease, as of December 31, 2013. The exclusion of data from the most recent year allowed at least 18 months for deaths to be reported and for these deaths to be factored into calculations of prevalence.

Deaths

Persons reported to the National HIV Surveillance System are assumed alive unless their deaths have been reported to CDC. Death data include all deaths of persons with diagnosed HIV infection, regardless of the cause of death (Table 10). Data are reported for deaths that occurred by December 31, 2013, thereby allowing at least 18 months for deaths to be reported to CDC. The estimated numbers and rates of deaths resulted from statistical adjustment for delays in reporting.

Population of Area of Residence

In the *Federal Register* for June 28, 2010, the Office of Management and Budget (OMB) published revised standards for defining MSAs in federal statistical activities [4]. These standards, which provided for the

identification of MSAs in the United States and Puerto Rico, replaced the 2000 standards. The adoption of the new standards was effective as of June 28, 2010. On February 28, 2013, the OMB announced new MSA delineations based on the new standards and Census 2010 data [5]. The OMB defines populations of area of residence as areas with populations of 500,000 or more (MSAs), areas with populations of 50,000–499,999, or areas with populations of less than 50,000 (nonmetropolitan areas). The Boston-Cambridge-Newton, MA-NH, New York-Newark-Jersey City, NY-NJ-PA, and San Francisco-Oakland-Hayward, CA MSAs all include 1 division with a population less than 500,000. Therefore, data presented for divisions in these 3 MSAs do not sum to the MSA totals.

Age

The designation “adults and adolescents” refers to persons aged 13 years and older. For presentations of data on persons living with diagnosed HIV infection (Tables 1a/b/c, 2b, 3b, 4b, 5b, 6b, 7b, 9a/b/c), the age-group assignment (e.g., 20–24 years) is based on the person’s age as of December 31, 2013. For presentations of data on deaths of persons with diagnosed HIV infection (Table 10), age-group assignment (i.e., 13 years and older) is determined based on the person’s age at the time of death. For presentations of data on diagnoses of HIV infection in 2014, the age-group assignment is based on the person’s age at the time of diagnosis.

Age-group designations for transmission categories in tables displaying data on prevalence are based on a person’s age at the end of 2013. That is, the transmission categories in these tables include persons who were children at the time of diagnosis but who were aged 13 years and older on December 31, 2013.

Race and Ethnicity

The data presented in this report were collected using the OMB’s revised standards for ethnic and racial data, which calls for splitting Asian/Pacific Islander into 2 categories (Asian and Native Hawaiian/other Pacific Islander) and collecting 2 categories of ethnicity (Hispanic or Latino and not Hispanic or Latino) [6]. For presentations of data on persons living with diagnosed HIV infection by race/ethnicity (Tables 4b, 5b), the Asian category includes cases in Asians/Pacific Islanders that were diagnosed before the implementation of the new ethnic/racial categories in 2003 plus a small proportion of cases in Asians and Native

Hawaiians/other Pacific Islanders that were diagnosed after 2003 and classified according to the old racial category (Asian/ Pacific Islander).

Ethnicity data were also collected in accordance with the revised OMB standards [6]. Hispanics and Latinos can be of any race (Tables 4a–5b, 8c, 9c).

Transmission Categories

Transmission category is the term for the classification of cases that summarizes a person's possible HIV risk factors; the summary classification results from selecting, from the presumed hierarchical order of probability, the single risk factor most likely to have been responsible for transmission. For surveillance purposes, a diagnosis of HIV infection is counted only once in the hierarchy of transmission categories. Persons with more than 1 reported risk factor for HIV infection are classified in the transmission category listed first in the hierarchy. The exception is men who had sexual contact with other men *and* injected drugs; this group makes up a separate transmission category.

Persons whose transmission category is classified as male-to-male sexual contact include men who ever had sexual contact with other men (i.e., homosexual contact) and men who ever had sexual contact with both men and women (i.e., bisexual contact). Persons whose transmission category is classified as heterosexual contact are persons who have ever had heterosexual contact with a person known to have, or to be at high risk for, HIV infection (e.g., an injection drug user).

Cases of HIV infection reported without a risk factor listed in the hierarchy of transmission categories are classified as “no identified risk (NIR)” [7]. Cases classified as NIR include cases that are being followed up by local health department staff; cases in persons whose risk-factor information is missing because they died, declined to be interviewed, or were lost to follow-up; and cases in persons who were interviewed or for whom other follow-up information was available but for whom no risk factor was identified.

Because a substantial proportion of persons with diagnosed HIV infection are reported to CDC without an identified risk factor, multiple imputation is used to assign a transmission category [7]. Multiple imputation is a statistical approach in which each missing transmission category is replaced with a set of plausible values that represent the uncertainty about the true, but missing, value [8]. The plausible values are analyzed by using standard procedures, and the results

from these analyses are then combined to produce the final results. In the tables displaying transmission categories (Tables 6a–9c), multiple imputation was used.

ESTIMATION METHODS

Diagnoses of HIV infection in 2014 and prevalence of HIV infection at year-end 2013 were estimated by using the same methods that were used for the 2014 *HIV Surveillance Report* [9]. Estimated numbers and rates were not adjusted for incomplete reporting. Estimated numbers were rounded to zero decimal places and estimated rates to one decimal place.

Reporting Delays

Reporting delays (time between HIV diagnosis or death and the reporting of diagnosis or death to CDC) may differ among demographic and geographic categories; some reporting delays have been as long as several years. The statistical adjustment of the data on diagnoses, prevalence, and deaths is based on estimates of reporting-delay distributions, which are calculated by using a modified semiparametric life-table statistical procedure. This procedure takes into account differences in reporting delays due to sex, race/ethnicity, HIV transmission categories, geographic area (i.e., reporting city, state, or dependent area; region of residence), the size of the MSA, and the type of facility where the diagnosis was made or death occurred [10]. The statistical adjustment of the data on diagnoses takes into consideration the information reported from the state or dependent area where the diagnosis was made; the statistical adjustment of data on deaths takes into consideration the information from the state where the death occurred.

Rates

Rates per 100,000 population were calculated for (1) the numbers of diagnoses of HIV infection in 2014, (2) the numbers of persons living with diagnosed HIV infection at year-end 2013 (prevalence), and (3) the numbers of deaths at year-end 2013 of persons with diagnosed HIV infection.

The population denominators used to compute rates for areas in the United States and Puerto Rico were based on the Vintage 2014 postcensal estimates file from the U.S. Census Bureau [11]. Each rate was calculated by dividing the estimated total number of diagnoses (or deaths or prevalence) for the calendar year

by the population for that calendar year and then multiplying that number by 100,000. The denominators used for calculating the rates specific to age, sex, and race/ethnicity were computed by applying the appropriate vintage estimates for age, sex, and race/ethnicity for the 50 states and the District of Columbia [11]. The same method was used to calculate the denominators for Puerto Rico, with the exception of race/ethnicity estimates; these data are not available for Puerto Rico (see next paragraph).

CDC currently does not provide subpopulation rates by race/ethnicity for Puerto Rico because the U.S. Census Bureau does not collect information from the dependent areas. Rates for transmission categories are not provided because of the absence of denominator data from the U.S. Census Bureau, the source of data used for calculating all rates in this report. For this reason, and because the suppression rule could not be assessed for all population denominators (see Tabulation and Presentation of Data), rates for San Juan-Carolina-Caguas, PR were not calculated for the tables displaying race/ethnicity (Tables 4a/b, 5a/b, 8a/b/c, 9a/b/c).

Ranks

Rank refers to the number assigned to an area or an MSA according to the magnitude of the measure, without consideration for the distance between the values [12]. The lowest rank number was assigned to the highest value of the measure. Ties were resolved by assigning the smallest of the corresponding ranks according to the SAS rank procedure [13]. Because rank indicates a relative position in a series, a rank value is influenced by fluctuations associated with the corresponding area or MSA as well as those of the other sites in the series. Estimated rates based on reported or estimated numbers less than 12 were not assigned a rank.

REFERENCES

1. HIV Incidence and Case Surveillance Branch. *Data release agreement for HIV surveillance and surveillance-related data*. Agreement sent to funded areas, October 24, 2011.
2. CDC. Revised surveillance case definitions for HIV infection among adults, adolescents, and children aged <18 months and for HIV infection and AIDS among children aged 18 months to <13 years—United States 2008. *MMWR* 2008;57(RR-10):1–12.
3. CDC. Revised surveillance case definition for HIV infection—United States, 2014. *MMWR* 2014;63(RR-03):1–10.
4. Office of Management and Budget. Standards for delineating metropolitan and micropolitan statistical areas. *Federal Register* 2010;75(123):37246–39052. <http://go.usa.gov/vSpG>. Published June 28, 2010. Accessed April 8, 2016.
5. Office of Management and Budget. Revised delineations of metropolitan statistical areas, micropolitan statistical areas, and combined statistical areas, and guidance on uses of the delineations of these areas. OMB Bulletin 13-01. <http://go.usa.gov/vSyB>. Published February 28, 2013. Accessed April 8, 2016.
6. Office of Management and Budget. Revisions to the standards for the classification of federal data on race and ethnicity. *Federal Register* 1997;62:58781–58790. <http://go.usa.gov/vSdR>. Accessed April 8, 2016.
7. McDavid Harrison K, Kajese T, Hall HI, Song R. Risk factor redistribution of the national HIV/AIDS surveillance data: an alternative approach. *Public Health Rep* 2008;123(5):618–627.
8. Rubin, DB. *Multiple Imputation for Nonresponse in Surveys*. New York: John Wiley & Sons Inc; 1987.
9. CDC. *HIV Surveillance Report, 2014*; vol. 26. <http://www.cdc.gov/hiv/library/reports/surveillance>. Published November 2015. Accessed April 8, 2016.
10. Song R, Green TA. An improved approach to accounting for reporting delay in case surveillance systems. *JP Journal of Biostatistics* 2012;7(1):1–14.
11. U.S. Census Bureau. Population estimates [entire data set]. July 1, 2014. <http://www.census.gov/popest/data/>. Accessed April 8, 2016.
12. Colton T. *Statistics in Medicine*. Boston: Little, Brown; 1974:14.
13. SAS Institute Inc. *Base SAS 9.3 Procedures Guide*. Cary, NC: SAS Institute Inc; 2012:1181–1203.

Table 1a. Diagnoses of HIV infection, 2014, and persons living with diagnosed HIV infection (prevalence), year-end 2013, adults and adolescents, by metropolitan statistical area of residence—United States and Puerto Rico

MSA of residence	Diagnosis, 2014				Prevalence of diagnosed HIV infection, year-end 2013		
	Estimated ^a			Rank ^b	Estimated ^a		
	No.	No.	Rate		No.	No.	Rate
Akron, OH	47	50	8.3	88	847	850	141.9
Albany–Schenectady–Troy, NY	54	57	7.5	92	2,092	2,095	278.2
Albuquerque, NM	66	70	9.2	82	1,338	1,340	178.7
Allentown–Bethlehem–Easton, PA–NJ	58	62	8.8	86	1,464	1,463	208.6
Atlanta–Sandy Springs–Roswell, GA	1,092	1,450	31.6	7	27,055	27,908	618.9
Augusta–Richmond County, GA–SC	77	99	20.5	25	2,114	2,161	449.7
Austin–Round Rock, TX	302	332	20.8	24	4,936	4,938	319.4
Bakersfield, CA	111	123	17.9	34	1,776	1,775	261.5
Baltimore–Columbia–Towson, MD	547	676	28.8	11	18,327	18,771	805.6
Baton Rouge, LA	349	368	53.8	1	4,560	4,570	673.7
Birmingham–Hoover, AL	152	168	17.6	38	3,834	3,797	400.6
Boise City, ID	15	16	3.0	104	466	467	88.9
Boston–Cambridge–Newton, MA–NH ^c	409	553	13.7	54	12,936	13,330	332.5
Boston Division	245	333	19.7	—	7,710	7,943	475.5
Cambridge Division	156	211	10.6	—	4,934	5,097	258.2
Bridgeport–Stamford–Norwalk, CT	95	101	12.8	60	2,713	2,699	343.3
Buffalo–Cheektowaga–Niagara Falls, NY	109	115	11.8	66	2,310	2,315	238.2
Cape Coral–Fort Myers, FL	96	102	17.2	40	1,685	1,685	294.2
Charleston–North Charleston, SC	139	147	24.2	18	2,359	2,359	397.1
Charlotte–Concord–Gastonia, NC–SC	423	447	22.8	22	7,203	7,167	373.2
Chattanooga, TN–GA	56	60	13.0	59	1,154	1,140	249.1
Chicago–Naperville–Elgin, IL–IN–WI	1,341	1,537	19.3	30	30,462	30,562	386.2
Chicago Division	1,185	1,367	22.3	—	27,761	27,856	456.6
Elgin Division	51	56	10.9	—	627	629	123.3
Gary Division	60	64	10.9	—	1,224	1,225	209.5
Lake County Division	45	50	6.9	—	850	852	118.8
Cincinnati, OH–KY–IN	207	219	12.3	62	3,594	3,603	203.9
Cleveland–Elyria, OH	231	244	13.9	53	4,937	4,946	283.3
Colorado Springs, CO	39	41	7.3	93	810	808	145.5
Columbia, SC	194	205	30.6	8	4,023	4,027	607.3
Columbus, OH	243	257	15.6	46	5,201	5,221	321.4
Dallas–Fort Worth–Arlington, TX	1,309	1,496	26.7	14	22,484	22,749	414.5
Dallas Division	1,066	1,229	33.1	—	17,857	18,128	500.0
Fort Worth Division	243	267	14.1	—	4,627	4,621	248.1
Dayton, OH	67	70	10.4	75	1,475	1,480	219.5
Deltona–Daytona Beach–Ormond Beach, FL	108	114	21.4	23	1,492	1,489	283.8
Denver–Aurora–Lakewood, CO	282	298	13.1	58	9,086	9,095	408.8
Des Moines–West Des Moines, IA	34	36	7.2	94	614	617	126.7
Detroit–Warren–Dearborn, MI	528	558	15.5	47	10,098	10,053	279.1
Detroit Division	363	384	26.2	—	7,326	7,278	494.8
Warren Division	165	174	8.1	—	2,772	2,775	130.2
Durham–Chapel Hill, NC	80	84	18.4	33	2,043	2,028	451.4
El Paso, TX	108	118	17.8	35	1,873	1,877	283.7
Fayetteville–Springdale–Rogers, AR–MO	19	21	5.1	100	536	535	134.5
Fresno, CA	110	121	15.9	44	1,631	1,627	215.9
Grand Rapids–Wyoming, MI	65	69	8.1	89	1,007	1,007	120.6
Greensboro–High Point, NC	114	120	19.2	31	2,409	2,398	386.2
Greenville–Anderson–Mauldin, SC	102	108	15.0	49	1,674	1,675	235.9
Harrisburg–Carlisle, PA	49	52	10.9	71	1,341	1,336	282.7
Hartford–West Hartford–East Hartford, CT	90	96	9.2	83	3,492	3,465	333.8
Honolulu (Urban), HI	77	81	9.8	79	1,676	1,678	202.6

Table 1a. Diagnoses of HIV infection, 2014, and persons living with diagnosed HIV infection (prevalence), year-end 2013, adults and adolescents, by metropolitan statistical area of residence—United States and Puerto Rico (cont)

MSA of residence	Diagnosis, 2014				Prevalence of diagnosed HIV infection, year-end 2013		
	Estimated ^a				Estimated ^a		
	No.	No.	Rate	Rank ^b	No.	No.	Rate
Houston–The Woodlands–Sugar Land, TX	1,467	1,559	29.9	9	25,032	25,064	493.4
Indianapolis–Carmel–Anderson, IN	241	254	15.8	45	4,764	4,773	299.2
Jackson, MS	176	186	39.2	4	3,434	3,398	718.1
Jacksonville, FL	334	354	29.8	10	6,278	6,279	538.4
Kansas City, MO–KS	179	189	11.1	69	4,813	4,809	285.7
Knoxville, TN	43	46	6.3	98	1,200	1,182	163.4
Lakeland–Winter Haven, FL	89	94	17.7	36	1,801	1,800	345.4
Lancaster, PA	28	30	6.7	97	769	767	175.0
Las Vegas–Henderson–Paradise, NV	387	412	24.0	19	6,444	6,450	384.6
Little Rock–North Little Rock–Conway, AR	146	160	26.6	15	1,945	1,941	324.7
Los Angeles–Long Beach–Anaheim, CA	2,231	2,573	23.2	20	52,781	53,595	486.9
Anaheim Division	279	323	12.3	—	6,783	6,860	263.0
Los Angeles Division	1,952	2,251	26.6	—	45,998	46,736	556.4
Louisville/Jefferson County, KY–IN	170	181	17.0	41	3,078	3,057	290.2
Madison, WI	25	26	4.9	101	687	687	129.8
McAllen–Edinburg–Mission, TX	77	84	13.5	56	1,072	1,075	174.5
Memphis, TN–MS–AR	344	366	33.3	6	7,375	7,263	663.0
Miami–Fort Lauderdale–West Palm Beach, FL	2,394	2,530	50.0	2	52,566	52,612	1,053.5
Fort Lauderdale Division	792	836	52.8	—	17,038	17,052	1,092.1
Miami Division	1,253	1,324	58.4	—	27,569	27,604	1,228.2
West Palm Beach Division	349	370	30.7	—	7,959	7,956	671.4
Milwaukee–Waukesha–West Allis, WI	133	140	10.8	72	3,098	3,093	237.6
Minneapolis–St. Paul–Bloomington, MN–WI	270	286	9.9	76	6,447	6,458	226.3
Modesto, CA	16	17	4.1	103	540	538	127.3
Nashville–Davidson–Murfreesboro–Franklin, TN	227	241	16.2	43	5,118	5,043	346.8
New Haven–Milford, CT	81	86	11.6	68	3,127	3,104	422.1
New Orleans–Metairie, LA	436	461	44.0	3	8,338	8,333	803.0
New York–Newark–Jersey City, NY–NJ–PA ^c	4,070	4,488	26.5	16	144,266	144,718	860.1
Nassau County Division	266	285	11.7	—	5,999	6,027	249.4
New York Division	3,281	3,600	29.9	—	121,961	122,284	1,021.0
Newark Division	492	570	27.1	—	15,002	15,101	722.3
North Port–Sarasota–Bradenton, FL	101	107	16.3	42	1,703	1,703	264.6
Ogden–Clearfield, UT	13	14	2.8	105	301	302	63.4
Oklahoma City, OK	144	159	14.6	50	2,657	2,649	245.7
Omaha–Council Bluffs, NE–IA	66	70	9.5	81	1,296	1,300	179.2
Orlando–Kissimmee–Sanford, FL	629	667	34.1	5	10,428	10,440	547.1
Oxnard–Thousand Oaks–Ventura, CA	51	56	8.0	90	899	896	128.9
Palm Bay–Melbourne–Titusville, FL	57	60	12.5	61	1,250	1,246	260.0
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	942	1,019	20.0	28	26,573	26,503	522.5
Camden Division	140	164	15.6	—	3,106	3,137	298.3
Montgomery Division	94	100	6.1	—	2,282	2,276	138.3
Philadelphia Division	620	657	37.0	—	18,728	18,633	1,050.8
Wilmington Division	88	98	16.3	—	2,457	2,456	408.4
Phoenix–Mesa–Scottsdale, AZ	602	636	17.3	39	10,043	10,058	279.4
Pittsburgh, PA	164	174	8.5	87	3,085	3,078	150.9
Portland–South Portland, ME	39	41	9.1	84	653	654	145.9
Portland–Vancouver–Hillsboro, OR–WA	183	193	9.8	78	4,427	4,435	228.9
Providence–Warwick, RI–MA	134	153	11.1	70	3,250	3,276	238.6
Provo–Orem, UT	3	3	0.7	107	151	151	36.5
Raleigh, NC	170	180	17.7	37	3,431	3,426	345.1
Richmond, VA	191	202	19.1	32	4,471	4,405	420.5

Table 1a. Diagnoses of HIV infection, 2014, and persons living with diagnosed HIV infection (prevalence), year-end 2013, adults and adolescents, by metropolitan statistical area of residence—United States and Puerto Rico (cont)

MSA of residence	Diagnosis, 2014				Prevalence of diagnosed HIV infection, year-end 2013		
	Estimated ^a				Estimated ^a		
	No.	No.	Rate	Rank ^b	No.	No.	Rate
Riverside–San Bernardino–Ontario, CA	469	542	15.1	48	8,177	8,267	233.1
Rochester, NY	78	82	8.9	85	2,975	2,977	323.1
Sacramento–Roseville–Arden-Arcade, CA	169	185	9.9	77	3,817	3,806	206.8
St. Louis, MO–IL	293	317	13.5	55	6,934	6,952	296.5
Salt Lake City, UT	90	95	10.4	74	1,917	1,922	214.2
San Antonio–New Braunfels, TX	354	388	20.5	26	5,444	5,449	293.8
San Diego–Carlsbad–San Marcos, CA	459	529	19.4	29	12,521	12,651	469.4
San Francisco–Oakland–Hayward, CA ^c	723	796	20.3	27	24,709	24,735	641.8
Oakland Division	309	356	15.6	—	7,344	7,411	330.0
San Francisco Division	391	415	29.5	—	16,486	16,456	1,185.9
San Jose–Sunnyvale–Santa Clara, CA	157	173	10.6	73	3,280	3,271	204.8
San Juan–Carolina–Caguas, PR	458	527	27.6	12	13,191	13,239	687.9
Santa Rosa, CA	30	33	7.7	91	1,222	1,215	288.1
Scranton–Wilkes-Barre–Hazelton, PA	24	25	5.3	99	595	592	122.4
Seattle–Tacoma–Bellevue, WA	347	367	11.9	65	8,783	8,807	290.8
Seattle Division	303	320	13.4	—	7,739	7,759	329.8
Tacoma Division	44	46	6.8	—	1,044	1,048	155.0
Spokane–Spokane Valley, WA	6	6	1.4	106	437	438	97.5
Springfield, MA	47	63	11.7	67	1,881	1,936	360.6
Stockton–Lodi, CA	74	82	14.2	51	1,229	1,225	217.4
Syracuse, NY	71	75	13.4	57	1,120	1,123	200.0
Tampa–St. Petersburg–Clearwater, FL	631	668	26.8	13	10,666	10,660	434.4
Toledo, OH	46	49	9.6	80	975	976	191.7
Tucson, AZ	97	103	12.1	63	2,045	2,042	243.3
Tulsa, OK	102	112	14.1	52	1,672	1,664	211.4
Virginia Beach–Norfolk–Newport News, VA–NC	313	331	23.0	21	6,637	6,545	458.8
Washington–Arlington–Alexandria, DC–VA–MD–WV	1,104	1,300	25.9	17	32,989	33,472	676.0
Silver Spring Division	196	244	23.0	—	4,122	4,237	404.5
Washington Division	908	1,056	26.7	—	28,867	29,236	748.8
Wichita, KS	34	36	6.9	96	797	797	154.4
Winston-Salem, NC	63	66	12.1	64	1,711	1,697	311.8
Worcester, MA–CT	27	36	4.6	102	1,809	1,849	235.4
Youngstown–Warren–Boardman, OH–PA	31	33	7.0	95	681	681	143.0
Subtotal for MSAs (population of ≥500,000)	32,944	36,458	20.1	—	788,932	792,654	441.7
Metropolitan areas (population of 50,000–499,999)	5,590	6,107	9.8	—	118,032	118,053	190.6
Nonmetropolitan areas	1,496	1,633	6.4	—	31,175	31,154	122.7
Total^d	40,312	44,584	16.6	—	946,237	950,100	356.1

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States and Puerto Rico.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting. Rates are per 100,000 population.

^b Based on estimated rate. Ranks were not assigned to MSAs with estimated rates that were based on reported or estimated numbers less than 12.

^c Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^d Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 1b. Diagnoses of HIV infection, 2014, and persons living with diagnosed HIV infection (prevalence), year-end 2013, adult and adolescent males, by metropolitan statistical area of residence—United States and Puerto Rico

MSA of residence	Diagnosis, 2014				Prevalence of diagnosed HIV infection, year-end 2013		
	Estimated ^a				Estimated ^a		
	No.	No.	Rate	Rank ^b	No.	No.	Rate
Akron, OH	42	45	15.5	83	680	682	236.9
Albany–Schenectady–Troy, NY	42	44	12.0	93	1,401	1,403	384.0
Albuquerque, NM	62	65	17.8	74	1,194	1,195	326.6
Allentown–Bethlehem–Easton, PA–NJ	35	38	11.0	98	933	932	274.3
Atlanta–Sandy Springs–Roswell, GA	901	1,197	54.3	6	21,388	22,084	1,020.4
Augusta–Richmond County, GA–SC	61	79	33.7	28	1,417	1,447	623.6
Austin–Round Rock, TX	275	303	38.0	23	4,223	4,227	548.8
Bakersfield, CA	88	97	27.4	44	1,581	1,580	452.8
Baltimore–Columbia–Towson, MD	407	503	45.0	13	11,865	12,165	1,094.5
Baton Rouge, LA	243	256	77.1	2	2,847	2,854	865.5
Birmingham–Hoover, AL	127	140	30.8	34	2,843	2,816	624.7
Boise City, ID	15	16	6.0	104	403	404	155.1
Boston–Cambridge–Newton, MA–NH ^c	307	414	21.3	60	9,440	9,727	504.8
Boston Division	182	247	30.7	—	5,824	6,001	751.9
Cambridge Division	117	157	16.4	—	3,384	3,496	367.8
Bridgeport–Stamford–Norwalk, CT	60	64	16.8	79	1,793	1,783	470.2
Buffalo–Cheektowaga–Niagara Falls, NY	82	86	18.5	69	1,606	1,609	344.9
Cape Coral–Fort Myers, FL	80	85	29.5	36	1,112	1,112	399.3
Charleston–North Charleston, SC	115	122	41.2	19	1,702	1,701	589.8
Charlotte–Concord–Gastonia, NC–SC	346	366	38.8	21	5,122	5,097	552.3
Chattanooga, TN–GA	44	47	21.3	59	870	861	392.2
Chicago–Naperville–Elgin, IL–IN–WI	1,131	1,297	33.7	27	24,098	24,203	631.2
Chicago Division	1,005	1,159	39.2	—	22,030	22,130	751.4
Elgin Division	44	49	19.1	—	463	465	184.3
Gary Division	47	50	17.8	—	944	945	335.8
Lake County Division	35	39	10.9	—	661	663	186.4
Cincinnati, OH–KY–IN	171	181	20.9	61	2,848	2,853	332.9
Cleveland–Elyria, OH	204	215	25.8	51	3,937	3,944	473.6
Colorado Springs, CO	35	37	13.0	89	680	679	243.6
Columbia, SC	161	170	52.5	8	2,932	2,935	917.2
Columbus, OH	212	224	27.9	41	4,263	4,279	540.6
Dallas–Fort Worth–Arlington, TX	1,064	1,217	44.5	14	17,938	18,146	678.0
Dallas Division	866	999	55.2	—	14,431	14,644	827.5
Fort Worth Division	198	218	23.6	—	3,507	3,502	386.3
Dayton, OH	53	56	17.2	78	1,159	1,163	359.6
Deltona–Daytona Beach–Ormond Beach, FL	81	86	33.3	29	1,028	1,026	405.0
Denver–Aurora–Lakewood, CO	247	261	23.2	54	8,146	8,151	740.6
Des Moines–West Des Moines, IA	29	31	12.6	91	505	508	213.8
Detroit–Warren–Dearborn, MI	425	449	25.9	50	7,777	7,745	448.0
Detroit Division	288	305	43.8	—	5,463	5,429	778.1
Warren Division	137	145	13.9	—	2,314	2,316	224.6
Durham–Chapel Hill, NC	59	62	28.7	40	1,465	1,456	684.6
El Paso, TX	98	107	33.2	31	1,635	1,639	511.5
Fayetteville–Springdale–Rogers, AR–MO	17	19	9.3	99	424	423	214.9
Fresno, CA	95	104	27.6	42	1,331	1,329	355.7
Grand Rapids–Wyoming, MI	50	53	12.8	90	768	767	187.7
Greensboro–High Point, NC	88	93	31.3	33	1,732	1,725	585.9
Greenville–Anderson–Mauldin, SC	90	96	27.5	43	1,273	1,274	372.0
Harrisburg–Carlisle, PA	42	44	19.1	66	994	990	430.5
Hartford–West Hartford–East Hartford, CT	67	71	14.2	86	2,381	2,362	470.5
Honolulu (Urban), HI	69	73	17.3	77	1,450	1,452	346.5

Table 1b. Diagnoses of HIV infection, 2014, and persons living with diagnosed HIV infection (prevalence), year-end 2013, adult and adolescent males, by metropolitan statistical area of residence—United States and Puerto Rico (cont)

MSA of residence	Diagnosis, 2014				Prevalence of diagnosed HIV infection, year-end 2013		
	Estimated ^a			Rank ^b	Estimated ^a		
	No.	No.	Rate		No.	No.	Rate
Houston–The Woodlands–Sugar Land, TX	1,148	1,219	47.3	11	18,544	18,564	740.0
Indianapolis–Carmel–Anderson, IN	195	206	26.4	48	3,902	3,909	506.8
Jackson, MS	137	145	64.6	4	2,385	2,361	1,056.4
Jacksonville, FL	253	269	47.0	12	4,048	4,049	720.0
Kansas City, MO–KS	155	164	19.8	64	4,064	4,059	496.6
Knoxville, TN	37	40	11.2	97	977	961	274.2
Lakeland–Winter Haven, FL	64	68	26.3	49	1,165	1,166	460.6
Lancaster, PA	24	26	11.9	95	509	508	239.4
Las Vegas–Henderson–Paradise, NV	337	359	42.0	18	5,431	5,437	649.5
Little Rock–North Little Rock–Conway, AR	127	139	48.2	9	1,572	1,568	546.8
Los Angeles–Long Beach–Anaheim, CA	2,001	2,308	42.5	17	46,702	47,430	880.3
Anaheim Division	252	292	22.6	—	5,963	6,033	471.6
Los Angeles Division	1,749	2,017	48.7	—	40,739	41,396	1,007.6
Louisville/Jefferson County, KY–IN	141	149	29.1	38	2,489	2,472	485.6
Madison, WI	22	23	8.8	100	558	559	213.6
McAllen–Edinburg–Mission, TX	63	69	22.9	56	851	853	288.1
Memphis, TN–MS–AR	256	273	52.6	7	5,061	4,982	960.8
Miami–Fort Lauderdale–West Palm Beach, FL	1,916	2,025	83.3	1	36,770	36,811	1,532.9
Fort Lauderdale Division	629	664	87.2	—	11,922	11,937	1,587.9
Miami Division	1,048	1,108	101.5	—	19,939	19,971	1,847.2
West Palm Beach Division	239	253	43.8	—	4,909	4,903	862.5
Milwaukee–Waukesha–West Allis, WI	114	120	19.1	67	2,443	2,440	388.9
Minneapolis–St. Paul–Bloomington, MN–WI	209	221	15.6	82	4,977	4,983	355.8
Modesto, CA	14	15	7.3	101	438	436	210.2
Nashville–Davidson–Murfreesboro–Franklin, TN	195	207	28.9	39	4,012	3,953	562.6
New Haven–Milford, CT	68	72	20.5	62	2,040	2,024	576.6
New Orleans–Metairie, LA	348	368	73.3	3	5,985	5,983	1,201.0
New York–Newark–Jersey City, NY–NJ–PA ^c	3,160	3,484	43.0	16	99,529	99,893	1,242.2
Nassau County Division	209	225	19.1	—	4,065	4,089	349.3
New York Division	2,601	2,855	49.8	—	85,106	85,370	1,499.2
Newark Division	332	385	38.0	—	9,360	9,434	935.9
North Port–Sarasota–Bradenton, FL	79	84	26.8	46	1,193	1,191	389.0
Ogden–Clearfield, UT	11	12	4.8	105	260	261	109.7
Oklahoma City, OK	121	134	25.1	52	2,215	2,207	419.0
Omaha–Council Bluffs, NE–IA	59	62	17.3	76	981	984	276.5
Orlando–Kissimmee–Sanford, FL	489	518	54.7	5	7,876	7,886	852.0
Oxnard–Thousand Oaks–Ventura, CA	43	47	13.6	88	766	764	223.3
Palm Bay–Melbourne–Titusville, FL	40	43	18.1	71	841	839	361.4
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	721	780	32.0	32	18,814	18,765	773.9
Camden Division	102	120	23.6	—	2,322	2,346	462.3
Montgomery Division	84	89	11.1	—	1,751	1,745	218.8
Philadelphia Division	476	504	60.6	—	13,096	13,027	1,569.9
Wilmington Division	59	66	22.7	—	1,645	1,646	568.2
Phoenix–Mesa–Scottsdale, AZ	506	535	29.4	37	8,749	8,761	492.8
Pittsburgh, PA	136	144	14.7	84	2,488	2,483	253.1
Portland–South Portland, ME	24	25	11.6	96	532	532	246.6
Portland–Vancouver–Hillsboro, OR–WA	165	174	18.0	73	3,924	3,930	413.8
Providence–Warwick, RI–MA	107	122	18.4	70	2,291	2,311	350.8
Provo–Orem, UT	2	2	1.0	107	130	130	63.0
Raleigh, NC	138	146	29.7	35	2,560	2,557	532.8
Richmond, VA	160	169	33.3	30	3,333	3,285	655.1

Table 1b. Diagnoses of HIV infection, 2014, and persons living with diagnosed HIV infection (prevalence), year-end 2013, adult and adolescent males, by metropolitan statistical area of residence—United States and Puerto Rico (cont)

MSA of residence	Diagnosis, 2014				Prevalence of diagnosed HIV infection, year-end 2013		
	Estimated ^a				Estimated ^a		
	No.	No.	Rate	Rank ^b	No.	No.	Rate
Riverside–San Bernardino–Ontario, CA	413	476	26.8	45	7,038	7,116	405.9
Rochester, NY	60	63	14.2	87	1,996	1,998	449.2
Sacramento–Roseville–Arden-Arcade, CA	135	148	16.3	81	3,193	3,185	356.5
St. Louis, MO–IL	236	255	22.6	57	5,612	5,623	500.8
Salt Lake City, UT	78	82	18.1	72	1,628	1,632	363.8
San Antonio–New Braunfels, TX	309	339	36.6	25	4,647	4,653	513.1
San Diego–Carlsbad–San Marcos, CA	415	478	34.9	26	11,288	11,404	845.5
San Francisco–Oakland–Hayward, CA ^c	648	711	37.1	24	22,224	22,247	1,177.6
Oakland Division	260	299	27.0	—	6,016	6,074	557.9
San Francisco Division	371	394	56.0	—	15,396	15,370	2,216.4
San Jose–Sunnyvale–Santa Clara, CA	146	161	19.8	65	2,848	2,841	355.3
San Juan–Carolina–Caguas, PR	368	423	47.3	10	9,004	9,038	1,003.0
Santa Rosa, CA	28	30	14.7	85	1,076	1,069	520.3
Scranton–Wilkes-Barre–Hazelton, PA	16	17	7.2	102	428	425	181.0
Seattle–Tacoma–Bellevue, WA	292	309	20.1	63	7,656	7,677	509.9
Seattle Division	259	274	22.9	—	6,847	6,864	585.9
Tacoma Division	33	35	10.3	—	809	813	243.4
Spokane–Spokane Valley, WA	4	4	1.9	106	382	383	172.9
Springfield, MA	32	43	16.8	80	1,203	1,241	489.4
Stockton–Lodi, CA	68	75	26.5	47	1,004	1,001	360.4
Syracuse, NY	59	62	23.0	55	778	780	287.9
Tampa–St. Petersburg–Clearwater, FL	497	526	44.0	15	7,842	7,835	666.0
Toledo, OH	41	43	17.7	75	702	702	286.1
Tucson, AZ	85	90	21.7	58	1,753	1,750	426.9
Tulsa, OK	83	91	23.6	53	1,423	1,416	370.4
Virginia Beach–Norfolk–Newport News, VA–NC	256	271	38.6	22	4,850	4,783	685.7
Washington–Arlington–Alexandria, DC–VA–MD–WV	818	961	39.6	20	23,056	23,383	976.0
Silver Spring Division	134	167	32.9	—	2,553	2,621	522.9
Washington Division	684	794	41.4	—	20,503	20,762	1,095.9
Wichita, KS	29	31	12.0	94	645	645	253.4
Winston-Salem, NC	46	49	18.6	68	1,186	1,177	454.4
Worcester, MA–CT	19	25	6.6	103	1,165	1,191	309.6
Youngstown–Warren–Boardman, OH–PA	27	29	12.6	92	509	509	220.9
Subtotal for MSAs (population of ≥500,000)	26,813	29,672	33.7	—	597,725	600,718	689.6
Metropolitan areas (population of 50,000–499,999)	4,437	4,844	15.8	—	88,055	88,065	289.2
Nonmetropolitan areas	1,174	1,281	10.1	—	22,590	22,574	177.7
Total^d	32,660	36,118	27.5	—	714,792	717,886	551.1

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States and Puerto Rico.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting. Rates are per 100,000 population.

^b Based on estimated rate. Ranks were not assigned to MSAs with estimated rates that were based on reported or estimated numbers less than 12.

^c Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^d Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 1c. Diagnoses of HIV infection, 2014, and persons living with diagnosed HIV infection (prevalence), year-end 2013, adult and adolescent females, by metropolitan statistical area of residence—United States and Puerto Rico

MSA of residence	Diagnosis, 2014				Prevalence of diagnosed HIV infection, year-end 2013		
	Estimated ^a			Rank ^b	Estimated ^a		
	No.	No.	Rate		No.	No.	Rate
Akron, OH	5	5	1.7	95	167	167	53.9
Albany–Schenectady–Troy, NY	12	13	3.3	74	691	691	178.4
Albuquerque, NM	4	4	1.1	100	144	144	37.5
Allentown–Bethlehem–Easton, PA–NJ	23	24	6.7	32	531	531	146.9
Atlanta–Sandy Springs–Roswell, GA	191	253	10.6	13	5,667	5,823	248.3
Augusta–Richmond County, GA–SC	16	21	8.3	23	697	714	287.3
Austin–Round Rock, TX	27	30	3.7	68	713	711	91.7
Bakersfield, CA	23	26	7.8	27	195	195	59.1
Baltimore–Columbia–Towson, MD	140	172	14.1	7	6,462	6,606	542.0
Baton Rouge, LA	106	112	31.8	1	1,713	1,716	492.2
Birmingham–Hoover, AL	25	28	5.6	45	991	981	197.3
Boise City, ID	0	0	0.0	107	63	63	23.8
Boston–Cambridge–Newton, MA–NH ^c	102	139	6.6	34	3,496	3,603	173.1
Boston Division	63	85	9.7	—	1,886	1,942	222.6
Cambridge Division	39	54	5.2	—	1,550	1,601	156.4
Bridgeport–Stamford–Norwalk, CT	35	37	9.1	20	920	917	225.2
Buffalo–Cheektowaga–Niagara Falls, NY	27	29	5.7	43	704	706	139.7
Cape Coral–Fort Myers, FL	16	17	5.6	44	573	573	194.8
Charleston–North Charleston, SC	24	25	8.1	25	657	658	215.3
Charlotte–Concord–Gastonia, NC–SC	77	81	8.0	26	2,081	2,069	207.5
Chattanooga, TN–GA	12	13	5.4	47	284	279	117.1
Chicago–Naperville–Elgin, IL–IN–WI	210	239	5.9	39	6,364	6,359	155.9
Chicago Division	180	207	6.6	—	5,731	5,726	181.4
Elgin Division	7	7	2.9	—	164	164	63.7
Gary Division	13	14	4.6	—	280	280	92.2
Lake County Division	10	11	3.0	—	189	189	52.4
Cincinnati, OH–KY–IN	36	38	4.1	62	746	749	82.4
Cleveland–Elyria, OH	27	28	3.1	77	1,000	1,002	109.7
Colorado Springs, CO	4	4	1.5	97	130	129	46.7
Columbia, SC	33	35	10.1	16	1,091	1,092	318.3
Columbus, OH	31	33	3.9	64	938	942	113.1
Dallas–Fort Worth–Arlington, TX	245	279	9.7	17	4,546	4,603	163.7
Dallas Division	200	230	12.1	—	3,426	3,484	187.7
Fort Worth Division	45	49	5.0	—	1,120	1,119	117.0
Dayton, OH	14	15	4.2	61	316	317	90.4
Deltona–Daytona Beach–Ormond Beach, FL	27	29	10.3	14	464	463	170.7
Denver–Aurora–Lakewood, CO	35	37	3.2	76	940	944	84.0
Des Moines–West Des Moines, IA	5	5	2.1	87	109	110	43.9
Detroit–Warren–Dearborn, MI	103	109	5.8	41	2,321	2,307	123.2
Detroit Division	75	79	10.3	—	1,863	1,849	239.1
Warren Division	28	30	2.7	—	458	459	41.7
Durham–Chapel Hill, NC	21	22	9.2	19	578	573	241.9
El Paso, TX	10	11	3.2	75	238	238	69.8
Fayetteville–Springdale–Rogers, AR–MO	2	2	1.0	101	112	112	55.7
Fresno, CA	15	17	4.3	58	300	298	78.5
Grand Rapids–Wyoming, MI	15	16	3.7	69	239	240	56.2
Greensboro–High Point, NC	26	27	8.3	22	677	673	206.2
Greenville–Anderson–Mauldin, SC	12	13	3.4	73	401	401	109.1
Harrisburg–Carlisle, PA	7	7	3.0	78	347	347	142.7
Hartford–West Hartford–East Hartford, CT	23	24	4.5	54	1,111	1,103	205.8
Honolulu (Urban), HI	8	8	2.0	88	226	226	55.2

Table 1c. Diagnoses of HIV infection, 2014, and persons living with diagnosed HIV infection (prevalence), year-end 2013, adult and adolescent females, by metropolitan statistical area of residence—United States and Puerto Rico (cont)

MSA of residence	Diagnosis, 2014				Prevalence of diagnosed HIV infection, year-end 2013		
	Estimated ^a				Estimated ^a		
	No.	No.	Rate	Rank ^b	No.	No.	Rate
Houston–The Woodlands–Sugar Land, TX	319	340	12.9	10	6,488	6,500	252.8
Indianapolis–Carmel–Anderson, IN	46	49	5.8	40	862	864	104.8
Jackson, MS	39	41	16.4	4	1,049	1,037	415.2
Jacksonville, FL	81	86	13.9	8	2,230	2,230	369.3
Kansas City, MO–KS	24	25	2.9	81	749	750	86.6
Knoxville, TN	6	6	1.7	96	223	222	59.4
Lakeland–Winter Haven, FL	25	26	9.6	18	636	634	236.6
Lancaster, PA	4	4	1.9	93	260	259	114.6
Las Vegas–Henderson–Paradise, NV	50	53	6.1	37	1,013	1,012	120.5
Little Rock–North Little Rock–Conway, AR	19	21	6.6	33	373	373	119.8
Los Angeles–Long Beach–Anaheim, CA	230	265	4.7	52	6,079	6,166	109.7
Anaheim Division	27	31	2.3	—	820	826	62.2
Los Angeles Division	203	234	5.4	—	5,259	5,340	124.4
Louisville/Jefferson County, KY–IN	29	31	5.7	42	589	585	107.5
Madison, WI	3	3	1.2	99	129	129	48.0
McAllen–Edinburg–Mission, TX	14	15	4.7	51	221	222	69.4
Memphis, TN–MS–AR	88	93	16.1	5	2,314	2,282	395.3
Miami–Fort Lauderdale–West Palm Beach, FL	478	505	19.2	2	15,796	15,801	609.4
Fort Lauderdale Division	163	172	21.0	—	5,116	5,115	631.7
Miami Division	205	216	18.4	—	7,630	7,633	654.4
West Palm Beach Division	110	116	18.6	—	3,050	3,053	495.1
Milwaukee–Waukesha–West Allis, WI	19	20	3.0	79	655	653	96.8
Minneapolis–St. Paul–Bloomington, MN–WI	61	65	4.4	57	1,470	1,475	101.5
Modesto, CA	2	2	1.0	103	102	102	47.3
Nashville–Davidson–Murfreesboro–Franklin, TN	32	34	4.4	55	1,106	1,090	145.0
New Haven–Milford, CT	13	14	3.6	71	1,087	1,080	281.0
New Orleans–Metairie, LA	88	93	17.1	3	2,353	2,351	435.6
New York–Newark–Jersey City, NY–NJ–PA ^c	910	1,004	11.4	11	44,737	44,825	510.3
Nassau County Division	57	60	4.8	—	1,934	1,938	155.5
New York Division	680	745	11.8	—	36,855	36,914	587.6
Newark Division	160	185	17.0	—	5,642	5,667	523.5
North Port–Sarasota–Bradenton, FL	22	23	6.7	31	510	511	151.6
Ogden–Clearfield, UT	2	2	0.9	105	41	41	17.3
Oklahoma City, OK	23	25	4.6	53	442	442	80.1
Omaha–Council Bluffs, NE–IA	7	7	2.0	91	315	316	85.5
Orlando–Kissimmee–Sanford, FL	140	148	14.7	6	2,552	2,554	259.9
Oxnard–Thousand Oaks–Ventura, CA	8	9	2.5	85	133	132	37.4
Palm Bay–Melbourne–Titusville, FL	17	18	7.2	29	409	407	164.7
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	221	239	9.0	21	7,759	7,738	292.3
Camden Division	38	44	8.0	—	784	791	145.4
Montgomery Division	10	11	1.3	—	531	531	62.6
Philadelphia Division	144	152	16.1	—	5,632	5,606	594.2
Wilmington Division	29	32	10.3	—	812	810	259.9
Phoenix–Mesa–Scottsdale, AZ	96	101	5.4	46	1,294	1,298	71.2
Pittsburgh, PA	28	30	2.8	82	597	595	56.2
Portland–South Portland, ME	15	16	6.7	30	121	122	52.4
Portland–Vancouver–Hillsboro, OR–WA	18	19	1.9	92	503	504	51.1
Providence–Warwick, RI–MA	27	31	4.3	59	959	965	135.1
Provo–Orem, UT	1	1	0.5	106	21	21	10.2
Raleigh, NC	32	34	6.4	35	871	868	169.3
Richmond, VA	31	33	6.0	38	1,138	1,120	205.1

Table 1c. Diagnoses of HIV infection, 2014, and persons living with diagnosed HIV infection (prevalence), year-end 2013, adult and adolescent females, by metropolitan statistical area of residence—United States and Puerto Rico (cont)

MSA of residence	Diagnosis, 2014				Prevalence of diagnosed HIV infection, year-end 2013		
	Estimated ^a				Estimated ^a		
	No.	No.	Rate	Rank ^b	No.	No.	Rate
Riverside–San Bernardino–Ontario, CA	56	65	3.6	70	1,139	1,151	64.2
Rochester, NY	18	19	4.0	63	979	980	205.5
Sacramento–Roseville–Arden-Arcade, CA	34	37	3.8	65	624	621	65.6
St. Louis, MO–IL	57	62	5.1	50	1,322	1,329	108.8
Salt Lake City, UT	12	13	2.8	83	289	290	64.7
San Antonio–New Braunfels, TX	45	49	5.1	49	797	796	84.0
San Diego–Carlsbad–San Marcos, CA	44	51	3.7	67	1,233	1,246	92.6
San Francisco–Oakland–Hayward, CA ^c	75	85	4.3	60	2,485	2,488	126.6
Oakland Division	49	57	4.8	—	1,328	1,336	115.5
San Francisco Division	20	21	3.0	—	1,090	1,085	156.4
San Jose–Sunnyvale–Santa Clara, CA	11	12	1.5	98	432	431	54.0
San Juan–Carolina–Caguas, PR	90	104	10.2	15	4,187	4,201	410.5
Santa Rosa, CA	2	2	1.0	102	146	146	67.5
Scranton–Wilkes-Barre–Hazelton, PA	8	8	3.4	72	167	167	67.2
Seattle–Tacoma–Bellevue, WA	55	58	3.7	66	1,127	1,130	74.2
Seattle Division	44	46	3.9	—	892	894	75.7
Tacoma Division	11	12	3.3	—	235	235	68.7
Spokane–Spokane Valley, WA	2	2	0.9	104	55	55	24.2
Springfield, MA	15	20	7.2	28	678	695	245.3
Stockton–Lodi, CA	6	7	2.3	86	225	224	78.4
Syracuse, NY	12	13	4.4	56	342	343	118.0
Tampa–St. Petersburg–Clearwater, FL	134	142	11.0	12	2,824	2,825	221.2
Toledo, OH	5	5	2.0	90	273	274	103.9
Tucson, AZ	12	13	2.9	80	292	292	68.0
Tulsa, OK	19	21	5.1	48	249	248	61.3
Virginia Beach–Norfolk–Newport News, VA–NC	57	60	8.2	24	1,787	1,763	241.8
Washington–Arlington–Alexandria, DC–VA–MD–WV	286	339	13.1	9	9,933	10,090	394.8
Silver Spring Division	62	77	14.0	—	1,569	1,615	295.9
Washington Division	224	262	12.9	—	8,364	8,474	421.6
Wichita, KS	5	5	2.0	89	152	152	58.0
Winston-Salem, NC	17	18	6.2	36	525	520	182.4
Worcester, MA–CT	8	11	2.6	84	644	658	164.1
Youngstown–Warren–Boardman, OH–PA	4	4	1.7	94	172	172	69.9
Subtotal for MSAs (population of ≥500,000)	6,131	6,786	7.3	—	191,207	191,936	207.8
Metropolitan areas (population of 50,000–499,999)	1,153	1,264	4.0	—	29,977	29,988	95.2
Nonmetropolitan areas	322	352	2.8	—	8,585	8,580	67.6
Total^d	7,652	8,466	6.1	—	231,445	232,214	170.0

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States and Puerto Rico.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting. Rates are per 100,000 population.

^b Based on estimated rate. Ranks were not assigned to MSAs with estimated rates that were based on reported or estimated numbers less than 12.

^c Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^d Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 2a. Diagnoses of HIV infection among adult and adolescent males, by age and metropolitan statistical area of residence, 2014—United States and Puerto Rico

MSA of residence	13–24 years				25–34 years				35–44 years				45–54 years				≥55 years			
	Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a			
	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b
Akron, OH	15	16	26.4	56	11	12	26.7	—	6	6	15.7	—	7	7	15.2	—	3	3	3.6	—
Albany–Schenectady–Troy, NY	9	9	12.0	—	9	9	17.0	—	8	8	16.1	—	10	10	16.8	—	6	6	5.4	—
Albuquerque, NM	11	12	15.8	—	18	19	28.8	76	17	18	31.9	42	12	13	21.7	49	4	4	3.7	—
Allentown–Bethlehem–Easton, PA–NJ	5	6	8.6	—	7	7	15.0	—	13	14	27.6	53	4	4	7.0	—	6	7	5.6	—
Atlanta–Sandy Springs–Roswell, GA	211	277	58.2	12	338	446	117.7	5	179	239	60.7	5	118	158	40.0	14	55	77	13.7	11
Augusta–Richmond County, GA–SC	21	27	53.8	17	12	14	35.9	67	12	14	42.0	26	10	15	39.1	—	6	8	11.5	—
Austin–Round Rock, TX	76	83	50.7	24	94	104	60.2	33	48	53	34.5	37	40	44	34.9	23	17	19	10.4	21
Bakersfield, CA	28	31	35.3	41	28	31	43.3	55	10	11	19.2	—	15	16	30.2	30	7	8	9.2	—
Baltimore–Columbia–Towson, MD	82	101	45.6	28	135	167	85.1	11	75	92	54.8	10	72	90	46.1	10	43	53	15.8	5
Baton Rouge, LA	67	71	91.5	3	81	85	141.7	3	42	44	87.0	2	32	34	64.5	3	21	22	24.2	2
Birmingham–Hoover, AL	37	41	45.9	27	47	52	68.7	26	19	21	28.3	52	17	19	25.3	39	7	8	5.4	—
Boise City, ID	0	0	0.0	—	5	5	11.2	—	7	8	16.9	—	2	2	4.9	—	1	1	1.4	—
Boston–Cambridge–Newton, MA–NH ^c	50	67	17.4	72	96	130	37.8	63	62	84	28.4	51	73	98	28.8	31	26	35	6.1	32
Boston Division	32	43	26.3	—	59	81	52.6	—	34	46	37.6	—	39	53	39.6	—	18	25	10.6	—
Cambridge Division	17	23	12.4	—	34	45	27.6	—	28	38	25.6	—	30	40	23.7	—	8	11	3.7	—
Bridgeport–Stamford–Norwalk, CT	10	11	13.6	—	18	19	34.5	68	11	12	19.4	—	12	13	18.4	54	9	10	8.3	—
Buffalo–Cheektowaga–Niagara Falls, NY	25	26	28.2	51	20	21	28.0	77	14	15	23.7	63	14	15	18.7	53	9	9	6.0	—
Cape Coral–Fort Myers, FL	10	11	23.8	—	16	17	45.9	53	15	16	44.4	20	23	24	59.6	4	16	17	13.2	13
Charleston–North Charleston, SC	42	45	74.5	6	32	34	59.2	35	18	19	41.3	27	12	13	26.9	35	11	12	13.7	—
Charlotte–Concord–Gastonia, NC–SC	98	103	53.4	19	119	125	79.8	19	67	71	42.9	24	33	35	21.0	50	29	31	11.8	16
Chattanooga, TN–GA	12	13	30.7	47	12	13	36.4	66	8	9	25.5	—	9	9	25.9	—	3	3	4.4	—
Chicago–Naperville–Elgin, IL–IN–WI	326	373	47.1	26	399	458	67.1	27	201	230	36.1	32	139	160	24.5	41	66	75	7.0	28
Chicago Division	276	319	53.9	—	363	419	76.1	—	183	210	42.4	—	128	148	29.9	—	55	63	7.7	—
Elgin Division	22	24	40.6	—	10	11	27.4	—	5	6	13.2	—	3	3	7.5	—	4	4	6.4	—
Gary Division	14	15	25.3	—	14	15	35.5	—	7	7	17.0	—	5	5	11.4	—	7	8	8.4	—
Lake County Division	14	15	18.5	—	12	14	26.9	—	6	7	12.2	—	3	3	4.9	—	0	0	0.0	—
Cincinnati, OH–KY–IN	44	47	26.0	58	63	66	47.3	52	31	33	24.9	61	21	22	14.8	62	12	13	4.8	35
Cleveland–Elyria, OH	79	83	51.5	22	57	60	48.6	49	39	41	34.6	36	22	23	16.2	60	7	7	2.6	—
Colorado Springs, CO	7	7	10.7	—	9	9	17.9	—	12	13	29.5	48	5	5	12.0	—	2	2	2.8	—
Columbia, SC	64	67	87.9	4	43	45	83.9	12	21	22	45.4	18	23	24	47.5	9	10	11	11.6	—
Columbus, OH	48	51	30.8	46	87	92	60.7	31	39	41	30.5	45	29	31	23.0	43	9	9	4.4	—
Dallas–Fort Worth–Arlington, TX	288	329	55.7	14	367	420	83.4	16	185	212	43.1	23	148	169	35.5	20	76	87	12.9	14
Dallas Division	228	263	67.2	—	304	350	103.6	—	160	184	55.0	—	114	132	41.6	—	60	70	16.2	—
Fort Worth Division	60	66	33.1	—	63	69	42.1	—	25	28	17.7	—	34	37	23.4	—	16	17	7.2	—
Dayton, OH	26	27	41.3	34	10	10	20.3	—	11	12	25.6	—	4	4	8.0	—	2	2	1.9	—
Deltona–Daytona Beach–Ormond Beach, FL	22	23	53.7	18	26	27	83.7	15	11	12	36.7	—	11	12	29.5	—	11	12	10.8	—
Denver–Aurora–Lakewood, CO	41	43	20.8	66	88	93	41.5	60	62	66	32.2	41	44	47	24.8	40	12	13	4.2	37

Table 2a. Diagnoses of HIV infection among adult and adolescent males, by age and metropolitan statistical area of residence, 2014—United States and Puerto Rico (cont)

MSA of residence	13–24 years				25–34 years				35–44 years				45–54 years				≥55 years				
	Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a				
	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	
Des Moines–West Des Moines, IA	3	3	6.6	—	11	12	25.3	—	5	5	12.6	—	6	6	15.5	—	4	4	6.3	—	
Detroit–Warren–Dearborn, MI	143	151	43.3	31	144	152	58.9	36	56	59	22.4	68	57	60	19.4	52	25	27	4.9	34	
	106	112	74.7	—	109	115	106.8	—	29	31	29.0	—	25	26	22.1	—	19	20	9.6	—	
Warren Division	37	39	19.6	—	35	37	24.5	—	27	28	18.0	—	32	34	17.7	—	6	7	1.9	—	
	Detroit Division																				
Durham–Chapel Hill, NC	21	22	47.1	25	12	13	32.6	72	8	8	23.6	—	12	13	37.6	17	6	6	10.3	—	
El Paso, TX	22	24	28.1	52	41	45	73.6	24	16	17	34.2	38	14	15	32.9	27	5	5	6.9	—	
Fayetteville–Springdale–Rogers, AR	1	1	2.3	—	3	3	8.9	—	5	6	16.3	—	6	7	21.2	—	2	2	4.2	—	
Fresno, CA	23	25	27.2	55	38	42	56.9	39	19	21	35.4	34	9	10	17.2	—	6	6	6.8	—	
Grand Rapids–Wyoming, MI	13	14	14.9	76	16	17	24.2	82	12	13	20.3	70	6	6	9.2	—	3	3	2.6	—	
Greensboro–High Point, NC	34	36	57.8	13	32	34	75.0	22	10	11	22.9	—	7	7	14.5	—	5	5	5.7	—	
Greenville–Anderson–Mauldin, SC	20	21	28.4	50	32	34	63.4	30	15	16	29.6	47	14	15	25.8	38	9	10	9.0	—	
Harrisburg–Carlisle, PA	9	10	21.8	—	8	8	22.6	—	8	8	24.5	—	10	11	26.9	—	7	7	9.6	—	
Hartford–West Hartford–East Hartford, CT	13	14	13.5	78	12	13	16.6	83	15	16	22.1	69	17	18	20.3	51	10	11	6.7	—	
Honolulu (Urban), HI	8	8	9.6	—	30	32	37.3	64	14	15	22.9	67	8	9	14.2	—	9	9	7.6	—	
Houston–The Woodlands–Sugar Land, TX	316	334	59.4	11	392	415	83.8	14	239	255	55.4	8	140	149	35.3	21	61	65	10.3	22	
Indianapolis–Carmel–Anderson, IN	64	68	42.6	32	70	74	54.2	42	29	30	23.2	65	21	22	16.4	59	11	12	5.3	—	
Jackson, MS	50	53	106.6	2	53	56	142.0	2	15	16	44.4	21	11	12	32.7	—	8	9	13.3	—	
Jacksonville, FL	72	77	67.6	9	94	100	100.2	7	33	35	39.7	28	37	39	40.4	13	17	19	10.6	20	
Kansas City, MO–KS	32	34	21.0	65	59	62	42.9	57	24	26	18.8	72	24	25	18.1	56	16	17	6.9	29	
Knoxville, TN	10	11	14.6	—	8	9	16.9	—	10	11	19.9	—	6	7	11.4	—	3	3	2.6	—	
Lakeland–Winter Haven, FL	18	19	38.0	36	18	19	49.1	48	10	11	28.7	—	9	10	25.1	—	9	10	10.2	—	
Lancaster, PA	1	1	2.4	—	14	15	44.4	54	6	6	21.0	—	1	1	3.0	—	2	2	3.0	—	
Las Vegas–Henderson–Paradise, NV	82	87	52.5	21	121	130	83.9	13	65	69	46.8	17	47	50	34.8	24	22	24	9.7	23	
Little Rock–North Little Rock–Conway, AR	40	44	73.1	8	44	48	93.3	8	20	22	47.2	16	17	18	40.5	12	6	7	7.8	—	
Los Angeles–Long Beach–Anaheim, CA	402	463	40.6	35	742	855	83.1	17	450	520	57.0	7	289	334	36.5	19	118	136	9.5	24	
	Anaheim Division	54	63	23.5	—	82	95	42.0	—	53	61	29.1	—	41	47	20.9	—	22	25	7.0	—
	Los Angeles Division	348	401	45.9	—	660	760	94.8	—	397	459	65.4	—	248	287	41.7	—	96	111	10.3	—
Louisville/Jefferson County, KY–IN	26	27	27.9	53	48	51	60.2	32	35	37	45.1	19	27	29	32.4	28	5	5	3.3	—	
Madison, WI	4	4	7.1	—	7	7	15.3	—	6	6	15.4	—	4	4	10.2	—	1	1	1.4	—	
McAllen–Edinburg–Mission, TX	21	23	27.2	54	16	18	32.4	73	14	15	29.5	49	8	9	21.1	—	4	4	6.3	—	
Memphis, TN–MS–AR	94	100	85.9	5	74	79	88.9	9	42	45	54.0	11	28	30	35.2	22	18	19	13.2	12	
Miami–Fort Lauderdale–West Palm Beach, FL	307	324	73.2	7	590	623	157.3	1	386	408	104.4	1	419	443	104.0	1	214	227	29.2	1	
	Fort Lauderdale Division	91	96	68.4	—	178	188	152.2	—	120	127	104.0	—	158	167	121.4	—	82	87	36.3	—
	Miami Division	174	184	89.8	—	351	371	195.3	—	227	240	127.4	—	202	214	109.3	—	94	100	31.9	—
	West Palm Beach Division	42	44	45.2	—	61	65	77.9	—	39	41	51.3	—	59	62	67.2	—	38	40	18.0	—
Milwaukee–Waukesha–West Allis, WI	43	46	36.0	40	32	34	31.0	74	17	18	18.7	73	18	19	17.9	57	4	4	2.2	—	
Minneapolis–St. Paul–Bloomington, MN–WI	44	46	16.9	73	65	69	26.6	80	51	54	23.3	64	31	33	13.1	63	18	19	4.8	36	
Modesto, CA	3	3	6.5	—	6	7	17.6	—	3	3	9.8	—	1	1	3.2	—	1	1	1.9	—	

Table 2a. Diagnoses of HIV infection among adult and adolescent males, by age and metropolitan statistical area of residence, 2014—United States and Puerto Rico (cont)

MSA of residence	13–24 years				25–34 years				35–44 years				45–54 years				≥55 years			
	Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a			
	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b
Nashville—Davidson—Murfreesboro—Franklin, TN	51	54	36.6	39	67	72	55.5	41	41	44	35.7	33	26	28	22.7	44	10	11	5.3	—
New Haven—Milford, CT	18	19	26.3	57	22	23	42.2	58	12	13	25.1	59	10	11	17.3	—	6	6	5.7	—
New Orleans—Metairie, LA	110	116	121.8	1	116	122	132.8	4	61	65	85.4	3	40	42	50.2	8	21	22	14.3	9
New York—Newark—Jersey City, NY—NJ—PA ^c	626	687	43.4	30	1061	1172	81.0	18	660	727	55.3	9	501	552	39.5	15	312	347	14.7	6
Nassau County Division	44	47	20.1	—	63	68	41.4	—	43	45	26.0	—	35	37	17.0	—	24	26	6.9	—
New York Division	510	557	50.2	—	889	976	87.9	—	543	596	62.7	—	415	456	48.0	—	244	270	16.7	—
Newark Division	68	79	38.9	—	102	120	80.3	—	71	82	50.2	—	50	58	29.6	—	41	47	15.5	—
North Port—Sarasota—Bradenton, FL	11	12	25.8	—	16	17	49.7	47	15	16	44.2	22	24	25	56.2	5	13	14	9.2	25
Ogden—Clearfield, UT	2	2	3.6	—	7	7	16.0	—	1	1	2.5	—	1	1	3.0	—	0	0	0.0	—
Oklahoma City, OK	22	24	21.0	64	48	52	52.0	43	27	30	35.1	35	16	18	22.1	47	8	9	6.1	—
Omaha—Council Bluffs, NE—IA	13	14	18.6	68	16	17	25.0	81	19	20	34.2	39	9	10	16.0	—	2	2	2.1	—
Orlando—Kissimmee—Sanford, FL	101	107	54.3	16	172	182	105.2	6	73	77	50.4	14	98	105	66.8	2	45	48	18.0	3
Oxnard—Thousand Oaks—Ventura, CA	6	7	8.8	—	21	23	40.5	61	6	7	12.4	—	8	9	14.8	—	2	2	2.1	—
Palm Bay—Melbourne—Titusville, FL	6	6	16.1	—	10	11	35.3	—	6	6	22.8	—	5	5	13.4	—	13	14	14.3	8
Philadelphia—Camden—Wilmington, PA—NJ—DE—MD	170	183	37.2	37	215	232	55.9	40	113	122	33.5	40	142	155	37.0	18	81	89	11.9	15
Camden Division	16	18	18.0	—	29	35	43.2	—	14	16	21.2	—	25	29	32.0	—	18	22	13.7	—
Montgomery Division	18	19	12.8	—	24	25	21.9	—	16	17	14.5	—	18	19	12.9	—	8	8	3.1	—
Philadelphia Division	127	135	75.3	—	143	151	88.2	—	71	75	60.5	—	86	91	71.1	—	49	52	22.7	—
Wilmington Division	9	10	16.7	—	19	21	43.1	—	12	13	30.5	—	13	15	29.8	—	6	7	7.6	—
Phoenix—Mesa—Scottsdale, AZ	124	131	34.3	43	177	187	57.6	37	103	109	36.3	31	71	75	26.3	37	31	33	6.3	31
Pittsburgh, PA	36	39	22.2	63	44	47	30.0	75	25	26	19.5	71	19	20	12.5	64	12	13	3.6	39
Portland—South Portland, ME	1	1	2.7	—	2	2	6.7	—	4	4	13.5	—	10	11	26.7	—	7	7	9.6	—
Portland—Vancouver—Hillsboro, OR—WA	19	20	11.3	79	56	59	33.7	69	43	45	26.5	57	33	35	21.9	48	14	15	5.2	33
Providence—Warwick, RI—MA	17	19	13.9	77	34	40	38.6	62	26	30	31.2	43	16	18	15.3	61	14	16	7.5	27
Provo—Orem, UT	0	0	0.0	—	1	1	2.5	—	0	0	0.0	—	0	0	0.0	—	1	1	2.8	—
Raleigh, NC	34	36	34.8	42	42	44	51.8	44	27	28	30.6	44	28	30	33.3	26	7	8	6.5	—
Richmond, VA	53	56	54.5	15	53	56	64.1	29	29	31	38.4	30	15	16	18.3	55	10	11	7.2	—
Riverside—San Bernardino—Ontario, CA	88	101	23.8	62	132	152	48.1	51	71	83	29.3	50	77	89	30.8	29	45	52	11.1	18
Rochester, NY	17	18	19.0	67	18	19	27.3	79	8	8	14.2	—	10	11	13.9	—	7	7	5.1	—
Sacramento—Roseville—Arden-Arcade, CA	27	29	15.4	75	40	44	27.9	78	30	33	23.2	66	30	33	22.2	46	8	9	3.3	—
St. Louis, MO—IL	75	81	36.6	38	87	94	50.4	46	40	43	25.5	58	22	24	12.4	65	12	13	3.7	38
Salt Lake City, UT	17	18	17.9	70	30	32	32.8	71	20	21	25.0	60	5	5	7.9	—	6	6	5.9	—
San Antonio—New Braunfels, TX	102	112	52.8	20	122	134	77.3	21	37	41	27.1	55	38	41	28.3	33	10	11	4.6	—
San Diego—Carlsbad—San Marcos, CA	66	76	24.9	59	142	164	60.1	34	98	113	51.9	12	75	86	40.6	11	34	39	10.8	19
San Francisco—Oakland—Hayward, CA ^c	97	108	33.2	44	219	240	66.0	28	156	170	50.7	13	118	128	38.8	16	58	64	11.4	17
Oakland Division	51	59	27.9	—	88	101	51.6	—	55	63	33.1	—	40	46	23.7	—	26	30	9.4	—
San Francisco Division	44	47	47.8	—	123	130	83.8	—	98	104	81.0	—	74	78	66.5	—	32	34	16.9	—
San Jose—Sunnyvale—Santa Clara, CA	23	25	16.6	74	51	56	36.4	65	40	44	29.7	46	23	25	17.6	58	9	10	4.7	—

Table 2a. Diagnoses of HIV infection among adult and adolescent males, by age and metropolitan statistical area of residence, 2014—United States and Puerto Rico (cont)

MSA of residence	13–24 years				25–34 years				35–44 years				45–54 years				≥55 years			
	Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a			
	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b
San Juan–Carolina–Caguas, PR	86	99	51.0	23	95	109	78.5	20	84	97	70.7	4	62	71	51.3	7	41	47	16.6	4
Santa Rosa, CA	2	2	5.6	—	4	4	13.0	—	9	10	32.4	—	8	9	25.5	—	5	5	7.6	—
Scranton–Wilkes-Barre–Hazleton, PA	2	2	4.8	—	3	3	9.1	—	5	5	16.3	—	3	3	7.9	—	3	3	3.8	—
Seattle–Tacoma–Bellevue, WA	48	51	17.8	71	95	101	33.4	70	67	71	26.8	56	56	59	22.7	45	26	27	6.5	30
Seattle Division	42	44	20.9	—	82	87	36.5	—	60	64	30.0	—	51	54	26.2	—	24	25	7.8	—
Tacoma Division	6	6	8.8	—	13	14	21.9	—	7	7	13.9	—	5	5	9.5	—	2	2	2.2	—
Spokane–Spokane Valley, WA	1	1	2.3	—	1	1	2.8	—	1	1	3.3	—	1	1	3.1	—	0	0	0.0	—
Springfield, MA	14	19	29.8	48	7	9	24.7	—	5	7	20.3	—	2	3	7.2	—	4	5	6.4	—
Stockton–Lodi, CA	15	16	24.5	60	23	25	51.3	45	16	18	39.1	29	12	13	28.6	32	2	2	3.0	—
Syracuse, NY	16	17	29.0	49	19	20	48.3	50	8	8	23.4	—	8	8	17.8	—	8	8	9.6	—
Tampa–St. Petersburg–Clearwater, FL	91	96	45.5	29	147	155	85.4	10	100	106	60.3	6	100	106	52.8	6	59	62	14.6	7
Toledo, OH	17	18	32.7	45	10	11	26.7	—	4	4	12.0	—	4	4	11.0	—	6	7	8.5	—
Tucson, AZ	16	17	17.9	69	25	27	41.8	59	23	24	42.5	25	15	16	26.9	34	6	6	4.5	—
Tulsa, OK	17	19	23.8	61	34	37	57.1	38	13	14	23.9	62	14	15	24.3	42	5	5	4.5	—
Virginia Beach–Norfolk–Newport News, VA–NC	91	96	59.5	10	95	101	73.8	23	26	28	27.2	54	28	29	26.9	36	16	17	8.8	26
Washington–Arlington–Alexandria, DC–VA–MD–WV	166	196	41.6	33	272	321	69.6	25	180	209	48.8	15	123	144	33.7	25	77	90	14.2	10
Silver Spring Division	21	26	26.7	—	48	60	72.4	—	29	35	41.7	—	24	30	33.2	—	12	15	10.2	—
Washington Division	145	171	45.5	—	224	261	68.9	—	151	173	50.6	—	99	114	33.8	—	65	75	15.5	—
Wichita, KS	5	5	9.5	—	10	11	23.8	—	3	3	8.2	—	10	11	26.3	—	1	1	1.4	—
Winston-Salem, NC	11	12	22.2	—	15	16	43.1	56	6	6	15.8	—	8	8	18.3	—	6	6	7.3	—
Worcester, MA–CT	4	5	6.7	—	5	7	11.4	—	4	5	9.2	—	4	6	7.7	—	2	3	2.3	—
Youngstown–Warren–Boardman, OH–PA	5	5	12.1	—	7	7	23.9	—	3	3	10.2	—	9	10	25.7	—	3	3	4.0	—
Subtotal for MSAs (population of ≥500,000)	6,232	6,869	38.1	—	8,967	9,933	64.1	—	5,229	5,792	40.8	—	4,202	4,650	31.4	—	2,183	2,427	9.5	—
Metropolitan areas (population of 50,000–499,999)	1,227	1,340	20.2	—	1,301	1,419	29.2	—	779	851	19.4	—	726	789	16.4	—	404	444	4.5	—
Nonmetropolitan areas	299	326	13.2	—	337	365	20.1	—	225	247	13.9	—	194	211	10.3	—	119	131	2.9	—
Total^d	7,812	8,606	31.7	—	10,680	11,821	53.3	—	6,281	6,956	34.1	—	5,156	5,697	26.3	—	2,731	3,039	7.6	—

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States and Puerto Rico.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting. Rates are per 100,000 population.

^b Based on estimated rate. Ranks were not assigned to MSAs with estimated rates that were based on reported or estimated numbers less than 12.

^c Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^d Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 2b. Adult and adolescent males living with diagnosed HIV infection (prevalence), by age and metropolitan statistical area of residence, year-end 2013—United States and Puerto Rico

MSA of residence	13–24 years			25–34 years			35–44 years			45–54 years			≥55 years		
	Estimated ^a			Estimated ^a			Estimated ^a			Estimated ^a			Estimated ^a		
	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate
Akron, OH	35	36	58.6	109	111	258.2	135	136	332.6	231	231	468.4	170	169	179.5
Albany–Schenectady–Troy, NY	37	38	48.1	124	126	227.6	216	217	414.5	564	565	890.3	460	457	395.2
Albuquerque, NM	38	39	52.3	168	170	260.6	255	256	454.5	448	447	751.8	285	283	256.1
Allentown–Bethlehem–Easton, PA–NJ	29	30	44.1	100	101	209.7	176	177	351.1	351	350	569.1	277	275	243.7
Atlanta–Sandy Springs–Roswell, GA	1,172	1,298	276.7	4,357	4,620	1,236.4	5,023	5,194	1,311.8	6,958	7,075	1,812.2	3,878	3,897	728.4
Augusta–Richmond County, GA–SC	103	113	224.0	240	251	636.2	251	257	749.5	452	456	1,197.8	371	371	530.1
Austin–Round Rock, TX	152	155	95.6	731	742	447.9	1,104	1,109	745.6	1,419	1,414	1,153.9	817	807	472.7
Bakersfield, CA	51	52	60.0	227	229	329.1	374	375	661.6	590	588	1,081.0	339	335	414.9
Baltimore–Columbia–Towson, MD	548	580	258.5	1,680	1,752	910.6	1,834	1,887	1,121.0	4,186	4,269	2,157.2	3,617	3,678	1,119.2
Baton Rouge, LA	206	210	271.5	593	599	1,000.1	642	645	1,268.5	820	819	1,548.5	586	582	654.5
Birmingham–Hoover, AL	157	160	180.1	526	531	706.1	618	616	836.7	949	936	1,234.6	593	574	417.4
Boise City, ID	11	11	20.6	58	58	127.2	78	79	176.8	173	173	411.4	83	83	112.5
Boston–Cambridge–Newton, MA–NH ^b	209	227	58.7	842	915	272.0	1,659	1,731	583.3	3,855	3,948	1,156.2	2,875	2,907	514.2
Boston Division	133	146	88.5	515	558	372.1	982	1,024	840.9	2,353	2,409	1,773.0	1,841	1,864	826.2
Cambridge Division	72	77	41.5	312	341	210.3	629	658	441.6	1,405	1,443	846.9	966	976	345.7
Bridgeport–Stamford–Norwalk, CT	57	58	75.5	175	177	320.7	300	301	495.2	617	614	848.7	644	633	554.1
Buffalo–Cheektowaga–Niagara Falls, NY	68	69	72.8	222	225	308.2	283	285	450.4	611	611	757.4	422	418	271.1
Cape Coral–Fort Myers, FL	38	39	89.3	131	133	374.7	230	232	654.0	409	408	1,012.9	304	300	242.6
Charleston–North Charleston, SC	96	98	163.2	257	261	471.9	311	312	691.6	583	581	1,243.2	455	449	553.5
Charlotte–Concord–Gastonia, NC–SC	283	289	152.6	953	962	624.5	1,138	1,140	684.9	1,731	1,717	1,041.4	1,017	989	398.4
Chattanooga, TN–GA	35	36	84.6	122	124	365.1	198	198	572.3	319	314	859.1	196	189	263.5
Chicago–Naperville–Elgin, IL–IN–WI	1,216	1,276	159.8	4,012	4,135	606.2	5,179	5,252	818.7	7,883	7,875	1,196.1	5,808	5,666	537.3
Chicago Division	1,069	1,125	188.2	3,605	3,722	678.0	4,755	4,825	967.8	7,252	7,247	1,450.1	5,349	5,211	651.2
Elgin Division	28	29	48.3	83	84	209.2	114	115	266.1	143	143	326.1	95	94	143.7
Gary Division	75	77	131.4	177	179	421.7	180	181	417.2	301	299	624.9	211	209	234.2
Lake County Division	44	45	54.7	147	149	296.2	130	131	232.0	187	186	277.9	153	152	152.7
Cincinnati, OH–KY–IN	193	197	110.2	475	481	346.4	579	581	436.3	988	986	651.5	613	608	238.7
Cleveland–Elyria, OH	213	218	133.9	612	619	506.8	802	806	666.7	1,388	1,388	946.4	922	913	325.7
Colorado Springs, CO	12	12	18.2	80	81	155.6	118	119	279.4	289	288	641.1	181	179	248.4
Columbia, SC	168	171	223.9	518	523	979.7	645	647	1,319.9	992	990	1,928.2	609	604	672.9
Columbus, OH	257	262	159.4	742	751	509.7	957	962	713.9	1,493	1,494	1,108.6	814	810	385.3
Dallas–Fort Worth–Arlington, TX	918	963	165.6	3,134	3,232	654.1	4,279	4,343	893.2	6,169	6,193	1,313.1	3,438	3,416	531.0
Dallas Division	706	746	194.2	2,512	2,602	783.0	3,475	3,538	1,067.1	5,032	5,063	1,622.9	2,706	2,695	657.8
Fort Worth Division	212	217	110.0	622	629	389.3	804	805	520.5	1,137	1,130	707.7	732	721	308.6
Dayton, OH	94	96	143.9	195	196	384.7	223	224	494.2	379	379	701.9	268	267	251.5
Deltona–Daytona Beach–Ormond Beach, FL	47	48	109.6	133	134	424.0	201	201	639.2	355	353	889.6	292	289	270.6
Denver–Aurora–Lakewood, CO	122	125	60.9	810	820	378.3	1,510	1,516	754.5	3,103	3,101	1,665.2	2,601	2,589	886.8

Table 2b. Adult and adolescent males living with diagnosed HIV infection (prevalence), by age and metropolitan statistical area of residence, year-end 2013—United States and Puerto Rico (cont)

MSA of residence	13–24 years			25–34 years			35–44 years			45–54 years			≥55 years		
	Estimated ^a			Estimated ^a			Estimated ^a			Estimated ^a			Estimated ^a		
	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate
Des Moines–West Des Moines, IA	20	20	43.8	65	66	147.0	126	127	308.9	168	168	414.5	126	126	196.2
Detroit–Warren–Dearborn, MI	617	628	179.4	1,405	1,417	557.5	1,519	1,518	565.8	2,453	2,438	775.6	1,783	1,743	321.9
	448	456	299.0	1,002	1,009	949.0	1,025	1,022	946.1	1,722	1,709	1,406.8	1,266	1,232	589.0
Durham–Chapel Hill, NC	169	172	87.0	403	408	275.9	494	497	309.7	731	729	377.9	517	511	153.7
	78	80	172.2	228	230	593.1	328	328	935.4	471	467	1,400.3	360	351	593.3
El Paso, TX	82	83	97.5	294	298	498.1	396	398	777.1	528	527	1,116.0	335	332	433.9
Fayetteville–Springdale–Rogers, AR	14	14	31.4	42	42	115.2	108	108	324.3	168	167	545.9	92	91	179.8
Fresno, CA	56	57	61.0	263	266	370.5	277	278	474.4	408	406	713.3	327	322	347.4
Grand Rapids–Wyoming, MI	33	34	36.9	105	106	154.5	192	193	310.9	291	289	417.1	147	145	123.8
Greensboro–High Point, NC	117	119	192.3	323	326	732.2	415	415	885.4	565	560	1,095.1	312	304	338.4
Greenville–Anderson–Mauldin, SC	78	80	108.6	185	187	357.1	284	285	531.1	469	467	815.0	257	255	241.1
Harrisburg–Carlisle, PA	30	31	69.9	98	99	267.6	180	180	524.1	385	384	965.8	301	296	394.8
Hartford–West Hartford–East Hartford, CT	71	72	68.3	233	236	311.6	378	379	520.9	899	892	984.6	800	783	495.3
Honolulu (Urban), HI	20	20	23.4	154	156	188.6	258	260	404.9	522	522	840.9	496	494	402.3
Houston–The Woodlands–Sugar Land, TX	1,032	1,063	192.5	3,245	3,296	684.9	4,416	4,443	988.1	5,926	5,905	1,410.3	3,925	3,857	635.4
Indianapolis–Carmel–Anderson, IN	245	250	159.3	627	633	467.0	933	937	714.5	1,387	1,385	1,023.2	710	703	331.7
Jackson, MS	154	157	317.6	473	477	1,206.3	592	589	1,643.8	710	698	1,916.2	456	440	707.8
Jacksonville, FL	242	247	219.0	762	770	796.2	829	832	952.0	1,331	1,326	1,364.5	884	873	519.3
Kansas City, MO–KS	176	179	112.4	585	592	409.9	912	916	676.8	1,519	1,513	1,070.1	872	859	362.8
Knoxville, TN	34	35	48.9	113	115	224.8	266	266	497.6	372	363	620.7	192	182	156.6
Lakeland–Winter Haven, FL	51	52	105.9	150	152	408.1	232	233	639.5	406	405	1,029.0	326	324	355.5
Lancaster, PA	22	23	51.2	60	61	186.6	117	118	387.6	177	176	499.2	133	131	187.1
Las Vegas–Henderson–Paradise, NV	240	246	150.2	914	925	609.3	1,214	1,221	828.8	1,902	1,896	1,353.9	1,161	1,149	490.2
Little Rock–North Little Rock–Conway, AR	102	105	174.2	283	286	554.3	337	337	735.0	526	522	1,132.6	324	318	383.1
Los Angeles–Long Beach–Anaheim, CA	1,240	1,309	113.0	6,714	6,951	688.5	10,485	10,696	1,165.0	16,979	17,144	1,884.4	11,284	11,330	813.6
Anaheim Division	162	171	63.3	841	870	390.7	1,371	1,398	657.5	2,133	2,146	951.1	1,456	1,448	416.2
	1,078	1,138	128.2	5,873	6,081	772.7	9,114	9,298	1,318.0	14,846	14,998	2,192.1	9,828	9,882	945.9
Louisville/Jefferson County, KY–IN	154	157	160.0	409	413	491.0	553	553	674.3	849	839	935.8	524	510	328.8
Madison, WI	16	16	28.3	80	81	168.5	113	114	279.3	210	210	498.4	139	138	189.9
McAllen–Edinburg–Mission, TX	46	47	56.9	205	208	387.6	247	248	482.3	234	233	569.9	119	117	174.8
Memphis, TN–MS–AR	355	362	309.1	1,070	1,077	1,224.3	1,222	1,210	1,435.0	1,488	1,454	1,675.4	926	879	617.9
Miami–Fort Lauderdale–West Palm Beach, FL	1,103	1,122	251.2	3,975	4,022	1,039.1	7,353	7,393	1,891.4	13,662	13,669	3,217.4	10,677	10,604	1,410.6
	367	373	264.0	1,263	1,278	1,060.9	2,217	2,229	1,838.1	4,638	4,639	3,356.1	3,437	3,418	1,483.4
	582	593	285.9	2,220	2,247	1,205.0	4,245	4,271	2,259.8	7,301	7,309	3,776.5	5,591	5,552	1,821.2
West Palm Beach Division	154	156	159.2	492	497	620.2	891	894	1,108.3	1,723	1,722	1,849.4	1,649	1,634	754.9
Milwaukee–Waukesha–West Allis, WI	134	136	106.8	377	381	354.5	509	512	532.8	873	869	798.5	550	542	289.5
Minneapolis–St. Paul–Bloomington, MN–WI	172	175	64.3	696	704	275.0	1,067	1,072	466.0	1,884	1,881	744.1	1,158	1,151	295.9
Modesto, CA	7	7	14.5	72	73	197.9	87	87	263.8	158	157	466.0	114	112	205.5

Table 2b. Adult and adolescent males living with diagnosed HIV infection (prevalence), by age and metropolitan statistical area of residence, year-end 2013—United States and Puerto Rico (cont)

MSA of residence	13–24 years			25–34 years			35–44 years			45–54 years			≥55 years		
	Estimated ^a			Estimated ^a			Estimated ^a			Estimated ^a			Estimated ^a		
	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate
Nashville—Davidson—Murfreesboro—Franklin, TN	191	195	134.8	591	596	473.9	919	916	755.7	1,451	1,424	1,183.7	860	821	430.6
New Haven—Milford, CT	77	78	107.8	186	186	336.4	327	328	639.9	732	727	1,167.3	718	704	643.5
New Orleans—Metairie, LA	311	318	330.7	891	902	991.3	1,256	1,259	1,657.4	2,002	1,997	2,348.3	1,525	1,508	1,004.1
New York—Newark—Jersey City, NY—NJ—PA ^b	3,372	3,453	216.9	11,362	11,563	809.5	17,827	17,988	1,364.5	34,436	34,517	2,457.1	32,532	32,371	1,408.4
Nassau County Division	171	174	73.7	495	503	308.5	679	686	386.9	1,392	1,398	626.7	1,328	1,328	358.5
New York Division	2,833	2,895	258.8	9,795	9,954	909.3	15,488	15,613	1,642.2	29,435	29,492	3,095.4	27,555	27,416	1,737.9
Newark Division	347	362	180.3	1,018	1,051	709.2	1,532	1,561	940.3	3,186	3,203	1,636.2	3,277	3,256	1,096.3
North Port—Sarasota—Bradenton, FL	24	25	55.2	122	123	369.6	208	208	583.2	415	414	916.7	424	422	285.5
Ogden—Clearfield, UT	8	8	14.0	49	49	106.6	69	69	169.2	80	80	231.7	54	54	92.9
Oklahoma City, OK	115	118	102.4	383	387	388.7	538	540	647.2	754	748	904.4	425	415	284.2
Omaha—Council Bluffs, NE—IA	44	45	61.7	153	155	230.9	258	260	447.1	345	345	574.3	181	179	183.3
Orlando—Kissimmee—Sanford, FL	330	336	170.6	1,276	1,290	776.2	1,733	1,740	1,154.7	2,807	2,803	1,809.4	1,730	1,717	668.2
Oxnard—Thousand Oaks—Ventura, CA	19	19	26.2	107	109	194.0	140	141	263.0	313	311	523.1	187	184	186.2
Palm Bay—Melbourne—Titusville, FL	40	41	102.4	100	101	347.4	120	120	432.1	330	329	808.7	251	248	262.1
Philadelphia—Camden—Wilmington, PA—NJ—DE—MD	931	951	191.2	2,718	2,755	675.7	3,291	3,305	901.6	6,522	6,499	1,529.4	5,352	5,255	721.7
Camden Division	78	82	79.7	301	312	395.7	416	423	541.0	860	865	923.6	667	665	431.6
Montgomery Division	66	67	45.0	213	216	188.2	279	281	232.3	661	660	439.9	532	522	198.6
Philadelphia Division	721	734	396.5	1,994	2,014	1,208.2	2,342	2,346	1,901.6	4,379	4,353	3,347.5	3,660	3,580	1,593.8
Wilmington Division	66	68	112.8	210	213	448.7	254	256	577.8	622	622	1,212.5	493	488	563.1
Phoenix—Mesa—Scottsdale, AZ	287	293	77.9	1,327	1,344	422.9	2,110	2,120	711.5	3,162	3,157	1,120.8	1,863	1,847	365.9
Pittsburgh, PA	124	126	71.5	345	349	229.7	449	451	330.4	922	920	548.9	648	637	182.9
Portland—South Portland, ME	3	3	8.2	44	45	143.6	90	91	285.9	222	222	556.2	173	172	229.1
Portland—Vancouver—Hillsboro, OR—WA	75	76	43.5	490	496	288.4	915	920	541.1	1,356	1,356	861.0	1,088	1,081	394.2
Providence—Warwick, RI—MA	62	65	47.0	241	251	247.1	414	420	434.1	919	926	791.3	655	649	314.8
Provo—Orem, UT	5	5	7.1	26	26	62.7	32	32	94.8	37	37	156.4	30	30	83.8
Raleigh, NC	107	109	107.5	466	472	564.1	589	591	641.0	890	885	1,016.8	508	501	433.1
Richmond, VA	215	219	214.9	528	532	620.6	583	579	728.6	1,136	1,116	1,278.2	871	838	570.6
Riverside—San Bernardino—Ontario, CA	237	251	58.8	907	943	307.3	1,156	1,177	419.0	2,553	2,570	896.5	2,185	2,174	482.5
Rochester, NY	83	84	88.1	239	242	357.6	316	318	524.0	707	706	910.8	651	648	452.5
Sacramento—Roseville—Arden-Arcade, CA	142	145	75.3	456	462	302.2	570	572	410.2	1,127	1,121	754.5	898	884	340.5
St. Louis, MO—IL	377	387	173.9	944	955	515.4	1,159	1,163	689.6	1,946	1,942	983.1	1,186	1,176	337.3
Salt Lake City, UT	34	35	34.4	207	209	216.0	354	356	434.5	649	649	987.9	384	383	370.8
San Antonio—New Braunfels, TX	249	255	122.2	937	950	565.9	1,077	1,082	735.6	1,537	1,531	1,053.6	847	835	351.0
San Diego—Carlsbad—San Marcos, CA	240	254	83.5	1,462	1,513	567.3	2,493	2,537	1,180.2	4,340	4,365	2,049.4	2,753	2,735	781.0
San Francisco—Oakland—Hayward, CA ^b	339	352	108.1	1,985	2,029	575.0	4,003	4,037	1,207.0	8,206	8,210	2,493.9	7,691	7,618	1,393.6
Oakland Division	190	200	94.5	737	765	403.0	1,075	1,097	581.2	2,099	2,113	1,104.8	1,915	1,900	617.3
San Francisco Division	144	148	149.9	1,185	1,201	797.0	2,802	2,813	2,190.3	5,799	5,792	4,934.0	5,466	5,417	2,730.5
San Jose—Sunnyvale—Santa Clara, CA	44	45	29.8	303	307	203.6	675	679	458.4	1,080	1,076	758.0	746	734	353.9

Table 2b. Adult and adolescent males living with diagnosed HIV infection (prevalence), by age and metropolitan statistical area of residence, year-end 2013—United States and Puerto Rico (cont)

MSA of residence	13–24 years			25–34 years			35–44 years			45–54 years			≥55 years		
	Estimated ^a			Estimated ^a			Estimated ^a			Estimated ^a			Estimated ^a		
	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate
San Juan–Carolina–Caguas, PR	287	301	152.0	1,009	1,038	736.1	1,905	1,923	1,376.2	3,256	3,255	2,321.2	2,547	2,521	893.0
Santa Rosa, CA	17	17	44.7	63	64	194.0	139	140	460.0	358	356	1,042.6	499	492	711.3
Scranton–Wilkes-Barre–Hazelton, PA	11	11	25.0	54	55	160.6	87	88	263.0	160	159	392.3	116	112	136.0
Seattle–Tacoma–Bellevue, WA	144	147	52.2	926	939	322.1	1,795	1,805	684.9	2,881	2,884	1,108.5	1,910	1,902	465.9
Seattle Division	108	110	52.2	800	811	352.5	1,603	1,612	765.3	2,603	2,605	1,276.9	1,733	1,726	547.2
Tacoma Division	36	37	52.2	126	127	207.9	192	193	365.2	278	278	496.2	177	177	190.2
Spokane–Spokane Valley, WA	11	11	24.4	55	56	151.4	80	81	253.2	142	142	402.6	94	94	130.7
Springfield, MA	52	57	90.9	130	139	384.2	214	224	663.1	478	487	1,159.2	329	334	424.5
Stockton–Lodi, CA	54	55	82.4	158	160	336.6	216	217	486.2	346	343	746.5	230	225	310.8
Syracuse, NY	41	42	70.6	113	115	280.4	139	140	381.1	282	282	583.3	203	202	235.5
Tampa–St. Petersburg–Clearwater, FL	334	341	162.2	1,021	1,032	584.1	1,563	1,569	891.7	2,851	2,839	1,412.7	2,073	2,054	497.7
Toledo, OH	40	41	73.5	92	93	239.2	171	172	485.0	243	241	609.8	156	154	204.2
Tucson, AZ	39	40	42.8	164	166	262.6	325	326	570.9	668	666	1,111.2	557	553	404.5
Tulsa, OK	65	66	84.2	214	217	337.7	328	329	543.0	526	520	825.2	290	283	244.9
Virginia Beach–Norfolk–Newport News, VA–NC	287	293	180.5	948	955	716.2	917	910	893.3	1,655	1,627	1,440.3	1,043	998	533.4
Washington–Arlington–Alexandria, DC–VA–MD–WV	899	945	202.0	3,381	3,502	762.2	4,686	4,780	1,125.9	7,956	8,032	1,876.6	6,134	6,123	994.5
Silver Spring Division	76	80	84.6	356	373	448.5	571	590	696.1	859	877	959.8	691	701	476.4
Washington Division	823	865	231.8	3,025	3,129	831.5	4,115	4,190	1,233.2	7,097	7,156	2,125.4	5,443	5,422	1,157.2
Wichita, KS	31	32	57.3	96	97	220.6	151	151	396.7	233	232	560.6	134	133	175.3
Winston-Salem, NC	66	67	130.4	173	174	477.3	239	238	581.4	418	415	895.8	290	283	337.6
Worcester, MA–CT	40	43	54.3	92	98	171.6	205	212	362.1	461	469	640.6	367	369	317.6
Youngstown–Warren–Boardman, OH–PA	24	25	56.0	62	62	205.1	94	94	295.3	180	180	464.1	149	148	173.0
Subtotal for MSAs (population of ≥500,000)	23,833	24,662	137.0	84,127	86,006	564.7	122,188	123,442	869.3	210,295	210,613	1,417.9	157,282	155,996	628.6
Metropolitan areas (population of 50,000–499,999)	4,132	4,260	63.9	12,785	12,987	269.8	18,141	18,218	413.3	31,070	30,964	635.3	21,927	21,637	223.4
Nonmetropolitan areas	987	1,017	41.1	3,149	3,198	176.2	4,911	4,931	276.3	8,034	8,001	381.6	5,509	5,426	119.9
Total^c	29,177	30,188	111.2	100,702	102,878	470.7	146,331	147,708	724.4	252,081	252,280	1,156.0	186,501	184,831	473.6

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States and Puerto Rico.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting. Rates are per 100,000 population.

^b Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^c Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 3a. Diagnoses of HIV infection among adult and adolescent females, by age and metropolitan statistical area of residence, 2014—United States and Puerto Rico

MSA of residence	13–24 years				25–34 years				35–44 years				45–54 years				≥55 years			
	Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a			
	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b
Akron, OH	3	3	5.2	—	0	0	0.0	—	0	0	0.0	—	1	1	2.0	—	1	1	0.9	—
Albany–Schenectady–Troy, NY	2	2	2.8	—	3	3	5.7	—	2	2	4.0	—	2	2	3.3	—	3	3	2.3	—
Albuquerque, NM	0	0	0.0	—	2	2	3.3	—	1	1	1.9	—	0	0	0.0	—	1	1	0.8	—
Allentown–Bethlehem–Easton, PA–NJ	2	2	3.3	—	3	3	6.4	—	8	8	16.7	—	6	6	10.2	—	4	4	3.1	—
Atlanta–Sandy Springs–Roswell, GA	28	36	7.9	14	56	75	18.5	9	34	43	10.0	19	42	57	13.5	12	31	42	6.2	6
Augusta–Richmond County, GA–SC	2	3	5.8	—	1	1	2.7	—	4	5	14.1	—	5	7	16.8	—	4	5	5.8	—
Austin–Round Rock, TX	3	3	2.0	—	9	10	6.1	—	9	10	6.7	—	5	5	4.4	—	1	1	0.6	—
Bakersfield, CA	6	7	8.3	—	3	3	5.5	—	8	9	17.2	—	2	2	4.3	—	4	5	5.4	—
Baltimore–Columbia–Towson, MD	22	27	12.6	4	41	50	24.6	4	31	38	21.0	10	29	36	17.2	7	17	21	5.1	8
Baton Rouge, LA	16	17	22.1	1	31	33	54.7	1	33	35	67.3	1	16	17	31.1	1	10	11	9.7	—
Birmingham–Hoover, AL	2	2	2.5	—	8	9	11.3	—	7	8	9.9	—	2	2	2.7	—	6	7	3.9	—
Boise City, ID	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—
Boston–Cambridge–Newton, MA–NH ^c	7	10	2.5	—	31	42	12.1	15	25	34	11.1	17	22	30	8.4	19	17	23	3.3	14
Boston Division	5	7	4.1	—	19	26	16.2	—	12	16	12.5	—	14	19	13.5	—	13	18	6.2	—
Cambridge Division	2	3	1.5	—	12	16	9.9	—	13	18	11.9	—	8	11	6.1	—	4	6	1.6	—
Bridgeport–Stamford–Norwalk, CT	7	8	10.3	—	5	5	9.5	—	7	7	11.8	—	9	9	12.3	—	7	7	5.3	—
Buffalo–Cheektowaga–Niagara Falls, NY	1	1	1.2	—	9	9	12.8	—	5	5	8.2	—	10	11	12.7	—	2	2	1.1	—
Cape Coral–Fort Myers, FL	1	1	2.5	—	4	4	11.7	—	5	5	14.5	—	3	3	7.4	—	3	3	2.2	—
Charleston–North Charleston, SC	7	7	13.4	—	5	5	9.0	—	2	2	4.4	—	7	7	14.7	—	3	3	3.1	—
Charlotte–Concord–Gastonia, NC–SC	12	13	6.8	17	16	17	10.1	19	19	20	11.2	16	18	19	10.9	17	12	13	4.1	12
Chattanooga, TN–GA	2	2	5.1	—	4	4	11.9	—	3	3	9.7	—	2	2	5.5	—	1	1	1.2	—
Chicago–Naperville–Elgin, IL–IN–WI	30	34	4.5	20	54	61	8.9	28	53	60	9.2	21	41	47	6.9	20	32	37	2.8	16
Chicago Division	25	29	5.0	—	46	53	9.5	—	45	52	10.2	—	36	41	8.0	—	28	32	3.2	—
Elgin Division	2	2	3.7	—	1	1	2.8	—	1	1	2.5	—	0	0	0.0	—	3	3	4.1	—
Gary Division	0	0	0.0	—	5	5	12.0	—	5	5	11.5	—	2	2	4.6	—	1	1	1.0	—
Lake County Division	3	3	4.5	—	2	2	4.4	—	2	2	3.8	—	3	3	4.7	—	0	0	0.0	—
Cincinnati, OH–KY–IN	6	6	3.6	—	12	13	8.9	27	9	9	7.0	—	5	5	3.4	—	4	4	1.3	—
Cleveland–Elyria, OH	1	1	0.7	—	12	13	9.9	21	6	6	5.0	—	2	2	1.4	—	6	6	1.8	—
Colorado Springs, CO	0	0	0.0	—	1	1	2.1	—	1	1	2.5	—	1	1	2.3	—	1	1	1.2	—
Columbia, SC	4	4	5.9	—	8	9	15.6	—	6	6	12.1	—	14	15	26.6	2	1	1	0.9	—
Columbus, OH	10	11	6.6	—	7	7	4.8	—	8	9	6.3	—	4	4	3.1	—	2	2	0.8	—
Dallas–Fort Worth–Arlington, TX	42	48	8.3	12	75	85	16.5	13	63	72	14.1	15	51	58	12.0	16	14	16	2.0	20
Dallas Division	36	41	10.9	—	62	71	20.5	—	53	61	17.6	—	38	44	13.8	—	11	13	2.5	—
Fort Worth Division	6	7	3.3	—	13	14	8.4	—	10	11	6.7	—	13	14	8.6	—	3	3	1.1	—
Dayton, OH	1	1	1.6	—	2	2	4.1	—	7	7	15.6	—	2	2	3.8	—	2	2	1.6	—
Deltona–Daytona Beach–Ormond Beach, FL	3	3	7.8	—	8	8	26.5	—	8	8	25.9	—	4	4	10.0	—	4	4	3.3	—
Denver–Aurora–Lakewood, CO	10	11	5.2	—	12	13	5.9	32	8	8	4.3	—	1	1	0.6	—	4	4	1.2	—
Des Moines–West Des Moines, IA	0	0	0.0	—	1	1	2.3	—	3	3	7.6	—	1	1	2.5	—	0	0	0.0	—

Table 3a. Diagnoses of HIV infection among adult and adolescent females, by age and metropolitan statistical area of residence, 2014—United States and Puerto Rico (cont)

MSA of residence	13–24 years				25–34 years				35–44 years				45–54 years				≥55 years			
	Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a			
	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b
Detroit–Warren–Dearborn, MI	17	18	5.3	18	30	32	11.9	17	24	25	9.1	22	17	18	5.5	22	15	16	2.4	18
Detroit Division	13	14	9.2	—	19	20	17.4	—	19	20	17.6	—	13	14	10.9	—	11	12	4.4	—
Warren Division	4	4	2.2	—	11	12	7.7	—	5	5	3.2	—	4	4	2.1	—	4	4	1.0	—
Durham–Chapel Hill, NC	4	4	8.6	—	5	5	12.5	—	6	6	17.1	—	5	5	14.3	—	1	1	1.4	—
El Paso, TX	1	1	1.4	—	3	3	5.8	—	3	3	6.2	—	2	2	4.1	—	1	1	1.1	—
Fayetteville–Springdale–Rogers, AR	1	1	2.4	—	0	0	0.0	—	0	0	0.0	—	1	1	3.5	—	0	0	0.0	—
Fresno, CA	1	1	1.3	—	5	6	7.9	—	3	3	5.7	—	2	2	4.0	—	4	4	4.0	—
Grand Rapids–Wyoming, MI	2	2	2.3	—	5	5	7.4	—	5	5	8.5	—	2	2	3.1	—	1	1	0.8	—
Greensboro–High Point, NC	5	5	8.4	—	8	8	16.9	—	5	5	10.6	—	6	6	11.7	—	2	2	1.9	—
Greenville–Anderson–Mauldin, SC	2	2	3.0	—	3	3	5.8	—	3	3	5.7	—	3	3	5.2	—	1	1	0.8	—
Harrisburg–Carlisle, PA	0	0	0.0	—	2	2	5.8	—	2	2	6.2	—	2	2	5.3	—	1	1	1.1	—
Hartford–West Hartford–East Hartford, CT	2	2	2.1	—	8	8	11.4	—	1	1	1.4	—	8	8	9.0	—	4	4	2.2	—
Honolulu (Urban), HI	1	1	1.4	—	0	0	0.0	—	3	3	5.3	—	2	2	3.5	—	2	2	1.4	—
Houston–The Woodlands–Sugar Land, TX	58	62	11.5	6	79	84	17.2	11	95	102	21.9	9	54	58	13.4	13	33	36	4.9	9
Indianapolis–Carmel–Anderson, IN	14	15	9.5	10	13	14	9.6	25	11	12	8.7	—	5	5	3.8	—	3	3	1.2	—
Jackson, MS	9	9	19.3	—	9	9	22.4	—	11	12	30.0	—	5	5	13.4	—	5	5	6.5	—
Jacksonville, FL	12	13	11.6	5	20	21	20.7	6	23	24	26.2	3	15	16	15.3	10	11	12	5.7	—
Kansas City, MO–KS	4	4	2.7	—	7	7	5.0	—	4	4	3.1	—	5	5	3.6	—	4	4	1.4	—
Knoxville, TN	2	2	3.1	—	1	1	2.0	—	0	0	0.0	—	2	2	3.5	—	1	1	0.8	—
Lakeland–Winter Haven, FL	1	1	2.2	—	7	7	18.8	—	7	7	19.6	—	5	5	13.1	—	5	5	4.8	—
Lancaster, PA	1	1	2.4	—	2	2	6.4	—	1	1	3.4	—	0	0	0.0	—	0	0	0.0	—
Las Vegas–Henderson–Paradise, NV	8	8	5.3	—	17	18	11.9	16	9	10	6.6	—	14	15	10.8	18	2	2	0.8	—
Little Rock–North Little Rock–Conway, AR	7	8	12.8	—	4	4	8.4	—	2	2	4.5	—	4	4	9.0	—	2	2	2.1	—
Los Angeles–Long Beach–Anaheim, CA	34	39	3.6	21	57	65	6.6	29	50	58	6.3	25	50	57	6.2	21	39	45	2.6	17
Anaheim Division	3	3	1.4	—	3	4	1.6	—	7	8	3.8	—	9	10	4.4	—	5	6	1.4	—
Los Angeles Division	31	36	4.2	—	54	62	8.0	—	43	50	7.0	—	41	47	6.7	—	34	39	3.0	—
Louisville/Jefferson County, KY–IN	2	2	2.2	—	11	12	13.8	—	5	5	6.3	—	5	5	5.7	—	6	7	3.5	—
Madison, WI	1	1	1.8	—	1	1	2.3	—	0	0	0.0	—	1	1	2.5	—	0	0	0.0	—
McAllen–Edinburg–Mission, TX	1	1	1.4	—	6	6	11.7	—	3	3	5.9	—	2	2	4.8	—	2	2	2.6	—
Memphis, TN–MS–AR	14	15	13.2	3	21	22	23.3	5	21	22	24.1	6	19	20	21.3	4	13	14	7.5	3
Miami–Fort Lauderdale–West Palm Beach, FL	67	71	16.6	2	123	130	32.8	2	99	105	26.1	4	105	111	25.0	3	84	89	9.3	2
Fort Lauderdale Division	24	25	18.7	—	46	49	38.0	—	31	33	25.3	—	35	37	25.9	—	27	29	10.0	—
Miami Division	31	33	16.5	—	52	55	29.3	—	39	41	21.8	—	46	49	24.1	—	37	39	9.7	—
West Palm Beach Division	12	13	13.6	—	25	26	32.8	—	29	31	37.1	—	24	25	25.7	—	20	21	7.9	—
Milwaukee–Waukesha–West Allis, WI	4	4	3.4	—	2	2	1.9	—	2	2	2.1	—	6	6	5.7	—	5	5	2.3	—
Minneapolis–St. Paul–Bloomington, MN–WI	7	7	2.8	—	23	25	9.5	26	22	23	10.2	18	3	3	1.3	—	6	6	1.4	—
Modesto, CA	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	1	1	3.4	—	1	1	1.6	—
Nashville–Davidson–Murfreesboro–Franklin, TN	5	5	3.7	—	9	10	7.0	—	10	11	8.4	—	6	6	5.0	—	2	2	0.9	—

Table 3a. Diagnoses of HIV infection among adult and adolescent females, by age and metropolitan statistical area of residence, 2014—United States and Puerto Rico (cont)

MSA of residence	13–24 years				25–34 years				35–44 years				45–54 years				≥55 years			
	Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a			
	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b
New Haven–Milford, CT	1	1	1.5	—	5	5	9.1	—	2	2	3.9	—	5	5	8.1	—	0	0	0.0	—
New Orleans–Metairie, LA	9	9	10.0	—	24	25	25.9	3	26	28	34.2	2	17	18	20.7	5	12	13	6.9	5
New York–Newark–Jersey City, NY–NJ–PA ^c	115	127	8.2	13	224	247	16.7	12	222	245	17.9	11	191	210	14.1	11	158	176	6.0	7
Nassau County Division	11	12	5.2	—	10	11	6.7	—	10	10	5.8	—	13	14	5.9	—	13	14	3.1	—
New York Division	88	97	8.9	—	165	180	15.6	—	159	173	17.5	—	145	158	15.5	—	123	137	6.6	—
Newark Division	13	15	7.8	—	46	53	35.5	—	50	57	33.2	—	32	37	18.1	—	19	23	6.1	—
North Port–Sarasota–Bradenton, FL	3	3	7.4	—	5	5	15.1	—	6	6	17.0	—	4	4	8.5	—	4	4	2.4	—
Ogden–Clearfield, UT	0	0	0.0	—	0	0	0.0	—	1	1	2.5	—	1	1	3.1	—	0	0	0.0	—
Oklahoma City, OK	4	4	3.9	—	9	10	10.0	—	5	6	6.6	—	5	6	6.5	—	0	0	0.0	—
Omaha–Council Bluffs, NE–IA	0	0	0.0	—	1	1	1.6	—	2	2	3.6	—	1	1	1.8	—	3	3	2.7	—
Orlando–Kissimmee–Sanford, FL	20	21	11.0	7	31	33	19.3	7	38	40	25.1	5	20	21	13.0	15	31	33	10.3	1
Oxnard–Thousand Oaks–Ventura, CA	2	2	3.1	—	2	2	4.2	—	2	2	4.0	—	1	1	1.9	—	1	1	1.1	—
Palm Bay–Melbourne–Titusville, FL	2	2	5.9	—	5	5	17.8	—	2	2	7.1	—	6	6	14.9	—	2	2	1.9	—
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	31	34	7.0	16	51	55	13.0	14	53	57	14.9	14	55	59	13.2	14	31	34	3.7	13
Camden Division	6	7	7.3	—	12	14	17.8	—	7	8	9.8	—	8	9	9.3	—	5	6	2.9	—
Montgomery Division	1	1	0.7	—	3	3	2.8	—	1	1	1.1	—	3	3	2.0	—	2	2	0.7	—
Philadelphia Division	18	19	10.5	—	31	33	17.8	—	36	38	28.4	—	38	40	28.5	—	21	23	7.4	—
Wilmington Division	6	7	11.6	—	5	5	11.1	—	9	10	21.7	—	6	7	12.4	—	3	3	3.2	—
Phoenix–Mesa–Scottsdale, AZ	18	19	5.3	19	29	31	9.9	22	23	24	8.2	23	9	10	3.3	—	17	18	3.0	15
Pittsburgh, PA	4	4	2.5	—	9	10	6.3	—	6	6	4.7	—	4	4	2.5	—	5	5	1.2	—
Portland–South Portland, ME	3	3	8.5	—	3	3	10.0	—	3	3	9.7	—	4	4	10.2	—	2	2	2.3	—
Portland–Vancouver–Hillsboro, OR–WA	2	2	1.2	—	6	6	3.6	—	6	6	3.8	—	2	2	1.3	—	2	2	0.6	—
Providence–Warwick, RI–MA	0	0	0.0	—	5	6	5.4	—	8	9	9.0	—	10	12	9.6	—	4	4	1.7	—
Provo–Orem, UT	0	0	0.0	—	0	0	0.0	—	1	1	3.0	—	0	0	0.0	—	0	0	0.0	—
Raleigh, NC	6	6	6.4	—	9	9	10.6	—	6	6	6.4	—	6	6	6.8	—	5	5	3.6	—
Richmond, VA	7	7	7.3	—	7	7	8.3	—	8	8	10.2	—	5	5	5.6	—	4	4	2.4	—
Riverside–San Bernardino–Ontario, CA	11	13	3.2	—	16	18	6.0	31	12	14	4.7	27	10	12	4.1	—	7	9	1.6	—
Rochester, NY	1	1	1.2	—	7	7	10.7	—	4	4	6.7	—	5	5	6.6	—	1	1	0.6	—
Sacramento–Roseville–Arden-Arcade, CA	5	5	2.9	—	15	16	10.5	18	4	4	3.0	—	5	5	3.5	—	5	5	1.7	—
St. Louis, MO–IL	19	20	9.5	9	10	11	5.7	—	15	17	9.4	20	10	11	5.2	—	3	3	0.8	—
Salt Lake City, UT	1	1	1.1	—	4	4	4.5	—	5	5	6.6	—	1	1	1.7	—	1	1	0.9	—
San Antonio–New Braunfels, TX	9	10	4.9	—	15	17	9.8	23	10	11	7.1	—	5	5	3.5	—	6	7	2.2	—
San Diego–Carlsbad–San Marcos, CA	9	10	4.0	—	11	13	5.1	—	10	12	5.4	—	10	12	5.4	—	4	5	1.1	—
San Francisco–Oakland–Hayward, CA ^c	10	11	3.6	—	19	22	6.1	30	18	20	6.1	26	16	18	5.5	23	12	13	2.0	19
Oakland Division	7	8	4.0	—	13	15	7.6	—	13	15	7.6	—	10	12	5.9	—	6	7	1.8	—
San Francisco Division	1	1	1.1	—	4	4	2.9	—	4	4	3.7	—	6	6	5.8	—	5	5	2.3	—
San Jose–Sunnyvale–Santa Clara, CA	1	1	0.8	—	4	4	3.1	—	3	3	2.3	—	3	3	2.4	—	0	0	0.0	—
San Juan–Carolina–Caguas, PR	8	9	4.9	—	13	15	10.0	20	29	34	22.3	7	25	29	18.2	6	15	17	4.7	10

Table 3a. Diagnoses of HIV infection among adult and adolescent females, by age and metropolitan statistical area of residence, 2014—United States and Puerto Rico (cont)

MSA of residence	13–24 years				25–34 years				35–44 years				45–54 years				≥55 years			
	Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a			
	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b
Santa Rosa, CA	0	0	0.0	—	1	1	3.6	—	0	0	0.0	—	1	1	3.2	—	0	0	0.0	—
Scranton–Wilkes-Barre–Hazelton, PA	1	1	2.5	—	3	3	9.7	—	3	3	9.8	—	1	1	2.6	—	0	0	0.0	—
Seattle–Tacoma–Bellevue, WA	5	5	2.0	—	16	17	5.9	33	17	18	7.0	24	13	14	5.4	24	4	4	0.9	—
Seattle Division	3	3	1.6	—	14	15	6.5	—	14	15	7.2	—	10	11	5.3	—	3	3	0.9	—
Tacoma Division	2	2	3.2	—	2	2	3.4	—	3	3	5.9	—	3	3	5.6	—	1	1	0.9	—
Spokane–Spokane Valley, WA	0	0	0.0	—	1	1	2.9	—	0	0	0.0	—	0	0	0.0	—	1	1	1.3	—
Springfield, MA	4	5	8.0	—	1	1	3.5	—	4	6	15.4	—	2	3	5.8	—	4	6	5.7	—
Stockton–Lodi, CA	1	1	1.8	—	3	3	7.2	—	1	1	2.3	—	1	1	2.4	—	0	0	0.0	—
Syracuse, NY	0	0	0.0	—	3	3	7.6	—	4	4	11.2	—	4	4	8.7	—	1	1	1.1	—
Tampa–St. Petersburg–Clearwater, FL	19	20	9.8	8	34	36	19.2	8	28	30	16.1	12	32	34	16.2	8	21	22	4.4	11
Toledo, OH	0	0	0.0	—	1	1	2.7	—	2	2	5.8	—	2	2	5.1	—	0	0	0.0	—
Tucson, AZ	1	1	1.2	—	1	1	1.8	—	5	5	9.4	—	2	2	3.5	—	3	3	1.9	—
Tulsa, OK	6	7	8.7	—	3	3	5.0	—	7	8	12.4	—	1	1	1.7	—	2	2	1.6	—
Virginia Beach–Norfolk–Newport News, VA–NC	12	13	8.8	11	12	13	9.7	24	15	16	15.2	13	9	10	7.9	—	9	9	4.0	—
Washington–Arlington–Alexandria, DC–VA–MD–WV	29	33	7.3	15	71	83	17.5	10	83	99	22.2	8	58	70	15.5	9	45	54	7.1	4
Silver Spring Division	4	5	5.9	—	19	23	27.0	—	21	26	28.6	—	6	7	7.4	—	12	15	8.2	—
Washington Division	25	28	7.7	—	52	60	15.4	—	62	73	20.6	—	52	63	17.8	—	33	39	6.7	—
Wichita, KS	1	1	2.1	—	1	1	2.4	—	2	2	5.5	—	0	0	0.0	—	1	1	1.2	—
Winston-Salem, NC	4	4	8.2	—	5	5	13.2	—	1	1	2.4	—	4	4	8.6	—	3	3	3.0	—
Worcester, MA–CT	1	1	1.9	—	3	4	6.6	—	1	1	2.2	—	2	3	3.7	—	1	1	1.0	—
Youngstown–Warren–Boardman, OH–PA	1	1	2.6	—	1	1	3.5	—	0	0	0.0	—	2	2	5.5	—	0	0	0.0	—
Subtotal for MSAs (population of ≥500,000)	903	993	5.7	—	1,603	1,772	11.4	—	1,508	1,665	11.4	—	1,234	1,370	8.9	—	883	986	3.2	—
Metropolitan areas (population of 50,000–499,999)	199	218	3.5	—	305	335	7.2	—	283	310	7.1	—	225	245	5.0	—	141	155	1.3	—
Nonmetropolitan areas	45	49	2.2	—	100	110	6.7	—	74	81	4.8	—	61	66	3.3	—	42	46	0.9	—
Total^d	1,151	1,266	4.9	—	2,019	2,232	10.2	—	1,880	2,077	10.1	—	1,526	1,690	7.6	—	1,076	1,202	2.5	—

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States and Puerto Rico.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting. Rates are per 100,000 population.

^b Based on estimated rate. Ranks were not assigned to MSAs with estimated rates that were based on reported or estimated numbers less than 12.

^c Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^d Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 3b. Adult and adolescent females living with diagnosed HIV infection (prevalence), by age and metropolitan statistical area of residence, year-end 2013—United States and Puerto Rico

MSA of residence	13–24 years			25–34 years			35–44 years			45–54 years			≥55 years		
	Estimated ^a			Estimated ^a			Estimated ^a			Estimated ^a			Estimated ^a		
	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate
Akron, OH	8	8	13.4	24	24	56.7	45	45	106.1	57	57	109.1	33	33	29.4
Albany–Schenectady–Troy, NY	27	27	36.2	58	58	105.6	172	173	320.5	254	254	382.0	180	179	130.9
Albuquerque, NM	5	5	7.2	16	16	25.2	43	43	76.9	41	41	66.4	39	38	29.5
Allentown–Bethlehem–Easton, PA–NJ	14	14	22.1	59	60	123.3	137	138	266.6	209	209	330.0	112	111	82.2
Atlanta–Sandy Springs–Roswell, GA	234	248	54.7	891	933	234.9	1,568	1,616	377.5	1,790	1,831	441.6	1,184	1,196	183.4
Augusta–Richmond County, GA–SC	22	24	51.0	88	92	228.8	151	155	431.7	246	252	607.3	190	192	226.7
Austin–Round Rock, TX	35	36	22.6	102	103	64.7	204	204	143.8	231	229	189.6	141	139	71.0
Bakersfield, CA	13	13	16.8	33	34	57.0	53	53	101.9	56	56	107.0	40	40	44.9
Baltimore–Columbia–Towson, MD	246	254	116.9	715	739	366.5	1,511	1,546	853.8	2,437	2,485	1,160.7	1,553	1,581	391.0
Baton Rouge, LA	106	108	141.6	447	451	758.3	531	532	1,031.3	384	384	699.9	245	242	226.8
Birmingham–Hoover, AL	34	34	39.3	151	151	188.7	320	319	414.2	304	300	369.6	182	176	102.8
Boise City, ID	0	0	0.0	12	12	26.9	18	18	41.9	18	18	42.4	15	15	18.3
Boston–Cambridge–Newton, MA–NH ^b	129	136	35.6	347	369	107.5	854	885	286.7	1,253	1,280	356.5	913	932	135.5
Boston Division	73	77	45.9	201	213	136.7	433	448	351.6	663	677	475.7	516	527	189.1
Cambridge Division	56	59	32.9	140	150	91.2	412	429	277.3	562	576	319.2	380	388	112.4
Bridgeport–Stamford–Norwalk, CT	23	23	32.2	74	74	135.2	192	193	301.8	357	355	456.4	274	271	197.2
Buffalo–Cheektowaga–Niagara Falls, NY	30	30	33.0	100	101	139.0	228	229	350.4	214	214	250.9	132	131	69.1
Cape Coral–Fort Myers, FL	20	20	48.3	93	93	268.9	154	154	427.7	178	178	413.9	128	127	91.9
Charleston–North Charleston, SC	38	39	70.1	74	75	131.4	142	142	307.8	242	242	484.7	161	160	164.3
Charlotte–Concord–Gastonia, NC–SC	70	71	38.6	262	263	161.6	600	600	338.6	673	665	386.2	476	470	156.0
Chattanooga, TN–GA	9	9	21.4	55	55	159.1	87	86	242.5	75	73	190.0	58	56	64.0
Chicago–Naperville–Elgin, IL–IN–WI	353	363	47.3	987	1,004	145.5	1,666	1,678	255.9	1,935	1,924	280.7	1,423	1,390	108.7
Chicago Division	325	335	57.4	899	915	164.0	1,478	1,489	292.8	1,730	1,720	329.8	1,299	1,267	128.6
Elgin Division	6	6	10.6	25	25	65.0	55	55	128.5	51	51	116.0	27	27	35.5
Gary Division	14	14	25.1	32	32	73.1	82	82	180.4	101	101	197.2	51	51	47.7
Lake County Division	8	8	11.3	31	31	64.2	51	51	87.9	53	53	76.7	46	45	40.2
Cincinnati, OH–KY–IN	56	57	33.0	133	135	95.4	201	202	148.6	227	228	145.3	129	128	42.2
Cleveland–Elyria, OH	46	47	29.5	121	122	96.3	252	253	198.9	363	363	232.3	218	217	62.9
Colorado Springs, CO	10	10	18.1	12	12	25.1	38	38	90.6	44	43	91.9	26	26	31.1
Columbia, SC	26	26	36.8	151	152	278.5	279	279	539.0	378	378	674.6	257	256	234.7
Columbus, OH	47	48	29.9	175	177	118.3	288	289	214.1	270	270	197.0	158	158	62.7
Dallas–Fort Worth–Arlington, TX	256	265	47.0	858	878	173.2	1,394	1,413	279.3	1,282	1,292	270.7	756	756	99.7
Dallas Division	199	207	55.7	667	685	201.3	1,046	1,064	310.4	959	970	308.7	555	558	114.7
Fort Worth Division	57	58	30.2	191	192	115.6	348	349	214.0	323	322	197.5	201	198	72.7
Dayton, OH	14	14	21.6	54	55	106.3	90	90	190.1	114	114	202.5	44	44	33.5
Deltona–Daytona Beach–Ormond Beach, FL	21	21	52.4	86	86	277.3	111	111	343.2	146	146	340.6	100	99	79.3
Denver–Aurora–Lakewood, CO	22	23	11.4	132	134	63.7	258	260	134.3	322	323	171.9	206	205	61.1
Des Moines–West Des Moines, IA	4	4	8.8	24	24	53.1	44	44	108.4	22	22	53.9	15	15	19.7

Table 3b. Adult and adolescent females living with diagnosed HIV infection (prevalence), by age and metropolitan statistical area of residence, year-end 2013—United States and Puerto Rico (cont)

MSA of residence	13–24 years			25–34 years			35–44 years			45–54 years			≥55 years		
	Estimated ^a			Estimated ^a			Estimated ^a			Estimated ^a			Estimated ^a		
	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate
Detroit–Warren–Dearborn, MI	121	123	36.3	339	342	129.5	594	593	208.4	726	721	218.9	541	529	80.5
Detroit Division	103	104	69.0	254	256	225.1	471	470	401.2	576	571	445.2	459	447	170.0
Warren Division	18	18	9.8	85	86	57.1	123	123	73.5	150	150	74.5	82	81	20.7
Durham–Chapel Hill, NC	18	18	37.4	64	64	154.9	161	160	437.5	200	197	541.5	135	132	180.0
El Paso, TX	11	11	13.9	34	34	59.5	73	73	133.4	63	63	118.7	57	57	58.5
Fayetteville–Springdale–Rogers, AR	6	6	13.9	14	14	39.2	22	22	67.6	38	38	124.6	32	32	54.5
Fresno, CA	19	19	21.4	25	25	36.5	72	72	125.3	106	106	184.8	78	77	71.3
Grand Rapids–Wyoming, MI	13	13	14.6	57	58	83.6	72	72	116.7	62	62	88.6	35	35	25.6
Greensboro–High Point, NC	23	23	37.0	100	101	206.4	212	212	421.8	220	218	400.1	122	119	107.9
Greenville–Anderson–Mauldin, SC	9	9	12.8	61	62	114.5	107	107	194.2	150	149	247.7	74	74	58.2
Harrisburg–Carlisle, PA	15	15	35.7	29	29	82.2	119	120	350.9	99	99	241.5	85	84	93.7
Hartford–West Hartford–East Hartford, CT	27	27	27.5	89	89	120.1	256	255	337.7	405	401	420.3	334	330	172.1
Honolulu (Urban), HI	8	8	11.1	23	23	33.3	61	61	101.7	70	70	113.3	64	64	43.9
Houston–The Woodlands–Sugar Land, TX	329	335	63.9	1,301	1,318	277.9	2,094	2,100	461.2	1,668	1,662	390.0	1,096	1,085	157.0
Indianapolis–Carmel–Anderson, IN	57	58	37.4	157	158	112.0	243	244	183.4	266	265	189.4	139	138	54.4
Jackson, MS	48	49	97.5	165	165	391.5	341	340	880.8	311	305	759.6	184	177	225.0
Jacksonville, FL	98	99	90.9	430	433	439.8	655	657	712.8	656	656	633.0	391	386	192.1
Kansas City, MO–KS	23	23	15.1	123	124	84.9	251	252	185.1	219	219	150.0	133	131	46.4
Knoxville, TN	6	6	8.9	42	42	81.7	62	62	115.3	64	63	102.9	49	48	34.8
Lakeland–Winter Haven, FL	32	32	68.4	84	85	224.7	202	202	541.3	198	197	490.6	120	118	112.1
Lancaster, PA	7	7	16.3	25	25	76.3	64	64	206.7	94	93	253.6	70	69	84.8
Las Vegas–Henderson–Paradise, NV	43	44	27.8	132	133	90.5	256	257	179.7	342	341	254.3	240	237	91.9
Little Rock–North Little Rock–Conway, AR	24	24	41.3	56	57	106.3	112	112	231.9	115	114	231.2	66	66	65.1
Los Angeles–Long Beach–Anaheim, CA	243	251	22.5	815	837	86.2	1,590	1,615	173.6	1,966	1,987	213.6	1,465	1,475	88.2
Anaheim Division	20	21	7.9	100	102	48.3	227	230	105.2	271	272	118.3	202	201	49.2
Los Angeles Division	223	231	26.9	715	735	96.8	1,363	1,385	194.5	1,695	1,715	244.9	1,263	1,274	100.8
Louisville/Jefferson County, KY–IN	12	12	12.4	92	92	108.4	190	190	228.3	179	176	190.0	116	114	60.9
Madison, WI	4	4	7.2	17	17	37.2	32	32	80.2	52	52	120.5	24	24	28.8
McAllen–Edinburg–Mission, TX	22	22	27.4	50	51	91.1	65	65	115.7	58	58	129.5	26	26	31.4
Memphis, TN–MS–AR	100	101	88.0	499	499	525.3	717	707	767.0	637	627	650.7	361	348	195.0
Miami–Fort Lauderdale–West Palm Beach, FL	666	672	156.7	2,135	2,150	554.2	3,913	3,922	976.7	5,102	5,101	1,153.7	3,980	3,957	424.4
Fort Lauderdale Division	201	203	149.9	722	726	580.4	1,360	1,363	1,054.4	1,692	1,690	1,180.4	1,141	1,132	409.0
Miami Division	345	348	173.6	1,002	1,009	546.6	1,755	1,758	926.6	2,429	2,430	1,211.7	2,099	2,088	534.2
West Palm Beach Division	120	121	130.0	411	414	530.2	798	800	970.2	981	981	996.9	740	737	278.4
Milwaukee–Waukesha–West Allis, WI	27	27	21.8	79	79	71.0	188	188	191.0	236	235	206.3	125	123	54.7
Minneapolis–St. Paul–Bloomington, MN–WI	65	66	24.8	297	300	117.2	443	445	195.5	430	430	168.5	235	234	52.2
Modesto, CA	4	4	8.7	7	7	19.4	25	25	74.9	39	39	112.7	27	27	41.5
Nashville–Davidson–Murfreesboro–Franklin, TN	39	40	28.1	148	149	112.2	359	356	287.5	353	346	274.2	207	199	87.5

Table 3b. Adult and adolescent females living with diagnosed HIV infection (prevalence), by age and metropolitan statistical area of residence, year-end 2013—United States and Puerto Rico (cont)

MSA of residence	13–24 years			25–34 years			35–44 years			45–54 years			≥55 years		
	Estimated ^a			Estimated ^a			Estimated ^a			Estimated ^a			Estimated ^a		
	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate
New Haven–Milford, CT	27	27	38.2	71	72	124.6	237	237	431.6	446	443	672.2	306	301	222.9
New Orleans–Metairie, LA	113	114	119.5	476	479	499.1	750	749	944.4	686	684	759.6	328	325	181.8
New York–Newark–Jersey City, NY–NJ–PA ^b	1,823	1,843	119.2	3,938	3,986	271.8	8,806	8,857	643.5	16,554	16,578	1,107.2	13,616	13,561	468.2
Nassau County Division	86	87	38.8	187	189	120.1	376	378	205.5	681	682	291.0	604	602	134.7
New York Division	1,518	1,533	139.5	3,267	3,301	289.8	7,179	7,216	726.8	13,583	13,599	1,329.1	11,308	11,265	555.4
Newark Division	206	210	110.8	463	475	316.4	1,193	1,205	687.6	2,163	2,170	1,052.9	1,617	1,608	444.9
North Port–Sarasota–Bradenton, FL	22	22	52.4	83	84	248.1	130	130	350.3	167	167	338.6	108	108	61.8
Ogden–Clearfield, UT	0	0	0.0	5	5	10.7	9	9	22.4	22	22	64.0	5	5	7.9
Oklahoma City, OK	22	22	20.0	83	84	84.9	133	133	160.1	140	139	163.1	64	63	36.5
Omaha–Council Bluffs, NE–IA	14	14	20.2	50	50	75.2	123	123	215.2	85	85	140.5	43	43	37.6
Orlando–Kissimmee–Sanford, FL	112	113	59.0	317	319	193.4	701	704	448.5	839	839	518.1	583	579	188.7
Oxnard–Thousand Oaks–Ventura, CA	3	3	4.3	14	14	26.8	31	31	57.2	50	50	80.7	35	34	29.9
Palm Bay–Melbourne–Titusville, FL	15	15	42.1	60	61	210.1	108	108	360.9	132	131	302.3	94	93	85.0
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	316	319	65.8	948	957	228.3	1,914	1,917	495.8	2,878	2,865	629.6	1,703	1,680	186.3
Camden Division	22	23	23.8	78	81	102.2	169	172	206.8	302	303	304.4	213	213	113.5
Montgomery Division	18	18	12.7	65	66	58.3	129	129	103.9	201	201	127.9	118	117	37.7
Philadelphia Division	243	245	130.8	718	723	403.2	1,422	1,422	1,065.4	2,072	2,059	1,436.5	1,177	1,158	385.8
Wilmington Division	33	34	56.7	87	88	181.7	194	195	423.1	303	302	548.6	195	192	185.9
Phoenix–Mesa–Scottsdale, AZ	64	65	18.3	198	200	65.8	362	364	124.1	424	424	149.1	246	245	41.8
Pittsburgh, PA	17	17	10.1	69	69	47.2	164	164	119.4	210	209	119.1	137	135	31.6
Portland–South Portland, ME	4	4	10.9	18	18	58.7	36	36	110.1	40	40	95.1	23	23	25.9
Portland–Vancouver–Hillsboro, OR–WA	22	22	13.0	77	78	44.8	133	133	79.7	166	167	105.3	105	104	32.9
Providence–Warwick, RI–MA	35	37	27.2	94	96	95.2	210	212	208.8	376	377	304.4	244	243	96.2
Provo–Orem, UT	1	1	1.4	3	3	7.5	8	8	24.2	7	7	30.5	2	2	4.9
Raleigh, NC	25	25	26.2	102	103	116.3	236	237	243.9	304	302	333.0	204	202	143.9
Richmond, VA	35	35	35.3	142	143	163.9	276	274	330.3	399	392	413.0	286	277	152.7
Riverside–San Bernardino–Ontario, CA	51	53	13.1	141	145	48.4	315	319	110.9	388	390	135.2	244	244	47.4
Rochester, NY	23	23	25.0	62	63	91.9	178	179	278.8	419	419	510.7	297	296	174.3
Sacramento–Roseville–Arden-Arcade, CA	23	23	12.5	78	79	51.8	152	152	106.4	196	194	125.0	175	173	55.7
St. Louis, MO–IL	64	65	30.0	262	265	137.7	448	450	252.8	379	380	182.1	169	169	39.7
Salt Lake City, UT	10	10	10.5	51	51	54.9	105	106	136.0	73	73	113.0	50	50	43.2
San Antonio–New Braunfels, TX	55	56	28.6	156	157	95.6	219	219	144.1	217	215	141.7	150	148	52.0
San Diego–Carlsbad–San Marcos, CA	51	52	19.8	159	164	66.8	332	337	159.1	389	391	182.4	302	302	73.6
San Francisco–Oakland–Hayward, CA ^b	70	71	22.6	258	263	75.9	535	539	162.9	851	852	259.8	771	762	118.6
Oakland Division	44	45	22.2	148	152	78.8	314	318	162.8	435	437	220.3	387	384	104.9
San Francisco Division	22	22	22.8	103	104	73.0	204	205	172.6	396	395	365.1	365	360	158.0
San Jose–Sunnyvale–Santa Clara, CA	9	9	6.4	62	63	45.1	116	116	81.1	125	125	90.7	120	118	49.7
San Juan–Carolina–Caguas, PR	122	125	65.0	466	474	311.2	920	927	602.3	1,460	1,461	907.8	1,219	1,214	334.1

Table 3b. Adult and adolescent females living with diagnosed HIV infection (prevalence), by age and metropolitan statistical area of residence, year-end 2013—United States and Puerto Rico (cont)

MSA of residence	13–24 years			25–34 years			35–44 years			45–54 years			≥55 years		
	Estimated ^a			Estimated ^a			Estimated ^a			Estimated ^a			Estimated ^a		
	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate
Santa Rosa, CA	5	5	13.5	18	18	58.9	36	36	120.9	45	45	125.1	42	42	50.6
Scranton–Wilkes-Barre–Hazelton, PA	13	13	30.9	29	29	90.8	46	46	139.8	50	50	122.9	29	29	28.8
Seattle–Tacoma–Bellevue, WA	51	52	19.5	158	160	57.4	347	349	137.3	340	340	132.5	231	229	48.9
Seattle Division	41	41	20.7	122	124	56.6	277	278	138.4	273	273	136.9	179	178	49.2
Tacoma Division	10	10	15.6	36	36	60.6	70	71	133.2	67	67	116.9	52	52	48.1
Spokane–Spokane Valley, WA	2	2	4.7	13	13	36.9	17	17	54.9	12	12	33.0	11	11	13.5
Springfield, MA	31	33	49.3	57	60	157.5	153	158	427.5	281	286	623.5	156	159	164.7
Stockton–Lodi, CA	6	6	9.6	27	27	58.4	56	56	122.5	81	81	175.9	55	54	63.9
Syracuse, NY	16	16	27.2	45	45	110.6	85	85	219.6	120	120	239.7	76	76	75.0
Tampa–St. Petersburg–Clearwater, FL	114	115	55.8	425	428	233.5	689	690	376.6	936	935	444.3	660	657	133.0
Toledo, OH	15	15	27.4	45	45	115.8	106	106	290.1	78	78	186.1	29	29	32.2
Tucson, AZ	15	15	17.0	47	48	79.2	58	58	101.9	103	103	166.0	69	68	42.4
Tulsa, OK	19	19	25.4	52	53	79.9	78	78	127.7	72	71	109.7	28	27	19.7
Virginia Beach–Norfolk–Newport News, VA–NC	65	65	45.1	258	260	205.7	499	496	473.0	590	580	470.5	375	362	157.6
Washington–Arlington–Alexandria, DC–VA–MD–WV	394	410	90.3	1,322	1,362	287.4	2,855	2,908	658.6	3,120	3,151	698.2	2,242	2,259	307.2
Silver Spring Division	46	49	54.6	229	238	275.8	521	537	588.8	450	461	460.8	323	330	184.7
Washington Division	348	361	99.0	1,093	1,124	290.0	2,334	2,371	676.8	2,670	2,690	765.8	1,919	1,928	346.6
Wichita, KS	3	3	5.8	37	37	86.2	44	44	114.9	43	43	101.2	25	25	29.1
Winston-Salem, NC	9	9	17.6	54	54	136.3	148	148	339.5	180	179	363.5	134	131	128.2
Worcester, MA–CT	15	16	21.3	74	78	139.0	156	161	264.6	243	246	332.1	156	157	116.9
Youngstown–Warren–Boardman, OH–PA	10	10	24.6	27	27	92.7	40	40	126.5	52	51	128.8	43	43	41.4
Subtotal for MSAs (population of ≥500,000)	7,968	8,122	46.9	24,954	25,328	166.0	48,282	48,623	334.2	64,014	64,108	415.2	45,989	45,754	153.6
Metropolitan areas (population of 50,000–499,999)	1,302	1,329	21.1	4,766	4,819	104.9	8,288	8,311	190.2	9,409	9,386	188.0	6,212	6,143	54.7
Nonmetropolitan areas	381	389	17.2	1,489	1,505	91.5	2,367	2,369	140.4	2,606	2,596	126.2	1,742	1,720	34.0
Total^c	9,744	9,938	38.4	31,384	31,836	148.1	59,328	59,702	289.7	76,640	76,711	341.1	54,349	54,027	117.3

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States and Puerto Rico.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting. Rates are per 100,000 population.

^b Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^c Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 4a. Diagnoses of HIV infection among adult and adolescent males, by race/ethnicity and metropolitan statistical area of residence, 2014—United States

MSA of residence	American Indian/Alaska Native				Asian				Black/African American				Hispanic/Latino ^a				White			
	Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b			
	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c
Akron, OH	0	0	0.0	—	0	0	0.0	—	20	21	67.3	56	1	1	21.4	—	20	21	8.9	72
Albany–Schenectady–Troy, NY	0	0	0.0	—	2	2	15.6	—	7	7	27.5	—	4	4	26.4	—	27	28	9.3	69
Albuquerque, NM	6	6	35.6	—	0	0	0.0	—	4	4	41.6	—	35	37	22.2	56	17	18	11.1	57
Allentown–Bethlehem–Easton, PA–NJ	0	0	0.0	—	0	0	0.0	—	4	4	26.3	—	16	17	37.8	33	15	16	6.0	90
Atlanta–Sandy Springs–Roswell, GA	1	1	29.4	—	4	6	4.7	—	676	895	132.9	6	77	100	45.0	23	121	165	14.4	43
Augusta–Richmond County, GA–SC	0	0	0.0	—	1	1	27.0	—	44	57	73.9	52	3	3	26.8	—	11	15	11.1	—
Austin–Round Rock, TX	0	0	0.0	—	5	5	13.1	—	33	36	65.0	59	114	125	52.5	13	114	126	28.1	7
Bakersfield, CA	0	0	0.0	—	2	2	14.8	—	16	17	83.8	44	47	52	29.9	47	22	24	17.7	28
Baltimore–Columbia–Towson, MD	0	0	0.0	—	1	1	2.0	—	310	383	129.5	8	21	26	45.8	22	60	74	10.8	59
Baton Rouge, LA	1	1	118.4	—	3	3	45.5	—	190	200	180.4	1	11	12	87.8	—	38	40	20.3	18
Birmingham–Hoover, AL	0	0	0.0	—	0	0	0.0	—	97	106	88.1	41	4	4	23.2	—	23	26	8.4	75
Boise City, ID	0	0	0.0	—	0	0	0.0	—	1	1	36.8	—	1	1	3.3	—	13	14	6.3	87
Boston–Cambridge–Newton, MA–NH ^d	0	0	0.0	—	18	25	17.6	7	88	120	87.5	42	93	126	67.8	6	104	138	9.5	66
Boston Division	0	0	0.0	—	9	13	21.8	—	65	89	93.5	—	55	75	90.1	—	50	67	12.1	—
Cambridge Division	0	0	0.0	—	9	12	15.3	—	23	31	77.6	—	36	48	49.3	—	48	64	8.8	—
Bridgeport–Stamford–Norwalk, CT	0	0	0.0	—	2	2	10.9	—	17	18	48.7	75	19	20	28.7	49	22	24	9.4	68
Buffalo–Cheektowaga–Niagara Falls, NY	0	0	0.0	—	2	2	16.3	—	38	40	78.9	46	14	15	76.8	3	24	25	6.7	83
Cape Coral–Fort Myers, FL	0	0	0.0	—	0	0	0.0	—	8	8	41.2	—	22	23	44.3	26	49	52	25.1	13
Charleston–North Charleston, SC	0	0	0.0	—	0	0	0.0	—	88	93	129.2	9	1	1	6.9	—	26	27	13.9	45
Charlotte–Concord–Gastonia, NC–SC	0	0	0.0	—	7	7	23.8	—	221	233	121.0	15	26	28	32.3	43	88	93	15.1	39
Chattanooga, TN–GA	0	0	0.0	—	0	0	0.0	—	14	15	54.0	72	7	7	88.8	—	22	23	13.2	51
Chicago–Naperville–Elgin, IL–IN–WI	0	0	0.0	—	22	25	10.5	14	521	598	101.2	24	275	315	39.4	31	289	331	15.3	36
Chicago Division	0	0	0.0	—	22	25	12.2	—	469	541	106.2	—	244	281	44.7	—	248	286	18.2	—
Elgin Division	0	0	0.0	—	0	0	0.0	—	16	18	129.0	—	12	14	20.5	—	16	17	10.7	—
Gary Division	0	0	0.0	—	0	0	0.0	—	24	26	58.2	—	10	11	25.5	—	12	13	6.8	—
Lake County Division	0	0	0.0	—	0	0	0.0	—	12	13	56.8	—	9	10	15.3	—	13	15	6.0	—
Cincinnati, OH–KY–IN	0	0	0.0	—	0	0	0.0	—	84	89	92.0	36	11	12	51.2	—	71	75	10.5	61
Cleveland–Elyria, OH	0	0	0.0	—	2	2	11.1	—	141	149	99.3	25	17	18	44.8	24	38	40	6.5	85
Colorado Springs, CO	0	0	0.0	—	2	2	33.7	—	4	4	22.9	—	11	12	28.8	—	14	15	7.1	81
Columbia, SC	0	0	0.0	—	0	0	0.0	—	122	129	129.0	11	3	3	17.9	—	31	33	16.9	31
Columbus, OH	0	0	0.0	—	3	3	11.1	—	93	99	88.7	39	14	15	52.3	14	96	102	16.4	35
Dallas–Fort Worth–Arlington, TX	2	2	21.1	—	25	29	17.2	8	439	501	129.2	10	286	327	44.7	25	291	334	23.8	14
Dallas Division	2	2	34.1	—	21	24	19.1	—	354	408	148.1	—	236	272	53.5	—	235	272	31.3	—
Fort Worth Division	0	0	0.0	—	4	5	11.2	—	85	93	83.0	—	50	55	24.7	—	56	62	11.6	—
Dayton, OH	0	0	0.0	—	0	0	0.0	—	29	30	64.9	60	1	1	14.0	—	23	24	9.4	67
Deltona–Daytona Beach–Ormond Beach, FL	1	1	140.0	—	4	4	91.6	—	30	32	129.8	7	5	5	18.7	—	40	43	21.7	16
Denver–Aurora–Lakewood, CO	1	1	18.5	—	3	3	7.7	—	45	47	75.6	51	70	74	31.5	45	126	133	17.5	29
Des Moines–West Des Moines, IA	0	0	0.0	—	1	1	12.4	—	3	3	26.1	—	3	3	20.2	—	20	21	10.4	63

Table 4a. Diagnoses of HIV infection among adult and adolescent males, by race/ethnicity and metropolitan statistical area of residence, 2014—United States (cont)

MSA of residence	American Indian/Alaska Native				Asian				Black/African American				Hispanic/Latino ^a				White			
	Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b			
	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c
Detroit–Warren–Dearborn, MI	2	2	39.3	—	7	7	11.3	—	296	313	88.2	40	17	18	27.0	50	101	107	8.8	74
Detroit Division	1	1	43.9	—	3	3	15.5	—	239	253	99.5	—	8	8	23.0	—	37	39	10.6	—
Warren Division	1	1	35.4	—	4	4	9.4	—	57	60	59.7	—	9	9	31.8	—	64	68	8.0	—
Durham–Chapel Hill, NC	0	0	0.0	—	0	0	0.0	—	38	40	72.8	54	11	12	49.4	—	10	11	8.5	—
El Paso, TX	0	0	0.0	—	1	1	31.0	—	6	7	51.0	—	76	83	33.2	42	13	14	27.4	10
Fayetteville–Springdale–Rogers, AR	0	0	0.0	—	0	0	0.0	—	3	3	67.8	—	4	4	14.8	—	10	11	7.3	—
Fresno, CA	1	1	47.1	—	3	3	8.8	—	11	12	65.6	—	55	60	32.1	44	23	25	20.1	19
Grand Rapids–Wyoming, MI	0	0	0.0	—	0	0	0.0	—	15	16	61.2	65	12	13	37.8	34	22	23	6.9	82
Greensboro–High Point, NC	0	0	0.0	—	1	1	10.5	—	72	76	105.0	20	3	3	14.5	—	11	12	6.2	—
Greenville–Anderson–Mauldin, SC	0	0	0.0	—	0	0	0.0	—	47	50	92.1	35	6	6	29.4	—	34	36	13.8	46
Harrisburg–Carlisle, PA	0	0	0.0	—	0	0	0.0	—	21	22	99.1	26	4	4	36.6	—	16	17	9.0	71
Hartford–West Hartford–East Hartford, CT	0	0	0.0	—	1	1	4.7	—	29	31	61.0	66	14	15	23.2	55	22	23	6.5	86
Honolulu (Urban), HI	0	0	0.0	—	17	18	10.6	13	6	6	41.0	—	4	4	11.7	—	22	24	23.5	15
Houston–The Woodlands–Sugar Land, TX	1	1	16.3	—	24	25	13.1	10	486	515	125.4	12	413	437	48.5	19	201	215	20.7	17
Indianapolis–Carmel–Anderson, IN	0	0	0.0	—	4	4	21.7	—	94	99	92.7	33	19	20	43.5	27	74	78	13.1	52
Jackson, MS	0	0	0.0	—	0	0	0.0	—	119	126	122.0	13	4	4	68.9	—	11	12	10.5	—
Jacksonville, FL	0	0	0.0	—	3	3	15.4	—	157	166	149.8	3	15	16	36.7	36	70	75	19.5	21
Kansas City, MO–KS	1	1	29.0	—	1	1	5.1	—	59	62	64.3	62	21	22	33.3	41	68	72	11.5	56
Knoxville, TN	0	0	0.0	—	0	0	0.0	—	7	7	37.9	—	2	2	19.0	—	28	30	9.6	65
Lakeland–Winter Haven, FL	1	1	134.2	—	1	1	24.1	—	26	27	78.0	48	18	19	39.7	30	17	18	11.0	58
Lancaster, PA	0	0	0.0	—	1	1	24.9	—	7	7	97.4	—	4	4	23.6	—	8	8	4.7	—
Las Vegas–Henderson–Paradise, NV	3	3	82.2	—	14	15	19.6	4	76	81	91.3	37	121	130	54.2	11	109	116	27.6	9
Little Rock–North Little Rock–Conway, AR	0	0	0.0	—	0	0	0.0	—	60	66	111.3	17	9	10	68.0	—	52	57	27.6	8
Los Angeles–Long Beach–Anaheim, CA	1	1	10.0	—	129	149	17.9	6	320	369	105.1	19	1022	1179	50.5	17	490	565	31.4	4
Anaheim Division	0	0	0.0	—	35	41	16.8	—	11	13	56.5	—	116	134	32.3	—	86	99	17.2	—
Los Angeles Division	1	1	13.3	—	94	108	18.4	—	309	356	108.5	—	906	1045	54.5	—	404	466	38.1	—
Louisville/Jefferson County, KY–IN	0	0	0.0	—	2	2	24.2	—	40	43	64.0	63	19	20	93.1	1	77	81	20.0	20
Madison, WI	2	2	249.8	—	2	2	17.5	—	3	3	28.6	—	1	1	7.9	—	13	14	6.2	89
McAllen–Edinburg–Mission, TX	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	61	67	24.8	54	2	2	8.5	—
Memphis, TN–MS–AR	0	0	0.0	—	0	0	0.0	—	206	219	96.9	30	10	11	39.6	—	31	34	13.5	48
Miami–Fort Lauderdale–West Palm Beach, FL	2	2	57.3	—	16	17	28.8	1	635	671	148.7	4	827	874	83.3	2	428	453	53.5	1
Fort Lauderdale Division	2	2	134.6	—	10	11	39.5	—	254	268	143.1	—	139	147	71.2	—	223	236	71.3	—
Miami Division	0	0	0.0	—	4	4	24.1	—	282	298	175.2	—	635	671	92.4	—	123	131	76.8	—
West Palm Beach Division	0	0	0.0	—	2	2	14.8	—	99	105	111.8	—	53	56	47.9	—	82	87	25.1	—
Milwaukee–Waukesha–West Allis, WI	0	0	0.0	—	1	1	5.1	—	67	71	78.2	47	23	24	41.2	29	21	22	4.9	92
Minneapolis–St. Paul–Bloomington, MN–WI	1	1	12.7	—	8	8	9.9	—	63	67	66.0	57	24	25	35.0	40	110	117	10.3	64
Modesto, CA	0	0	0.0	—	1	1	10.6	—	3	3	56.4	—	7	8	8.6	—	3	3	3.3	—
Nashville–Davidson–Murfreesboro–Franklin, TN	0	0	0.0	—	3	3	18.1	—	98	104	101.4	23	19	21	45.9	21	72	76	14.0	44
New Haven–Milford, CT	2	2	339.2	—	0	0	0.0	—	34	36	88.9	38	18	19	35.0	39	14	15	6.3	88

Table 4a. Diagnoses of HIV infection among adult and adolescent males, by race/ethnicity and metropolitan statistical area of residence, 2014—United States (cont)

MSA of residence	American Indian/Alaska Native				Asian				Black/African American				Hispanic/Latino ^a				White			
	Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b			
	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c
New Orleans–Metairie, LA	0	0	0.0	—	5	5	35.4	—	208	219	138.4	5	31	33	73.6	4	100	106	38.3	2
New York–Newark–Jersey City, NY–NJ–PA ^d	2	2	15.3	—	98	107	12.1	11	1,170	1,285	106.2	18	1,112	1,227	65.6	7	654	725	18.0	27
Nassau County Division	0	0	0.0	—	2	2	3.0	—	51	55	54.9	—	91	97	49.7	—	61	66	8.3	—
New York Division	2	2	20.1	—	96	105	14.2	—	920	1,001	109.4	—	924	1,018	69.4	—	551	611	24.1	—
Newark Division	0	0	0.0	—	0	0	0.0	—	193	223	123.9	—	92	108	56.5	—	36	42	7.4	—
North Port–Sarasota–Bradenton, FL	0	0	0.0	—	0	0	0.0	—	20	22	118.7	16	18	19	55.9	9	41	43	17.1	30
Ogden–Clearfield, UT	0	0	0.0	—	0	0	0.0	—	1	1	32.1	—	5	5	18.6	—	5	5	2.6	—
Oklahoma City, OK	7	8	41.4	—	0	0	0.0	—	26	29	53.8	73	17	18	30.5	46	61	67	18.4	25
Omaha–Council Bluffs, NE–IA	1	1	68.5	—	1	1	12.3	—	14	15	56.3	70	7	7	23.3	—	36	38	13.2	50
Orlando–Kissimmee–Sanford, FL	2	2	90.7	—	6	6	15.9	—	135	143	104.4	21	173	183	72.4	5	163	173	34.6	3
Oxnard–Thousand Oaks–Ventura, CA	0	0	0.0	—	2	2	9.4	—	4	4	67.8	—	25	27	20.0	59	12	13	7.7	78
Palm Bay–Melbourne–Titusville, FL	0	0	0.0	—	1	1	23.3	—	15	16	75.9	50	3	3	16.1	—	21	22	12.0	55
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	4	4	107.0	—	14	15	11.1	12	422	455	99.0	27	109	119	59.2	8	159	173	10.8	60
Camden Division	0	0	0.0	—	2	2	10.2	—	45	53	69.6	—	26	30	60.2	—	24	29	8.2	—
Montgomery Division	0	0	0.0	—	1	1	2.4	—	22	23	45.2	—	17	18	44.0	—	42	45	6.8	—
Philadelphia Division	4	4	267.1	—	11	12	20.6	—	317	336	122.1	—	64	68	79.4	—	76	80	20.0	—
Wilmington Division	0	0	0.0	—	0	0	0.0	—	38	42	75.4	—	2	2	9.4	—	17	20	10.0	—
Phoenix–Mesa–Scottsdale, AZ	27	28	85.1	1	11	12	18.3	—	80	85	92.4	34	186	196	38.8	32	197	209	19.1	23
Pittsburgh, PA	0	0	0.0	—	6	6	30.3	—	52	55	73.7	53	3	3	21.6	—	71	76	8.8	73
Portland–South Portland, ME	0	0	0.0	—	0	0	0.0	—	9	10	239.0	—	1	1	29.1	—	14	15	7.2	80
Portland–Vancouver–Hillsboro, OR–WA	0	0	0.0	—	6	6	10.9	—	11	12	41.4	—	35	37	36.3	38	103	109	14.6	41
Providence–Warwick, RI–MA	0	0	0.0	—	2	2	11.4	—	19	21	64.4	61	33	38	55.2	10	48	55	10.4	62
Provo–Orem, UT	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	2	2	9.3	—	0	0	0.0	—
Raleigh, NC	1	1	64.4	—	4	4	16.4	—	69	73	79.6	45	19	20	42.3	28	41	43	13.6	47
Richmond, VA	0	0	0.0	—	1	1	5.6	—	104	110	76.6	49	7	7	25.6	—	43	46	14.9	40
Riverside–San Bernardino–Ontario, CA	2	2	27.7	—	14	16	14.3	9	46	54	41.9	76	185	214	25.6	51	157	181	27.4	11
Rochester, NY	0	0	0.0	—	2	2	17.3	—	27	29	63.7	64	11	12	42.6	—	19	20	5.7	91
Sacramento–Roseville–Arden–Arcade, CA	0	0	0.0	—	10	11	9.9	—	30	33	51.6	74	33	37	20.6	58	58	63	12.3	54
St. Louis, MO–IL	0	0	0.0	—	1	1	4.0	—	148	160	86.1	43	9	10	33.2	—	75	80	9.3	70
Salt Lake City, UT	0	0	0.0	—	6	6	38.4	—	7	7	96.7	—	18	19	25.6	52	47	50	14.6	42
San Antonio–New Braunfels, TX	0	0	0.0	—	2	2	11.7	—	32	35	56.3	71	208	228	47.3	20	58	63	18.2	26
San Diego–Carlsbad–San Marcos, CA	1	1	17.3	—	23	27	17.9	5	43	49	68.4	55	178	206	49.9	18	169	194	28.2	6
San Francisco–Oakland–Hayward, CA ^d	2	2	45.0	—	88	97	21.0	2	126	141	98.9	28	186	204	50.9	16	226	245	29.1	5
Oakland Division	1	1	36.7	—	37	43	16.9	—	81	94	85.3	—	71	82	32.7	—	66	75	16.6	—
San Francisco Division	1	1	71.2	—	51	54	26.7	—	40	42	144.1	—	109	116	86.1	—	155	164	53.0	—
San Jose–Sunnyvale–Santa Clara, CA	1	1	59.3	—	23	25	9.5	15	5	5	26.0	—	70	76	36.6	37	44	49	16.6	32
San Juan–Carolina–Caguas, PR ^e	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Santa Rosa, CA	0	0	0.0	—	1	1	14.0	—	2	2	61.4	—	9	10	19.4	—	16	17	12.4	53
Scranton–Wilkes-Barre–Hazelton, PA	0	0	0.0	—	1	1	32.2	—	3	3	38.4	—	1	1	6.8	—	11	12	5.7	—

Table 4a. Diagnoses of HIV infection among adult and adolescent males, by race/ethnicity and metropolitan statistical area of residence, 2014—United States (cont)

MSA of residence	American Indian/Alaska Native				Asian				Black/African American				Hispanic/Latino ^a				White			
	Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b			
	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c
Seattle—Tacoma—Bellevue, WA	5	5	40.3	—	34	36	19.7	3	52	55	59.9	68	37	39	29.2	48	151	159	15.2	38
Seattle Division	5	5	57.2	—	31	33	20.0	—	45	47	72.0	—	31	33	31.8	—	137	144	17.9	—
Tacoma Division	0	0	0.0	—	3	3	16.9	—	7	7	28.9	—	6	6	20.4	—	14	15	6.1	—
Spokane—Spokane Valley, WA	0	0	0.0	—	0	0	0.0	—	1	1	23.5	—	1	1	10.1	—	2	2	1.1	—
Springfield, MA	0	0	0.0	—	1	1	19.8	—	6	8	48.1	—	16	21	52.2	15	9	12	6.5	—
Stockton—Lodi, CA	0	0	0.0	—	4	4	11.0	—	22	24	121.3	14	22	24	22.2	57	18	20	19.1	22
Syracuse, NY	0	0	0.0	—	1	1	15.0	—	18	19	97.9	29	11	12	122.9	—	29	31	13.3	49
Tampa—St. Petersburg—Clearwater, FL	0	0	0.0	—	6	6	17.4	—	179	189	150.3	2	100	105	52.7	12	206	219	26.9	12
Toledo, OH	0	0	0.0	—	0	0	0.0	—	20	21	65.5	58	5	5	37.6	—	14	15	7.9	77
Tucson, AZ	2	2	22.5	—	0	0	0.0	—	14	15	95.6	32	32	34	25.0	53	37	39	16.6	33
Tulsa, OK	4	4	14.8	—	2	2	29.1	—	16	18	60.6	67	8	9	27.0	—	46	50	18.7	24
Virginia Beach—Norfolk—Newport News, VA-NC	0	0	0.0	—	3	3	12.5	—	180	190	96.3	31	9	10	21.9	—	60	64	15.2	37
Washington—Arlington—Alexandria, DC-VA-MD-WV	1	1	22.1	—	16	18	7.7	16	492	587	101.7	22	117	135	37.7	35	173	197	16.5	34
Silver Spring Division	0	0	0.0	—	3	4	6.1	—	60	75	100.3	—	29	36	43.9	—	39	48	17.5	—
Washington Division	1	1	26.3	—	13	14	8.3	—	432	512	101.9	—	88	99	35.9	—	134	149	16.2	—
Wichita, KS	1	1	47.8	—	2	2	23.3	—	7	7	39.7	—	4	4	15.0	—	15	16	8.2	76
Winston-Salem, NC	1	1	129.3	—	0	0	0.0	—	24	25	59.9	69	3	3	13.8	—	13	14	7.3	79
Worcester, MA-CT	0	0	0.0	—	2	3	18.4	—	7	9	59.3	—	2	3	7.3	—	8	11	3.5	—
Youngstown—Warren—Boardman, OH-PA	0	0	0.0	—	0	0	0.0	—	11	12	51.6	—	4	4	58.2	—	12	13	6.6	84
Subtotal for MSAs (population of ≥500,000)	93	100	27.7	—	748	831	14.0	—	10,368	11,515	102.0	—	7,140	7,899	46.6	—	7,480	8,221	16.1	—
Metropolitan areas (population of 50,000–499,999)	48	51	16.3	—	50	55	8.4	—	1,827	2,010	70.3	—	645	701	21.1	—	1,648	1,781	7.9	—
Nonmetropolitan areas	18	19	7.4	—	6	6	7.5	—	536	588	54.5	—	176	191	18.9	—	405	439	4.4	—
Total^f	159	170	18.3	—	808	898	13.4	—	12,871	14,305	94.0	—	7,991	8,832	41.5	—	9,586	10,513	12.6	—

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

Data for Native Hawaiians/other Pacific Islanders are not presented due to small population denominators (i.e., less than 100). However, data are summarized in Commentary.

^a Hispanics/Latinos can be of any race.

^b Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting. Rates are per 100,000 population.

^c Based on estimated rate. Ranks were not assigned to MSAs with estimated rates that were based on reported or estimated numbers less than 12.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Data are not presented for San Juan—Carolina—Caguas, PR. The 2014 postcensal estimates do not include population denominators by race/ethnicity for Puerto Rico, thereby preventing assessment of the suppression rule for population denominators (i.e., cells suppressed when population denominator <100).

^f Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 4b. Adult and adolescent males living with diagnosed HIV infection (prevalence), by race/ethnicity and metropolitan statistical area of residence, year-end 2013—United States

MSA of residence	American Indian/ Alaska Native			Asian ^a			Black/African American			Hispanic/Latino ^b			White		
	Estimated ^c		Rate	Estimated ^c		Rate	Estimated ^c		Rate	Estimated ^c		Rate	Estimated ^c		Rate
	No.	No.		No.	No.		No.	No.		No.	No.		No.	No.	
Akron, OH	0	0	0.0	3	3	44.4	243	244	781.3	19	19	411.5	394	395	164.0
Albany–Schenectady–Troy, NY	0	0	0.1	8	8	62.1	377	377	1,444.4	246	246	1,616.5	599	601	197.2
Albuquerque, NM	58	58	334.7	4	4	55.0	62	62	620.3	606	608	371.4	442	442	271.7
Allentown–Bethlehem–Easton, PA–NJ	0	0	0.0	6	6	67.2	159	159	1,025.2	330	329	746.4	403	403	150.7
Atlanta–Sandy Springs–Roswell, GA	7	7	160.1	106	112	95.5	13,648	14,139	2,155.1	1,477	1,537	703.9	5,135	5,255	461.0
Augusta–Richmond County, GA–SC	1	1	142.0	2	2	49.8	1002	1026	1,353.6	51	53	445.5	322	325	238.8
Austin–Round Rock, TX	2	2	82.9	35	35	90.6	719	718	1,332.9	1,347	1,354	588.8	2,000	1,999	460.3
Bakersfield, CA	6	6	252.8	16	16	109.3	349	348	1,705.2	691	693	409.5	467	465	340.3
Baltimore–Columbia–Towson, MD	9	9	327.0	52	54	96.2	8,726	8,952	3,055.4	447	461	833.3	2,067	2,112	307.6
Baton Rouge, LA	2	2	229.3	8	8	117.5	2,200	2,208	2,008.9	44	44	339.1	561	561	285.4
Birmingham–Hoover, AL	1	1	81.4	4	4	69.7	1,676	1,661	1,390.5	74	74	384.3	970	960	318.4
Boise City, ID	4	4	234.6	4	4	85.4	14	14	524.9	49	49	160.3	319	319	148.0
Boston–Cambridge–Newton, MA–NH ^d	7	7	246.3	204	215	156.9	2,377	2,453	1,821.8	1,967	2,039	1,142.5	4,707	4,830	333.2
Boston Division	5	5	356.0	98	103	183.6	1,685	1,739	1,858.5	1,132	1,174	1,466.0	2,803	2,877	517.0
Cambridge Division	2	2	169.1	103	109	140.9	679	702	1,784.8	819	849	897.6	1,711	1,763	242.7
Bridgeport–Stamford–Norwalk, CT	1	1	252.8	17	17	91.5	575	571	1,535.3	571	570	836.0	582	576	229.6
Buffalo–Cheektowaga–Niagara Falls, NY	0	0	0.0	21	21	173.2	605	606	1,199.7	253	253	1,360.5	576	577	153.0
Cape Coral–Fort Myers, FL	0	0	0.0	5	5	138.1	358	358	1,809.5	198	198	396.5	539	539	266.8
Charleston–North Charleston, SC	2	2	165.3	3	3	59.6	1023	1024	1,443.8	84	85	558.7	539	536	279.0
Charlotte–Concord–Gastonia, NC–SC	5	5	142.8	20	20	69.4	3,103	3,082	1,643.3	343	346	418.7	1,440	1,433	235.1
Chattanooga, TN–GA	1	1	160.6	5	5	152.0	309	304	1,095.1	39	40	488.5	500	496	279.7
Chicago–Naperville–Elgin, IL–IN–WI	25	26	518.9	290	295	125.5	10,241	10,248	1,736.9	4,859	4,914	624.4	7,363	7,390	339.4
Chicago Division	25	26	746.9	269	273	134.7	9,470	9,474	1,859.0	4,424	4,476	722.9	6,599	6,628	419.6
Elgin Division	0	0	0.0	15	15	175.6	104	105	796.3	146	147	223.6	181	181	111.6
Gary Division	0	0	0.0	2	2	56.5	458	459	1,037.8	109	110	274.7	340	339	178.1
Lake County Division	0	0	0.0	4	4	20.5	209	210	913.3	180	182	291.3	243	242	98.6
Cincinnati, OH–KY–IN	1	1	66.6	14	14	78.9	1,250	1,256	1,313.4	91	92	418.3	1,416	1,414	199.2
Cleveland–Elyria, OH	1	1	73.4	12	12	66.4	1,992	1,994	1,331.8	329	330	840.5	1,452	1,455	237.0
Colorado Springs, CO	3	3	161.8	6	6	97.3	120	120	677.5	102	102	263.9	433	432	209.5
Columbia, SC	0	0	0.0	7	7	114.7	2,149	2,152	2,179.3	113	114	655.9	608	607	315.0
Columbus, OH	4	4	237.3	17	17	63.9	1,433	1,439	1,332.4	184	185	686.1	2,430	2,437	396.1
Dallas–Fort Worth–Arlington, TX	12	12	111.2	186	190	120.2	5,657	5,739	1,526.6	4,153	4,231	595.5	7,263	7,302	526.7
Dallas Division	12	12	180.0	140	143	119.9	4,503	4,585	1,714.4	3,404	3,479	703.8	5,857	5,904	686.5
Fort Worth Division	0	0	0.2	46	47	121.2	1,154	1,154	1,063.8	749	752	347.7	1,406	1,397	265.5
Dayton, OH	2	2	291.3	7	7	109.1	516	519	1,108.8	30	30	418.2	572	573	222.6
Deltona–Daytona Beach–Ormond Beach, FL	1	1	137.1	5	5	115.0	353	353	1,473.7	121	120	447.2	518	516	265.7
Denver–Aurora–Lakewood, CO	30	30	543.4	58	58	149.0	972	973	1,605.2	1,646	1,653	723.3	5,292	5,290	707.3
Des Moines–West Des Moines, IA	0	0	0.0	14	14	175.5	61	61	532.4	51	51	337.8	361	363	181.9

Table 4b. Adult and adolescent males living with diagnosed HIV infection (prevalence), by race/ethnicity and metropolitan statistical area of residence, year-end 2013—United States (cont)

MSA of residence	American Indian/ Alaska Native			Asian ^a			Black/African American			Hispanic/Latino ^b			White		
	No.	No.	Estimated ^c Rate	No.	No.	Estimated ^c Rate	No.	No.	Estimated ^c Rate	No.	No.	Estimated ^c Rate	No.	No.	Estimated ^c Rate
Detroit–Warren–Dearborn, MI	10	10	188.4	32	32	51.5	4,933	4,909	1,382.4	303	303	467.8	2,271	2,264	186.2
Detroit Division	6	6	249.2	14	14	71.3	4,148	4,121	1,599.9	180	179	497.1	957	952	256.6
Warren Division	4	4	138.0	18	18	42.4	785	788	808.3	123	124	431.2	1,314	1,312	155.3
Durham–Chapel Hill, NC	1	1	143.0	8	8	78.9	929	920	1,702.3	136	137	588.2	341	340	279.6
El Paso, TX	0	0	0.0	1	1	30.1	74	74	591.6	1,431	1,435	576.5	116	115	221.9
Fayetteville–Springdale–Rogers, AR	2	2	77.6	3	3	55.5	16	16	352.9	48	48	174.1	339	337	223.7
Fresno, CA	7	7	288.2	38	38	105.1	165	164	907.0	672	674	365.8	432	430	339.5
Grand Rapids–Wyoming, MI	1	1	68.1	9	9	100.9	176	176	701.2	113	113	348.4	449	447	133.4
Greensboro–High Point, NC	6	6	465.5	10	10	105.6	1,097	1,093	1,534.7	96	97	450.1	473	470	250.6
Greenville–Anderson–Mauldin, SC	1	1	131.2	4	4	72.6	670	671	1,264.3	85	86	406.5	486	486	187.8
Harrisburg–Carlisle, PA	0	0	0.0	6	6	83.5	337	336	1,523.6	125	124	1,118.5	476	474	255.0
Hartford–West Hartford–East Hartford, CT	0	0	0.0	22	22	102.5	659	653	1,286.4	881	873	1,411.8	787	781	216.4
Honolulu (Urban), HI	4	4	361.9	262	264	156.8	78	78	541.0	142	143	416.9	705	704	703.6
Houston–The Woodlands–Sugar Land, TX	17	17	278.6	220	224	122.4	7,403	7,406	1,855.5	5,283	5,321	610.3	5,130	5,104	499.0
Indianapolis–Carmel–Anderson, IN	0	0	0.0	30	30	164.7	1,426	1,432	1,360.1	267	269	600.1	2,047	2,045	346.0
Jackson, MS	1	1	283.7	1	1	40.8	1,891	1,873	1,827.0	57	56	916.3	354	350	316.1
Jacksonville, FL	1	1	52.6	27	27	139.0	2,329	2,332	2,144.6	225	226	546.9	1,350	1,347	353.1
Kansas City, MO–KS	6	6	168.2	32	32	158.7	1,288	1,289	1,343.6	415	417	644.7	2,182	2,175	351.4
Knoxville, TN	0	0	0.0	6	6	114.8	184	181	940.2	34	34	317.6	731	718	231.5
Lakeland–Winter Haven, FL	5	5	660.1	2	2	47.8	508	510	1,481.5	179	179	396.3	450	450	271.2
Lancaster, PA	0	0	0.0	1	1	25.5	69	69	931.3	159	159	866.6	250	249	138.3
Las Vegas–Henderson–Paradise, NV	18	18	464.6	163	165	229.1	1,089	1,090	1,274.4	1,373	1,381	597.3	2,617	2,612	623.6
Little Rock–North Little Rock–Conway, AR	0	0	0.0	4	4	93.5	710	710	1,218.5	73	73	515.6	723	718	350.3
Los Angeles–Long Beach–Anaheim, CA	71	72	637.8	1,594	1,633	201.0	7,391	7,510	2,150.7	19,734	20,112	873.0	16,759	16,934	938.2
Anaheim Division	12	12	427.7	309	319	134.6	229	230	1,041.6	2,551	2,594	633.2	2,781	2,797	483.1
Los Angeles Division	59	60	708.5	1,285	1,314	228.2	7,162	7,280	2,225.7	17,183	17,518	924.8	13,978	14,137	1153.2
Louisville/Jefferson County, KY–IN	0	0	0.0	13	13	153.8	898	890	1,351.6	114	114	547.8	1,357	1,348	331.8
Madison, WI	2	2	247.5	11	11	98.5	100	99	914.0	62	63	487.7	370	371	166.7
McAllen–Edinburg–Mission, TX	0	0	0.0	0	0	0.0	10	10	531.9	789	791	299.9	45	45	169.1
Memphis, TN–MS–AR	0	0	0.0	6	6	59.0	3,881	3,815	1,700.6	136	137	513.8	835	821	326.4
Miami–Fort Lauderdale–West Palm Beach, FL	14	14	394.6	135	137	240.9	14,108	14,110	3,174.4	12,404	12,454	1,215.5	9,324	9,314	1096.1
Fort Lauderdale Division	6	6	395.4	67	68	262.6	4,434	4,440	2,418.2	2,061	2,069	1,042.2	5,051	5,051	1518.4
Miami Division	5	5	474.8	53	54	313.9	7,017	7,015	4,136.9	9,600	9,641	1,351.0	2,876	2,870	1661.9
West Palm Beach Division	3	3	306.2	15	15	109.4	2,657	2,655	2,907.9	743	744	661.8	1,397	1,392	404.4
Milwaukee–Waukesha–West Allis, WI	3	3	113.5	24	24	122.5	1,150	1,148	1,276.1	313	313	544.3	892	891	197.9
Minneapolis–St. Paul–Bloomington, MN–WI	48	48	585.5	64	64	79.4	1,337	1,340	1,374.8	467	469	663.9	2,924	2,925	260.9
Modesto, CA	1	1	80.9	10	10	94.1	32	32	568.6	169	169	198.6	219	217	220.1
Nashville–Davidson–Murfreesboro–Franklin, TN	2	2	98.8	21	21	125.7	1,700	1,671	1,673.6	239	241	536.2	1,960	1,930	363.6
New Haven–Milford, CT	1	1	158.9	17	17	130.8	681	676	1,689.8	570	566	1,072.1	727	720	299.9

Table 4b. Adult and adolescent males living with diagnosed HIV infection (prevalence), by race/ethnicity and metropolitan statistical area of residence, year-end 2013—United States (cont)

MSA of residence	American Indian/ Alaska Native			Asian ^a			Black/African American			Hispanic/Latino ^b			White		
	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		
	No.	Rate		No.	Rate		No.	Rate		No.	Rate		No.	Rate	
New Orleans–Metairie, LA	3	3	150.1	31	31	213.2	3,298	3,300	2,105.1	381	383	862.7	2,131	2,126	771.6
New York–Newark–Jersey City, NY–NJ–PA ^d	55	55	400.5	1,463	1,479	172.1	36,283	36,390	3,030.3	33,702	33,845	1,837.9	22,625	22,701	562.8
Nassau County Division	1	1	55.8	31	31	45.1	1,084	1,090	1,102.1	1,066	1,075	565.1	1,482	1,488	186.2
New York Division	51	51	489.3	1,381	1,395	195.1	29,720	29,789	3,276.8	30,149	30,254	2,091.8	19,472	19,534	768.0
Newark Division	3	3	227.2	45	46	66.7	5,184	5,215	2,916.3	2,112	2,140	1,149.7	1,443	1,451	258.0
North Port–Sarasota–Bradenton, FL	2	2	352.7	4	4	90.0	302	301	1,700.6	164	164	501.0	708	707	285.1
Ogden–Clearfield, UT	5	5	427.5	4	4	116.9	23	23	710.9	58	58	213.9	163	163	82.5
Oklahoma City, OK	56	55	279.6	20	20	128.4	567	568	1,085.8	208	209	357.9	1,268	1,260	347.7
Omaha–Council Bluffs, NE–IA	7	7	468.1	10	10	125.8	244	245	946.8	126	127	410.2	568	569	199.9
Orlando–Kissimmee–Sanford, FL	8	8	353.8	43	43	113.5	2,715	2,717	2,045.3	1,750	1,756	729.3	3,179	3,181	638.4
Oxnard–Thousand Oaks–Ventura, CA	0	0	0.0	14	14	62.9	31	31	486.5	356	357	266.1	350	348	202.9
Palm Bay–Melbourne–Titusville, FL	0	0	0.0	7	7	161.0	247	247	1,182.2	73	73	386.8	493	491	267.6
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	19	19	483.9	148	150	114.2	10,139	10,105	2,216.0	2,676	2,676	1,371.3	5,121	5,106	317.5
Camden Division	0	0	0.0	24	25	108.7	945	959	1,256.5	486	490	1,012.0	757	762	216.2
Montgomery Division	2	2	233.9	18	18	44.1	391	387	765.0	221	221	544.5	1,008	1,006	153.5
Philadelphia Division	17	17	1,066.7	104	105	190.1	7,825	7,783	2,837.0	1,822	1,817	2,172.9	2,882	2,862	708.4
Wilmington Division	0	0	0.0	2	2	17.5	978	977	1,782.7	147	148	655.5	474	476	242.4
Phoenix–Mesa–Scottsdale, AZ	219	220	683.9	80	81	132.7	781	781	885.2	2,580	2,595	530.3	4,928	4,924	457.1
Pittsburgh, PA	0	0	0.0	11	11	55.5	831	830	1,113.1	96	96	691.9	1,377	1,372	159.3
Portland–South Portland, ME	0	0	0.0	0	0	0.0	51	51	1,336.9	28	28	823.0	447	447	221.0
Portland–Vancouver–Hillsboro, OR–WA	31	31	457.2	68	69	125.0	242	243	895.8	475	478	488.3	3,012	3,014	410.3
Providence–Warwick, RI–MA	5	5	215.8	28	28	158.7	399	399	1,242.7	520	526	786.3	1,289	1,302	245.4
Provo–Orem, UT	0	0	0.0	1	1	33.7	4	4	335.7	37	37	169.9	82	82	47.1
Raleigh, NC	7	6	417.5	11	11	45.8	1,405	1,403	1,558.1	237	238	518.3	827	826	264.6
Richmond, VA	1	1	50.3	15	15	84.7	2,188	2,150	1,516.3	147	147	525.4	891	882	289.6
Riverside–San Bernardino–Ontario, CA	26	26	314.1	106	109	98.7	918	930	736.8	2,262	2,305	284.5	3,609	3,629	547.4
Rochester, NY	1	1	91.7	4	4	34.4	737	738	1,663.1	353	353	1,341.2	741	742	208.7
Sacramento–Roseville–Arden–Arcade, CA	28	28	540.5	91	92	84.8	566	566	911.1	586	588	340.0	1,846	1,836	360.1
St. Louis, MO–IL	1	1	42.1	21	21	81.6	2,790	2,798	1,512.7	197	198	660.1	2,430	2,432	280.9
Salt Lake City, UT	9	9	299.9	18	18	116.4	88	88	1,190.0	302	303	417.0	1,174	1,176	348.9
San Antonio–New Braunfels, TX	5	5	189.2	28	28	145.3	499	499	825.7	2,883	2,892	616.0	1,096	1,093	317.0
San Diego–Carlsbad–San Marcos, CA	72	73	1,137.2	299	305	212.7	1,245	1,256	1,785.8	3,696	3,759	934.3	5,806	5,840	850.3
San Francisco–Oakland–Hayward, CA ^d	73	74	1,531.1	1,150	1,162	260.5	3,881	3,885	2,728.4	4,237	4,265	1,083.8	12,246	12,226	1461.8
Oakland Division	15	15	508.8	302	309	127.3	2,069	2,084	1,910.4	1,175	1,197	490.6	2,304	2,317	515.8
San Francisco Division	55	55	3,721.5	834	839	423.7	1,627	1,619	5,490.8	2,906	2,913	2,191.0	9,511	9,485	3073.1
San Jose–Sunnyvale–Santa Clara, CA	7	7	388.1	255	256	100.0	226	224	1,099.4	1,072	1,072	520.6	1,242	1,235	420.2
San Juan–Carolina–Caguas, PR ^e	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Santa Rosa, CA	9	9	603.5	17	17	228.8	42	42	1,179.2	170	171	342.4	815	808	584.5
Scranton–Wilkes-Barre–Hazelton, PA	1	1	368.7	0	0	0.0	94	94	1,163.6	70	70	476.7	240	237	114.8

Table 4b. Adult and adolescent males living with diagnosed HIV infection (prevalence), by race/ethnicity and metropolitan statistical area of residence, year-end 2013—United States (cont)

MSA of residence	American Indian/ Alaska Native			Asian ^a			Black/African American			Hispanic/Latino ^b			White		
	No.	No.	Estimated ^c Rate	No.	No.	Estimated ^c Rate	No.	No.	Estimated ^c Rate	No.	No.	Estimated ^c Rate	No.	No.	Estimated ^c Rate
Seattle–Tacoma–Bellevue, WA	64	64	500.4	243	245	140.3	960	964	1,083.7	952	959	736.5	5,166	5,173	498.8
Seattle Division	56	56	622.4	227	229	146.0	790	793	1,239.9	839	845	838.6	4,700	4,705	589.7
Tacoma Division	8	8	210.3	16	16	89.8	170	171	683.8	113	114	387.3	466	467	195.4
Spokane–Spokane Valley, WA	5	5	136.4	7	7	182.2	19	19	433.3	26	26	267.4	316	317	163.6
Springfield, MA	1	1	243.2	11	12	164.6	214	222	1,390.9	592	610	1,545.9	371	382	203.8
Stockton–Lodi, CA	4	4	297.6	43	43	108.9	215	213	1,105.3	352	352	334.9	349	347	335.4
Syracuse, NY	2	2	113.0	7	7	102.5	214	215	1,122.4	88	88	966.4	394	395	171.8
Tampa–St. Petersburg–Clearwater, FL	9	9	291.3	51	51	146.5	2,343	2,347	1,915.4	1,097	1,098	571.3	4,163	4,152	513.9
Toledo, OH	0	0	0.0	5	5	126.7	265	265	825.7	45	45	333.2	367	366	191.4
Tucson, AZ	40	40	440.4	16	16	151.7	117	116	753.0	586	588	444.6	961	957	406.0
Tulsa, OK	78	77	260.6	8	8	110.6	280	279	952.1	121	121	388.2	846	841	315.5
Virginia Beach–Norfolk–Newport News, VA–NC	4	4	147.8	29	29	117.5	3,187	3,139	1,598.1	190	188	456.0	1,278	1,262	302.4
Washington–Arlington–Alexandria, DC–VA–MD–WV	19	20	355.2	262	267	117.7	13,815	14,048	2,470.1	2,448	2,488	715.6	5,653	5,691	474.5
Silver Spring Division	3	3	333.0	54	56	89.9	1,276	1,312	1,794.8	430	443	556.7	668	682	247.2
Washington Division	16	16	359.8	208	210	128.4	12,539	12,736	2,569.7	2,018	2,045	762.8	4,985	5,009	542.4
Wichita, KS	1	1	38.7	7	7	81.1	130	131	702.3	94	94	342.3	371	370	192.3
Winston-Salem, NC	1	1	126.8	7	7	193.7	659	652	1,565.6	120	121	542.5	360	358	190.1
Worcester, MA–CT	1	1	132.4	19	20	135.9	212	218	1,447.9	374	382	1,078.2	539	549	174.8
Youngstown–Warren–Boardman, OH–PA	2	2	543.1	0	0	0.0	240	240	1,047.4	55	55	786.8	194	193	98.7
Subtotal for MSAs (population of ≥500,000)	1,288	1,291	362.2	8,577	8,709	151.3	213,294	214,420	1,928.1	134,191	135,382	818.4	210,423	210,842	413.9
Metropolitan areas (population of 50,000–499,999)	533	532	172.9	597	603	95.4	32,727	32,775	1,158.7	11,983	12,029	372.3	36,235	36,138	160.7
Nonmetropolitan areas	258	258	101.3	50	50	61.0	9,968	9,957	924.6	2,867	2,882	291.0	8,393	8,369	83.0
Total^f	2,097	2,099	228.5	9,275	9,416	145.5	258,326	259,563	1,727.4	150,018	151,282	728.6	257,514	257,826	308.7

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

Data for Native Hawaiians/other Pacific Islanders are not presented due to small population denominators (i.e., less than 100). However, data are summarized in Commentary.

^a Includes Asian/Pacific Islander legacy cases (see Technical Notes).

^b Hispanics/Latinos can be of any race.

^c Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting. Rates are per 100,000 population.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Data are not presented for San Juan–Carolina–Caguas, PR. The 2014 postcensal estimates do not include population denominators by race/ethnicity for Puerto Rico, thereby preventing assessment of the suppression rule for population denominators (i.e., cells suppressed when population denominator <100).

^f Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 5a. Diagnoses of HIV infection among adult and adolescent females, by race/ethnicity and metropolitan statistical area of residence, 2014—United States

MSA of residence	American Indian/Alaska Native				Asian				Black/African American				Hispanic/Latino ^a				White			
	Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b			
	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c
Akron, OH	0	0	0.0	—	0	0	0.0	—	3	3	8.4	—	2	2	42.6	—	0	0	0.0	—
Albany–Schenectady–Troy, NY	0	0	0.0	—	0	0	0.0	—	3	3	11.2	—	4	4	26.4	—	4	4	1.3	—
Albuquerque, NM	0	0	0.0	—	0	0	0.0	—	1	1	13.6	—	3	3	1.8	—	0	0	0.0	—
Allentown–Bethlehem–Easton, PA–NJ	0	0	0.0	—	1	1	10.2	—	6	6	40.6	—	13	14	29.4	1	3	3	1.1	—
Atlanta–Sandy Springs–Roswell, GA	0	0	0.0	—	2	3	2.0	—	163	218	26.6	24	10	12	6.2	—	16	20	1.7	21
Augusta–Richmond County, GA–SC	0	0	0.0	—	0	0	0.0	—	16	21	23.3	34	0	0	0.0	—	0	0	0.0	—
Austin–Round Rock, TX	0	0	0.0	—	0	0	0.0	—	16	18	30.2	19	10	11	4.7	—	1	1	0.2	—
Bakersfield, CA	0	0	0.0	—	0	0	0.0	—	4	5	28.5	—	9	10	6.6	—	10	11	8.2	—
Baltimore–Columbia–Towson, MD	0	0	0.0	—	1	1	1.8	—	116	143	39.6	15	5	6	12.4	—	16	20	2.7	11
Baton Rouge, LA	0	0	0.0	—	3	3	43.1	—	100	106	84.2	1	0	0	0.0	—	2	2	1.0	—
Birmingham–Hoover, AL	0	0	0.0	—	0	0	0.0	—	19	21	14.3	49	0	0	0.0	—	5	6	1.8	—
Boise City, ID	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—
Boston–Cambridge–Newton, MA–NH ^d	0	0	0.0	—	2	3	1.8	—	61	83	54.0	5	22	30	15.7	3	17	23	1.5	24
Boston Division	0	0	0.0	—	2	3	4.2	—	39	53	47.4	—	13	17	20.3	—	9	12	2.0	—
Cambridge Division	0	0	0.0	—	0	0	0.0	—	22	30	73.2	—	9	12	12.4	—	8	11	1.4	—
Bridgeport–Stamford–Norwalk, CT	0	0	0.0	—	0	0	0.0	—	28	30	65.5	3	4	4	6.2	—	3	3	1.2	—
Buffalo–Cheektowaga–Niagara Falls, NY	0	0	0.0	—	2	2	16.2	—	12	13	21.3	40	3	3	16.2	—	8	8	2.1	—
Cape Coral–Fort Myers, FL	0	0	0.0	—	0	0	0.0	—	7	7	32.5	—	2	2	4.2	—	7	7	3.3	—
Charleston–North Charleston, SC	0	0	0.0	—	0	0	0.0	—	20	21	24.8	28	0	0	0.0	—	2	2	1.0	—
Charlotte–Concord–Gastonia, NC–SC	1	1	29.3	—	1	1	3.3	—	50	53	22.6	37	6	6	7.9	—	16	17	2.6	15
Chattanooga, TN–GA	0	0	0.0	—	0	0	0.0	—	3	3	10.1	—	1	1	15.4	—	8	8	4.4	—
Chicago–Naperville–Elgin, IL–IN–WI	1	1	20.1	—	3	3	1.3	—	146	167	23.0	35	29	33	4.3	16	25	28	1.2	25
Chicago Division	0	0	0.0	—	3	3	1.5	—	131	151	24.0	—	24	28	4.6	—	17	20	1.2	—
Elgin Division	0	0	0.0	—	0	0	0.0	—	4	4	28.5	—	1	1	1.7	—	2	2	1.2	—
Gary Division	0	0	0.0	—	0	0	0.0	—	8	9	15.4	—	2	2	5.1	—	2	2	1.1	—
Lake County Division	1	1	173.1	—	0	0	0.0	—	3	3	13.2	—	2	2	3.7	—	4	4	1.7	—
Cincinnati, OH–KY–IN	0	0	0.0	—	0	0	0.0	—	24	25	22.6	38	2	2	10.1	—	9	10	1.3	—
Cleveland–Elyria, OH	0	0	0.0	—	0	0	0.0	—	18	19	10.3	52	1	1	2.6	—	8	8	1.3	—
Colorado Springs, CO	0	0	0.0	—	0	0	0.0	—	2	2	14.0	—	1	1	2.6	—	1	1	0.5	—
Columbia, SC	0	0	0.0	—	0	0	0.0	—	26	28	23.4	33	0	0	0.0	—	6	6	3.1	—
Columbus, OH	1	1	60.1	—	0	0	0.0	—	18	19	15.5	47	3	3	12.5	—	8	8	1.3	—
Dallas–Fort Worth–Arlington, TX	0	0	0.0	—	5	6	3.1	—	162	185	40.0	13	35	40	5.6	11	34	39	2.6	13
Dallas Division	0	0	0.0	—	2	2	1.7	—	135	155	47.0	—	30	34	7.1	—	25	29	3.2	—
Fort Worth Division	0	0	0.0	—	3	3	7.5	—	27	30	22.6	—	5	5	2.5	—	9	10	1.7	—
Dayton, OH	0	0	0.0	—	0	0	0.0	—	11	12	21.0	—	1	1	14.8	—	2	2	0.8	—
Deltona–Daytona Beach–Ormond Beach, FL	3	3	411.3	—	0	0	0.0	—	8	8	30.5	—	1	1	3.6	—	15	16	7.6	1
Denver–Aurora–Lakewood, CO	0	0	0.0	—	1	1	2.2	—	10	11	17.8	—	9	9	4.1	—	15	16	2.0	19
Des Moines–West Des Moines, IA	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	3	3	1.5	—

Table 5a. Diagnoses of HIV infection among adult and adolescent females, by race/ethnicity and metropolitan statistical area of residence, 2014—United States (cont)

MSA of residence	American Indian/Alaska Native				Asian				Black/African American				Hispanic/Latino ^a				White							
	Estimated ^b			No.	Estimated ^b			No.	Estimated ^b			No.	Estimated ^b			No.	Estimated ^b			No.	Estimated ^b			
	No.	No.	Rate		No.	No.	Rate		No.	No.	Rate		No.	No.	Rate		No.	No.	Rate		No.	No.	Rate	
Detroit–Warren–Dearborn, MI	0	0	0.0	—	2	2	3.0	—	84	89	20.4	44	1	1	1.6	—	14	15	1.2	26				
Detroit Division	0	0	0.0	—	1	1	4.8	—	64	68	22.0	—	1	1	2.9	—	9	9	2.4	—				
Warren Division	0	0	0.0	—	1	1	2.2	—	20	21	16.7	—	0	0	0.0	—	5	5	0.6	—				
Durham–Chapel Hill, NC	0	0	0.0	—	0	0	0.0	—	17	18	26.5	25	3	3	16.1	—	1	1	0.8	—				
El Paso, TX	0	0	0.0	—	1	1	26.3	—	1	1	13.5	—	7	8	2.7	—	1	1	2.8	—				
Fayetteville–Springdale–Rogers, AR	0	0	0.0	—	0	0	0.0	—	1	1	26.3	—	0	0	0.0	—	1	1	0.7	—				
Fresno, CA	0	0	0.0	—	3	3	8.5	—	3	3	18.6	—	6	7	3.7	—	3	3	2.4	—				
Grand Rapids–Wyoming, MI	0	0	0.0	—	0	0	0.0	—	11	12	44.7	—	1	1	3.4	—	3	3	0.9	—				
Greensboro–High Point, NC	0	0	0.0	—	1	1	10.1	—	22	23	26.2	27	0	0	0.0	—	3	3	1.6	—				
Greenville–Anderson–Mauldin, SC	0	0	0.0	—	0	0	0.0	—	8	8	13.5	—	1	1	5.7	—	3	3	1.1	—				
Harrisburg–Carlisle, PA	0	0	0.0	—	0	0	0.0	—	4	4	18.8	—	1	1	9.5	—	2	2	1.1	—				
Hartford–West Hartford–East Hartford, CT	0	0	0.0	—	1	1	4.6	—	14	15	26.5	26	5	5	8.0	—	3	3	0.8	—				
Honolulu (Urban), HI	0	0	0.0	—	1	1	0.5	—	1	1	12.7	—	1	1	3.3	—	1	1	1.5	—				
Houston–The Woodlands–Sugar Land, TX	0	0	0.0	—	6	6	3.1	—	213	227	47.7	7	72	77	8.9	7	23	25	2.4	18				
Indianapolis–Carmel–Anderson, IN	0	0	0.0	—	2	2	9.7	—	28	30	23.6	31	6	6	15.9	—	8	8	1.3	—				
Jackson, MS	0	0	0.0	—	0	0	0.0	—	32	34	27.7	22	0	0	0.0	—	5	5	4.4	—				
Jacksonville, FL	0	0	0.0	—	1	1	4.4	—	52	55	42.2	10	4	4	9.5	—	21	22	5.5	3				
Kansas City, MO–KS	0	0	0.0	—	1	1	4.5	—	11	12	10.6	—	6	6	10.2	—	5	5	0.8	—				
Knoxville, TN	0	0	0.0	—	0	0	0.0	—	2	2	10.2	—	0	0	0.0	—	4	4	1.3	—				
Lakeland–Winter Haven, FL	0	0	0.0	—	0	0	0.0	—	17	18	46.7	8	4	4	9.1	—	3	3	1.8	—				
Lancaster, PA	0	0	0.0	—	0	0	0.0	—	2	2	32.1	—	2	2	10.9	—	0	0	0.0	—				
Las Vegas–Henderson–Paradise, NV	0	0	0.0	—	6	6	6.6	—	24	25	27.8	21	8	8	3.6	—	12	13	3.1	6				
Little Rock–North Little Rock–Conway, AR	0	0	0.0	—	0	0	0.0	—	14	15	21.1	43	0	0	0.0	—	5	6	2.5	—				
Los Angeles–Long Beach–Anaheim, CA	0	0	0.0	—	9	11	1.1	—	68	78	19.4	46	113	131	5.5	12	37	43	2.4	17				
Anaheim Division	0	0	0.0	—	3	4	1.3	—	4	5	22.2	—	12	14	3.3	—	8	9	1.6	—				
Los Angeles Division	0	0	0.0	—	6	7	1.0	—	64	73	19.2	—	101	117	6.0	—	29	33	2.7	—				
Louisville/Jefferson County, KY–IN	0	0	0.0	—	2	2	21.2	—	16	17	22.5	39	1	1	5.9	—	10	11	2.4	—				
Madison, WI	0	0	0.0	—	0	0	0.0	—	2	2	21.4	—	0	0	0.0	—	1	1	0.5	—				
McAllen–Edinburg–Mission, TX	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	14	15	5.2	13	0	0	0.0	—				
Memphis, TN–MS–AR	0	0	0.0	—	0	0	0.0	—	71	75	27.6	23	1	1	5.0	—	12	13	4.8	4				
Miami–Fort Lauderdale–West Palm Beach, FL	0	0	0.0	—	0	0	0.0	—	341	360	68.9	2	78	82	7.3	8	55	58	6.7	2				
Fort Lauderdale Division	0	0	0.0	—	0	0	0.0	—	126	133	59.3	—	14	15	6.7	—	23	24	7.3	—				
Miami Division	0	0	0.0	—	0	0	0.0	—	138	146	75.7	—	50	53	6.6	—	15	16	9.7	—				
West Palm Beach Division	0	0	0.0	—	0	0	0.0	—	77	81	76.9	—	14	15	12.8	—	17	18	4.8	—				
Milwaukee–Waukesha–West Allis, WI	0	0	0.0	—	0	0	0.0	—	13	14	12.4	51	5	5	9.4	—	1	1	0.2	—				
Minneapolis–St. Paul–Bloomington, MN–WI	2	2	23.8	—	1	1	1.2	—	43	46	44.8	9	4	4	6.4	—	10	11	0.9	—				
Modesto, CA	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	1	1	1.3	—	1	1	1.1	—				
Nashville–Davidson–Murfreesboro–Franklin, TN	1	1	54.6	—	0	0	0.0	—	24	25	21.2	41	0	0	0.0	—	6	6	1.1	—				
New Haven–Milford, CT	0	0	0.0	—	1	1	6.7	—	9	9	20.2	—	2	2	3.7	—	1	1	0.4	—				

Table 5a. Diagnoses of HIV infection among adult and adolescent females, by race/ethnicity and metropolitan statistical area of residence, 2014—United States (cont)

MSA of residence	American Indian/Alaska Native				Asian				Black/African American				Hispanic/Latino ^a				White							
	Estimated ^b			No.	Estimated ^b			No.	Estimated ^b			No.	Estimated ^b			No.	Estimated ^b			No.	Estimated ^b			
	No.	No.	Rate		Rank ^c	No.	No.		No.	No.	Rate		No.	No.	Rate		No.	No.	Rate		No.	No.	Rate	
New Orleans–Metairie, LA	0	0	0.0	—	0	0	0.0	—	70	74	38.6	16	9	9	24.3	—	9	10	3.4	—	9	10	3.4	—
New York–Newark–Jersey City, NY–NJ–PA ^d	2	2	14.3	—	8	9	0.9	—	558	614	41.3	12	237	262	13.5	5	73	80	1.9	20	73	80	1.9	20
Nassau County Division	0	0	0.0	—	0	0	0.0	—	24	26	21.6	—	17	18	9.6	—	11	12	1.4	—	11	12	1.4	—
New York Division	2	2	18.8	—	8	9	1.1	—	420	457	40.2	—	185	203	13.1	—	44	49	1.8	—	44	49	1.8	—
Newark Division	0	0	0.0	—	0	0	0.0	—	107	124	56.6	—	34	40	21.5	—	14	16	2.7	—	14	16	2.7	—
North Port–Sarasota–Bradenton, FL	0	0	0.0	—	0	0	0.0	—	11	12	55.8	—	3	3	9.6	—	6	6	2.3	—	6	6	2.3	—
Ogden–Clearfield, UT	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	1	1	3.9	—	1	1	0.5	—	1	1	0.5	—
Oklahoma City, OK	1	1	5.1	—	0	0	0.0	—	9	10	17.2	—	2	2	4.3	—	10	11	2.9	—	10	11	2.9	—
Omaha–Council Bluffs, NE–IA	0	0	0.0	—	0	0	0.0	—	5	5	18.9	—	0	0	0.0	—	1	1	0.4	—	1	1	0.4	—
Orlando–Kissimmee–Sanford, FL	1	1	42.9	—	1	1	2.3	—	78	83	53.7	6	43	45	16.9	2	14	15	2.8	8	14	15	2.8	8
Oxnard–Thousand Oaks–Ventura, CA	0	0	0.0	—	0	0	0.0	—	1	1	20.8	—	4	5	3.4	—	2	2	1.2	—	2	2	1.2	—
Palm Bay–Melbourne–Titusville, FL	0	0	0.0	—	0	0	0.0	—	5	5	21.7	—	1	1	4.9	—	11	12	6.0	—	11	12	6.0	—
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	0	0	0.0	—	2	2	1.4	—	147	158	28.6	20	26	28	14.7	4	44	48	2.8	9	44	48	2.8	9
Camden Division	0	0	0.0	—	0	0	0.0	—	17	20	22.7	—	11	13	26.3	—	10	11	3.0	—	10	11	3.0	—
Montgomery Division	0	0	0.0	—	0	0	0.0	—	5	5	9.7	—	0	0	0.0	—	5	6	0.8	—	5	6	0.8	—
Philadelphia Division	0	0	0.0	—	2	2	3.4	—	106	112	32.3	—	15	16	18.0	—	21	22	5.1	—	21	22	5.1	—
Wilmington Division	0	0	0.0	—	0	0	0.0	—	19	21	32.3	—	0	0	0.0	—	8	9	4.4	—	8	9	4.4	—
Phoenix–Mesa–Scottsdale, AZ	3	3	8.9	—	2	2	2.9	—	30	32	36.4	17	30	32	6.3	10	31	33	2.9	7	31	33	2.9	7
Pittsburgh, PA	0	0	0.0	—	1	1	5.0	—	19	20	23.5	32	0	0	0.0	—	8	8	0.9	—	8	8	0.9	—
Portland–South Portland, ME	0	0	0.0	—	0	0	0.0	—	11	12	378.0	—	2	2	59.2	—	2	2	1.0	—	2	2	1.0	—
Portland–Vancouver–Hillsboro, OR–WA	0	0	0.0	—	0	0	0.0	—	4	4	17.1	—	3	3	3.4	—	11	12	1.5	—	11	12	1.5	—
Providence–Warwick, RI–MA	0	0	0.0	—	1	1	4.9	—	11	13	38.3	—	7	8	11.0	—	8	9	1.6	—	8	9	1.6	—
Provo–Orem, UT	0	0	0.0	—	1	1	26.5	—	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—
Raleigh, NC	0	0	0.0	—	0	0	0.0	—	24	25	22.9	36	6	6	14.4	—	2	2	0.6	—	2	2	0.6	—
Richmond, VA	0	0	0.0	—	0	0	0.0	—	24	26	15.0	48	3	3	12.4	—	4	4	1.3	—	4	4	1.3	—
Riverside–San Bernardino–Ontario, CA	2	2	27.0	—	4	5	3.5	—	16	19	14.1	50	16	19	2.2	18	16	19	2.8	10	16	19	2.8	10
Rochester, NY	0	0	0.0	—	0	0	0.0	—	8	8	16.7	—	6	6	22.7	—	4	4	1.1	—	4	4	1.1	—
Sacramento–Roseville–Arden-Arcade, CA	0	0	0.0	—	2	2	1.7	—	15	16	24.7	29	3	3	1.9	—	13	14	2.6	14	13	14	2.6	14
St. Louis, MO–IL	0	0	0.0	—	0	0	0.0	—	45	49	21.1	42	2	2	8.0	—	10	11	1.2	—	10	11	1.2	—
Salt Lake City, UT	0	0	0.0	—	1	1	5.8	—	3	3	57.4	—	2	2	3.0	—	6	6	1.8	—	6	6	1.8	—
San Antonio–New Braunfels, TX	0	0	0.0	—	0	0	0.0	—	11	12	19.8	—	23	25	4.9	15	8	9	2.5	—	8	9	2.5	—
San Diego–Carlsbad–San Marcos, CA	0	0	0.0	—	5	6	3.3	—	5	6	9.6	—	19	22	5.2	14	15	17	2.7	12	15	17	2.7	12
San Francisco–Oakland–Hayward, CA ^d	0	0	0.0	—	6	7	1.3	—	33	38	24.0	30	14	16	4.0	17	19	21	2.5	16	19	21	2.5	16
Oakland Division	0	0	0.0	—	5	6	2.1	—	27	31	24.5	—	6	7	2.8	—	10	12	2.5	—	10	12	2.5	—
San Francisco Division	0	0	0.0	—	0	0	0.0	—	4	4	15.5	—	7	8	6.0	—	8	8	3.0	—	8	8	3.0	—
San Jose–Sunnyvale–Santa Clara, CA	0	0	0.0	—	2	2	0.8	—	2	2	11.6	—	6	7	3.2	—	1	1	0.4	—	1	1	0.4	—
San Juan–Carolina–Caguas, PR ^e	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Santa Rosa, CA	0	0	0.0	—	0	0	0.0	—	1	1	41.6	—	1	1	2.4	—	0	0	0.0	—	0	0	0.0	—
Scranton–Wilkes-Barre–Hazelton, PA	0	0	0.0	—	0	0	0.0	—	2	2	40.6	—	1	1	7.1	—	5	5	2.4	—	5	5	2.4	—

Table 5a. Diagnoses of HIV infection among adult and adolescent females, by race/ethnicity and metropolitan statistical area of residence, 2014—United States (cont)

MSA of residence	American Indian/Alaska Native				Asian				Black/African American				Hispanic/Latino ^a				White			
	Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b			
	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c
Seattle–Tacoma–Bellevue, WA	0	0	0.0	—	3	3	1.5	—	30	32	39.6	14	4	4	3.4	—	16	17	1.6	22
Seattle Division	0	0	0.0	—	3	3	1.7	—	23	24	41.1	—	4	4	4.5	—	12	13	1.6	—
Tacoma Division	0	0	0.0	—	0	0	0.0	—	7	7	35.3	—	0	0	0.0	—	4	4	1.7	—
Spokane–Spokane Valley, WA	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	2	2	1.1	—
Springfield, MA	0	0	0.0	—	0	0	0.0	—	2	3	16.2	—	8	11	22.9	—	5	7	3.3	—
Stockton–Lodi, CA	0	0	0.0	—	2	2	4.8	—	1	1	5.7	—	3	3	3.2	—	0	0	0.0	—
Syracuse, NY	0	0	0.0	—	1	1	13.6	—	6	6	29.1	—	0	0	0.0	—	5	5	2.2	—
Tampa–St. Petersburg–Clearwater, FL	0	0	0.0	—	1	1	2.3	—	78	83	56.9	4	22	23	11.2	6	29	31	3.5	5
Toledo, OH	0	0	0.0	—	0	0	0.0	—	2	2	5.7	—	1	1	7.3	—	2	2	1.0	—
Tucson, AZ	0	0	0.0	—	0	0	0.0	—	5	5	44.7	—	4	4	2.9	—	3	3	1.3	—
Tulsa, OK	1	1	3.3	—	0	0	0.0	—	8	9	26.1	—	0	0	0.0	—	9	10	3.4	—
Virginia Beach–Norfolk–Newport News, VA–NC	0	0	0.0	—	0	0	0.0	—	44	46	20.3	45	2	2	5.4	—	10	10	2.5	—
Washington–Arlington–Alexandria, DC–VA–MD–WV	0	0	0.0	—	5	6	2.1	—	240	285	41.9	11	20	24	7.1	9	16	19	1.5	23
Silver Spring Division	0	0	0.0	—	1	1	1.5	—	53	65	73.6	—	6	8	10.1	—	1	1	0.4	—
Washington Division	0	0	0.0	—	4	4	2.3	—	187	220	37.2	—	14	16	6.1	—	15	18	1.9	—
Wichita, KS	0	0	0.0	—	0	0	0.0	—	1	1	5.8	—	0	0	0.0	—	4	4	2.1	—
Winston-Salem, NC	0	0	0.0	—	0	0	0.0	—	15	16	30.5	18	2	2	9.9	—	0	0	0.0	—
Worcester, MA–CT	0	0	0.0	—	0	0	0.0	—	5	7	50.5	—	3	4	10.1	—	0	0	0.0	—
Youngstown–Warren–Boardman, OH–PA	0	0	0.0	—	0	0	0.0	—	1	1	4.2	—	0	0	0.0	—	2	2	1.0	—
Subtotal for MSAs (population of ≥500,000)	19	20	5.4	—	107	119	1.8	—	3,787	4,199	32.0	—	1,062	1,175	6.9	—	936	1,027	1.9	—
Metropolitan areas (population of 50,000–499,999)	20	21	6.5	—	13	14	1.9	—	645	710	23.9	—	123	135	4.3	—	306	332	1.4	—
Nonmetropolitan areas	7	7	2.8	—	2	3	2.6	—	166	182	18.1	—	27	29	3.4	—	105	114	1.1	—
Total^f	46	49	5.1	—	123	137	1.8	—	4,623	5,128	30.0	—	1,220	1,350	6.5	—	1,355	1,483	1.7	—

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

Data for Native Hawaiians/other Pacific Islanders are not presented due to small population denominators (i.e., less than 100). However, data are summarized in Commentary.

^a Hispanics/Latinos can be of any race.

^b Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting. Rates are per 100,000 population.

^c Based on estimated rate. Ranks were not assigned to MSAs with estimated rates that were based on reported or estimated numbers less than 12.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Data are not presented for San Juan–Carolina–Caguas, PR. The 2014 postcensal estimates do not include population denominators by race/ethnicity for Puerto Rico, thereby preventing assessment of the suppression rule for population denominators (i.e., cells suppressed when population denominator <100).

^f Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 5b. Adult and adolescent females living with diagnosed HIV infection (prevalence), by race/ethnicity and metropolitan statistical area of residence, year-end 2013—United States

MSA of residence	American Indian/ Alaska Native			Asian ^a			Black/African American			Hispanic/Latino ^b			White		
	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		No.
	No.	No.		Rate	No.		No.	No.		No.	No.		No.	No.	
Akron, OH	0	0	0.0	2	2	28.9	94	94	250.7	4	4	86.2	67	67	26.3
Albany–Schenectady–Troy, NY	0	0	0.0	7	7	51.1	261	261	937.0	121	121	780.8	189	189	58.4
Albuquerque, NM	11	11	55.3	0	0	0.0	15	15	199.9	59	59	34.1	57	57	33.7
Allentown–Bethlehem–Easton, PA–NJ	2	2	455.9	1	1	10.3	124	125	819.4	239	239	532.9	130	130	45.2
Atlanta–Sandy Springs–Roswell, GA	2	2	33.7	25	26	20.7	4,602	4,729	593.1	324	334	172.9	500	514	43.1
Augusta–Richmond County, GA–SC	0	0	0.0	1	1	20.1	573	586	667.8	15	16	165.4	92	94	66.8
Austin–Round Rock, TX	0	0	0.0	7	7	17.1	330	329	584.9	183	183	82.2	167	166	37.6
Bakersfield, CA	1	1	39.6	4	4	24.6	35	35	216.3	89	89	58.2	64	64	47.2
Baltimore–Columbia–Towson, MD	5	5	169.9	14	15	23.8	5,362	5,482	1,531.9	137	141	284.0	648	662	91.1
Baton Rouge, LA	1	1	116.7	2	2	29.2	1,522	1,524	1,229.6	12	12	118.7	164	164	80.6
Birmingham–Hoover, AL	0	0	0.0	1	1	14.7	758	750	515.2	21	21	142.3	167	165	50.9
Boise City, ID	1	1	61.9	0	0	0.0	10	10	593.1	13	13	44.8	38	38	17.1
Boston–Cambridge–Newton, MA–NH ^d	2	2	66.0	56	59	38.7	1,902	1,968	1,300.6	758	784	426.4	722	732	46.7
Boston Division	1	1	62.7	19	19	30.2	1,171	1,208	1,102.8	348	361	436.5	319	324	53.8
Cambridge Division	1	1	87.0	37	39	47.3	718	747	1,838.5	403	416	426.7	366	372	47.0
Bridgeport–Stamford–Norwalk, CT	1	1	229.1	5	5	24.0	440	439	974.3	282	281	423.3	171	170	62.9
Buffalo–Cheektowaga–Niagara Falls, NY	2	2	62.5	10	10	82.2	340	341	574.8	126	126	663.3	158	158	39.0
Cape Coral–Fort Myers, FL	0	0	0.0	0	0	0.0	345	345	1,562.5	78	78	164.0	142	141	65.4
Charleston–North Charleston, SC	1	1	88.1	0	0	0.0	521	522	621.9	23	23	187.0	108	108	54.5
Charlotte–Concord–Gastonia, NC–SC	2	2	56.9	12	12	40.8	1,624	1,615	706.5	90	90	119.0	294	291	45.0
Chattanooga, TN–GA	0	0	0.0	1	1	26.7	161	157	471.5	12	12	177.4	103	102	53.5
Chicago–Naperville–Elgin, IL–IN–WI	6	6	108.5	61	62	24.0	4,324	4,318	594.6	962	966	129.0	769	767	33.4
Chicago Division	6	6	151.1	57	58	26.1	4,011	4,004	634.7	847	851	144.2	589	588	35.1
Elgin Division	0	0	0.0	3	3	30.9	59	59	401.7	43	43	70.6	49	49	28.9
Gary Division	0	0	0.0	0	0	0.0	170	170	302.8	24	24	60.6	80	80	39.9
Lake County Division	0	0	0.0	1	1	4.6	84	84	344.7	48	48	82.1	51	51	20.3
Cincinnati, OH–KY–IN	0	0	0.0	2	2	10.3	431	433	391.5	26	26	133.1	262	263	35.1
Cleveland–Elyria, OH	2	2	127.2	2	2	10.1	644	646	352.4	130	130	328.8	192	192	29.2
Colorado Springs, CO	1	1	56.3	3	3	32.5	43	43	293.3	21	21	55.1	55	55	26.7
Columbia, SC	0	0	0.0	2	2	30.3	895	896	769.2	30	30	223.2	146	146	72.5
Columbus, OH	1	1	57.0	5	5	18.2	581	583	486.6	36	36	149.7	276	277	42.9
Dallas–Fort Worth–Arlington, TX	7	7	60.9	44	45	26.7	2,856	2,897	646.6	702	713	104.8	715	717	49.0
Dallas Division	5	5	69.1	33	34	26.8	2,257	2,298	714.6	550	561	119.2	420	424	46.8
Fort Worth Division	2	2	46.9	11	11	26.6	599	598	473.5	152	153	72.6	295	293	52.5
Dayton, OH	1	1	139.1	0	0	0.0	205	206	374.2	3	3	44.8	97	97	35.3
Deltona–Daytona Beach–Ormond Beach, FL	0	0	0.0	0	0	0.0	271	271	998.2	43	42	151.8	141	141	67.8
Denver–Aurora–Lakewood, CO	14	14	241.8	15	15	32.0	366	368	629.4	191	192	85.1	340	341	44.4
Des Moines–West Des Moines, IA	0	0	0.0	6	6	73.4	53	53	483.7	11	11	81.4	34	34	16.0

Table 5b. Adult and adolescent females living with diagnosed HIV infection (prevalence), by race/ethnicity and metropolitan statistical area of residence, year-end 2013—United States (cont)

MSA of residence	American Indian/ Alaska Native			Asian ^a			Black/African American			Hispanic/Latino ^b			White		
	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		
	No.	Rate		No.	Rate		No.	Rate		No.	Rate		No.	Rate	
Detroit–Warren–Dearborn, MI	5	5	87.8	11	11	16.6	1,866	1,854	425.8	78	78	121.4	301	299	23.5
Detroit Division	2	2	74.5	4	4	18.9	1,603	1,590	509.8	59	59	166.8	151	150	38.4
Warren Division	3	3	99.4	7	7	15.5	263	264	213.6	19	19	65.8	150	150	17.0
Durham–Chapel Hill, NC	0	0	0.0	3	3	26.9	469	463	700.1	47	47	246.2	43	43	31.4
El Paso, TX	0	0	0.0	0	0	0.0	22	22	265.6	195	195	69.2	17	17	38.8
Fayetteville–Springdale–Rogers, AR	0	0	0.0	0	0	0.0	9	9	236.7	22	22	88.1	78	78	49.1
Fresno, CA	5	5	195.5	7	7	18.3	87	86	477.5	128	128	71.2	66	65	48.4
Grand Rapids–Wyoming, MI	1	1	66.0	8	8	78.3	134	135	528.6	24	24	78.2	65	65	18.5
Greensboro–High Point, NC	6	6	407.6	4	4	41.2	536	533	610.1	20	20	105.1	96	95	46.7
Greenville–Anderson–Mauldin, SC	0	0	0.0	1	1	16.4	273	273	445.9	20	20	111.6	102	102	36.7
Harrisburg–Carlisle, PA	0	0	0.0	0	0	0.0	144	144	646.5	51	51	484.5	125	125	63.1
Hartford–West Hartford–East Hartford, CT	0	0	0.0	5	5	22.4	342	340	618.9	503	499	772.0	254	252	65.2
Honolulu (Urban), HI	1	1	130.5	57	57	28.7	20	20	257.3	21	21	68.8	65	65	90.6
Houston–The Woodlands–Sugar Land, TX	1	1	15.6	46	47	24.2	4,322	4,328	933.8	1,176	1,182	142.0	743	742	70.8
Indianapolis–Carmel–Anderson, IN	0	0	0.0	7	7	34.3	505	507	412.2	55	55	142.6	266	265	42.2
Jackson, MS	1	1	252.5	1	1	38.2	914	903	745.9	14	14	356.4	75	74	61.5
Jacksonville, FL	1	1	51.8	12	12	51.8	1,692	1,693	1,321.4	87	87	209.4	379	378	94.7
Kansas City, MO–KS	0	0	0.0	9	9	41.2	432	434	398.5	62	62	102.3	212	211	32.2
Knoxville, TN	0	0	0.0	1	1	19.5	80	79	383.6	9	9	97.9	128	127	38.3
Lakeland–Winter Haven, FL	2	2	263.7	0	0	0.0	360	359	951.9	78	78	179.9	177	177	99.5
Lancaster, PA	0	0	0.0	0	0	0.0	64	64	969.9	96	95	516.0	83	82	42.6
Las Vegas–Henderson–Paradise, NV	10	10	245.1	24	24	26.3	448	449	510.5	167	167	73.9	338	336	83.6
Little Rock–North Little Rock–Conway, AR	1	1	75.0	1	1	18.3	254	253	356.1	10	10	89.8	85	85	39.1
Los Angeles–Long Beach–Anaheim, CA	12	12	101.6	194	198	21.0	1,921	1,950	488.1	2,777	2,820	120.7	1,042	1,052	57.9
Anaheim Division	0	0	0.0	47	48	17.8	90	91	449.4	392	396	96.8	282	282	47.2
Los Angeles Division	12	12	134.5	147	150	22.3	1,831	1,859	490.1	2,385	2,423	125.8	760	770	63.1
Louisville/Jefferson County, KY–IN	1	1	85.6	4	4	42.4	351	347	453.8	22	22	128.5	182	181	41.9
Madison, WI	0	0	0.0	5	5	43.4	59	59	599.8	12	12	105.2	46	46	19.8
McAllen–Edinburg–Mission, TX	0	0	0.0	1	1	29.2	1	1	111.8	213	214	74.1	6	6	22.9
Memphis, TN–MS–AR	1	1	70.6	4	4	35.0	2,017	1,986	732.5	41	41	196.0	186	184	69.1
Miami–Fort Lauderdale–West Palm Beach, FL	8	8	231.0	15	15	23.4	11,742	11,754	2,286.7	2,450	2,452	221.7	1,268	1,262	143.4
Fort Lauderdale Division	7	7	449.7	7	7	24.4	4,045	4,049	1,850.3	417	417	195.3	513	509	151.7
Miami Division	1	1	101.5	7	7	37.1	5,386	5,388	2,803.9	1,744	1,747	223.7	359	358	215.9
West Palm Beach Division	0	0	0.0	1	1	5.9	2,311	2,316	2,249.1	289	288	258.8	396	395	104.3
Milwaukee–Waukesha–West Allis, WI	5	5	172.7	8	8	39.1	419	418	380.2	102	101	185.1	105	105	21.9
Minneapolis–St. Paul–Bloomington, MN–WI	43	43	482.9	26	26	30.3	903	907	922.9	93	93	146.5	348	348	29.7
Modesto, CA	0	0	0.0	5	5	41.7	13	13	248.4	29	29	34.7	52	52	48.5
Nashville–Davidson–Murfreesboro–Franklin, TN	1	1	51.9	9	9	49.4	689	679	580.7	59	59	155.8	322	316	55.7
New Haven–Milford, CT	1	1	154.1	1	1	6.8	451	449	964.3	343	342	629.0	264	261	99.2

Table 5b. Adult and adolescent females living with diagnosed HIV infection (prevalence), by race/ethnicity and metropolitan statistical area of residence, year-end 2013—United States (cont)

MSA of residence	American Indian/ Alaska Native			Asian ^a			Black/African American			Hispanic/Latino ^b			White		
	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		
	No.	No.		Rate	No.		No.	No.		Rate	No.	No.	Rate	No.	No.
New Orleans–Metairie, LA	0	0	0.0	9	9	59.9	1,941	1,940	1,025.7	105	106	278.7	259	258	88.9
New York–Newark–Jersey City, NY–NJ–PA ^d	20	20	127.0	302	305	32.2	24,424	24,472	1,650.3	13,778	13,806	720.2	3,825	3,829	88.7
Nassau County Division	1	1	51.3	11	11	14.6	832	834	715.7	483	485	266.4	411	411	47.9
New York Division	18	18	149.7	275	277	35.2	19,560	19,592	1,723.7	12,366	12,384	805.7	2,909	2,913	106.7
Newark Division	1	1	69.5	15	15	19.9	3,908	3,922	1,804.6	866	873	483.9	426	427	71.8
North Port–Sarasota–Bradenton, FL	0	0	0.0	0	0	0.0	270	271	1,336.7	56	56	180.0	163	163	59.1
Ogden–Clearfield, UT	0	0	0.0	1	1	21.8	5	5	215.6	7	7	27.1	26	26	13.0
Oklahoma City, OK	29	29	139.1	5	5	28.1	162	162	285.7	40	40	76.0	179	178	46.6
Omaha–Council Bluffs, NE–IA	7	7	440.1	6	6	66.7	160	161	585.3	30	30	109.0	105	105	35.1
Orlando–Kissimmee–Sanford, FL	0	0	0.0	7	7	15.8	1,516	1,519	1,016.4	576	576	224.9	395	395	76.5
Oxnard–Thousand Oaks–Ventura, CA	0	0	0.0	1	1	3.6	13	13	237.0	62	62	46.9	55	54	30.1
Palm Bay–Melbourne–Titusville, FL	0	0	0.0	2	2	31.1	224	224	944.0	30	30	144.4	147	146	76.0
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	13	13	305.0	47	48	33.1	5,335	5,320	967.2	1,040	1,039	551.1	1,059	1,055	61.2
Camden Division	0	0	0.0	5	5	20.0	406	411	475.5	198	199	426.5	153	154	40.9
Montgomery Division	2	2	233.3	5	5	10.9	243	244	453.9	54	54	155.4	174	173	24.6
Philadelphia Division	8	8	412.8	34	34	57.2	4,116	4,097	1,182.1	731	728	849.1	569	565	129.8
Wilmington Division	3	3	486.7	3	3	24.6	570	568	897.6	57	57	268.5	163	163	77.8
Phoenix–Mesa–Scottsdale, AZ	51	51	150.8	22	22	32.2	323	325	387.5	366	368	76.2	507	506	45.1
Pittsburgh, PA	0	0	0.0	4	4	19.7	379	378	441.5	10	10	76.1	167	166	17.9
Portland–South Portland, ME	1	1	140.4	2	2	49.4	48	49	1,658.3	10	10	296.5	59	59	27.1
Portland–Vancouver–Hillsboro, OR–WA	8	8	113.7	22	22	34.1	109	109	448.8	54	54	60.5	290	290	37.6
Providence–Warwick, RI–MA	5	5	202.8	6	6	29.6	290	292	910.6	261	263	386.0	376	378	65.0
Provo–Orem, UT	0	0	0.0	0	0	0.0	2	2	228.7	5	5	24.1	14	14	8.0
Raleigh, NC	2	2	118.5	8	8	33.0	649	646	596.1	59	59	141.0	133	133	40.4
Richmond, VA	1	1	51.9	5	5	25.8	938	923	548.8	40	40	165.6	129	128	39.4
Riverside–San Bernardino–Ontario, CA	5	5	59.0	20	20	16.0	376	379	289.6	354	360	44.1	351	353	52.4
Rochester, NY	0	0	0.1	2	2	15.8	432	432	856.0	269	270	1,001.9	187	187	49.4
Sacramento–Roseville–Arden-Arcade, CA	1	1	14.0	33	33	27.2	249	248	381.8	82	82	47.4	247	246	45.3
St. Louis, MO–IL	0	0	0.0	8	8	27.7	944	949	412.7	41	41	150.9	273	275	29.9
Salt Lake City, UT	4	4	129.4	10	10	58.0	75	76	1,439.7	61	61	90.1	130	130	38.0
San Antonio–New Braunfels, TX	0	0	0.0	9	9	37.9	205	205	344.3	416	416	83.5	138	137	38.9
San Diego–Carlsbad–San Marcos, CA	7	7	120.3	63	64	38.0	298	301	512.5	466	472	113.5	384	387	58.8
San Francisco–Oakland–Hayward, CA ^d	12	12	251.1	143	144	28.0	1,246	1,248	793.0	434	436	114.7	586	584	69.9
Oakland Division	2	2	59.5	58	59	21.4	826	831	650.3	179	181	75.1	231	232	49.7
San Francisco Division	10	10	788.1	83	83	35.8	410	407	1,479.5	239	240	191.8	319	317	111.8
San Jose–Sunnyvale–Santa Clara, CA	3	3	157.1	44	44	16.3	125	125	683.9	130	130	64.7	121	120	42.2
San Juan–Carolina–Caguas, PR ^e	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Santa Rosa, CA	1	1	59.8	5	5	53.1	14	14	523.2	27	27	58.7	95	95	63.0
Scranton–Wilkes-Barre–Hazelton, PA	0	0	0.0	1	1	27.3	38	38	787.0	31	31	220.7	84	84	37.4

Table 5b. Adult and adolescent females living with diagnosed HIV infection (prevalence), by race/ethnicity and metropolitan statistical area of residence, year-end 2013—United States (cont)

MSA of residence	American Indian/ Alaska Native			Asian ^a			Black/African American			Hispanic/Latino ^b			White		
	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		No.
	No.	Rate		No.	Rate		No.	Rate		No.	Rate		No.	Rate	
Seattle–Tacoma–Bellevue, WA	24	24	176.9	49	49	24.2	497	500	639.0	114	115	98.3	404	404	38.5
Seattle Division	18	18	188.5	39	39	22.0	421	423	736.3	84	85	94.5	302	302	37.6
Tacoma Division	6	6	149.9	10	10	39.5	76	76	368.8	30	30	110.7	102	102	41.5
Spokane–Spokane Valley, WA	2	2	52.0	4	4	75.8	6	6	221.8	3	3	32.9	38	38	19.0
Springfield, MA	0	0	0.0	5	5	61.3	145	149	851.8	389	397	872.2	127	131	63.2
Stockton–Lodi, CA	1	1	74.2	10	10	23.1	86	86	425.1	45	45	44.2	78	77	70.5
Syracuse, NY	4	4	205.3	5	5	66.8	156	157	722.2	34	34	363.3	112	112	45.6
Tampa–St. Petersburg–Clearwater, FL	1	1	29.8	9	9	21.0	1,560	1,562	1,097.5	432	432	216.0	750	749	85.9
Toledo, OH	0	0	0.0	1	1	24.1	162	162	441.4	12	12	85.6	97	98	47.7
Tucson, AZ	9	9	89.7	6	6	45.9	73	74	624.5	79	79	55.5	118	118	47.9
Tulsa, OK	16	16	50.9	4	4	51.5	84	84	251.7	23	23	83.6	113	112	39.5
Virginia Beach–Norfolk–Newport News, VA–NC	3	3	119.6	4	4	12.9	1,423	1,403	618.1	78	78	207.6	247	244	58.8
Washington–Arlington–Alexandria, DC–VA–MD–WV	7	7	123.4	81	82	31.1	8,351	8,489	1,262.7	602	613	189.1	626	630	51.0
Silver Spring Division	2	2	207.0	24	25	34.1	1,179	1,215	1,391.3	124	128	162.7	176	180	60.9
Washington Division	5	5	106.3	57	57	30.0	7,172	7,274	1,243.5	478	485	197.5	450	450	47.9
Wichita, KS	0	0	0.0	1	1	10.5	71	71	382.1	21	21	82.0	52	52	25.9
Winston-Salem, NC	1	1	111.4	0	0	0.0	405	400	779.3	22	22	108.5	85	85	41.3
Worcester, MA–CT	0	0	0.0	5	5	32.6	209	218	1,650.4	225	229	635.3	193	194	58.7
Youngstown–Warren–Boardman, OH–PA	0	0	0.0	0	0	0.0	96	96	381.7	17	17	299.7	51	51	24.2
Subtotal for MSAs (population of ≥500,000)	407	406	108.2	1,728	1,752	27.0	115,341	115,830	894.8	34,681	34,856	211.4	28,102	28,115	52.6
Metropolitan areas (population of 50,000–499,999)	225	225	69.8	252	254	35.0	15,934	15,947	541.9	2,868	2,874	94.9	8,274	8,258	35.2
Nonmetropolitan areas	123	123	47.3	27	27	27.9	4,851	4,848	480.4	674	676	81.6	2,471	2,466	24.0
Total^f	763	763	79.5	2,020	2,047	28.0	136,979	137,504	813.8	38,478	38,664	190.0	39,181	39,177	44.9

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

Data for Native Hawaiians/other Pacific Islanders are not presented due to small population denominators (i.e., less than 100). However, data are summarized in Commentary.

^a Includes Asian/Pacific Islander legacy cases (see Technical Notes).

^b Hispanics/Latinos can be of any race.

^c Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting. Rates are per 100,000 population.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Data are not presented for San Juan–Carolina–Caguas, PR. The 2014 postcensal estimates do not include population denominators by race/ethnicity for Puerto Rico, thereby preventing assessment of the suppression rule for population denominators (i.e., cells suppressed when population denominator <100).

^f Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 6a. Diagnoses of HIV infection among adult and adolescent males, by transmission category and metropolitan statistical area of residence, 2014—United States and Puerto Rico

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Akron, OH	32	40	1	1	1	1	2	2	6	0
Albany–Schenectady–Troy, NY	29	33	3	4	2	2	4	5	4	0
Albuquerque, NM	44	50	7	8	3	4	3	3	5	0
Allentown–Bethlehem–Easton, PA–NJ	16	23	3	6	2	3	5	6	9	0
Atlanta–Sandy Springs–Roswell, GA	413	1,031	5	45	3	19	20	102	460	0
Augusta–Richmond County, GA–SC	26	64	0	4	0	1	1	10	34	0
Austin–Round Rock, TX	202	266	9	12	13	17	5	8	46	0
Bakersfield, CA	48	75	6	9	2	5	5	8	27	0
Baltimore–Columbia–Towson, MD	221	369	16	30	5	9	61	94	104	1
Baton Rouge, LA	119	194	9	22	3	10	12	29	100	1
Birmingham–Hoover, AL	102	129	2	4	1	2	2	5	20	0
Boise City, ID	8	13	0	0	1	1	1	1	5	0
Boston–Cambridge–Newton, MA–NH ^d	184	320	13	37	7	12	7	42	96	2
Boston Division	113	188	7	22	4	7	6	30	52	1
Cambridge Division	66	124	6	15	3	6	1	12	41	0
Bridgeport–Stamford–Norwalk, CT	38	46	3	6	1	1	8	11	10	0
Buffalo–Cheektowaga–Niagara Falls, NY	63	73	2	3	2	2	7	8	8	0
Cape Coral–Fort Myers, FL	57	61	2	2	1	1	19	20	1	0
Charleston–North Charleston, SC	81	103	2	4	1	1	7	13	24	0
Charlotte–Concord–Gastonia, NC–SC	242	307	2	6	11	15	17	38	74	0
Chattanooga, TN–GA	29	37	2	3	4	5	2	3	7	0
Chicago–Naperville–Elgin, IL–IN–WI	872	1,153	12	28	19	29	49	69	179	18
Chicago Division	783	1,038	10	24	17	26	38	54	157	17
Elgin Division	34	43	1	1	1	1	2	3	6	0
Gary Division	30	42	0	1	1	2	3	5	13	0
Lake County Division	25	31	1	1	0	0	6	6	3	0
Cincinnati, OH–KY–IN	104	148	8	11	5	6	10	16	44	0
Cleveland–Elyria, OH	133	192	1	3	2	3	12	17	56	0
Colorado Springs, CO	22	29	1	2	4	5	0	1	8	0
Columbia, SC	97	145	2	7	1	3	4	15	57	0
Columbus, OH	153	199	3	5	8	10	6	9	42	0
Dallas–Fort Worth–Arlington, TX	769	1,098	9	24	25	39	25	55	236	0
Dallas Division	649	915	6	17	21	32	12	34	178	0
Fort Worth Division	120	183	3	7	4	7	13	21	58	0
Dayton, OH	45	54	0	0	1	1	0	0	7	0
Deltona–Daytona Beach–Ormond Beach, FL	60	69	8	9	4	4	2	3	7	1
Denver–Aurora–Lakewood, CO	181	225	7	9	15	19	4	8	40	0
Des Moines–West Des Moines, IA	21	26	0	0	2	2	2	2	4	0
Detroit–Warren–Dearborn, MI	316	409	4	8	7	10	10	20	88	2
Detroit Division	212	275	4	8	3	6	8	16	61	0
Warren Division	104	133	0	1	4	5	2	4	27	2
Durham–Chapel Hill, NC	36	50	0	2	2	3	2	7	19	0
El Paso, TX	71	99	1	3	1	3	0	3	25	0
Fayetteville–Springdale–Rogers, AR	9	13	1	2	1	1	1	2	5	0
Fresno, CA	83	98	1	1	2	3	2	2	7	0
Grand Rapids–Wyoming, MI	32	46	0	1	2	3	3	4	13	0
Greensboro–High Point, NC	66	79	4	7	0	1	3	7	15	0
Greenville–Anderson–Mauldin, SC	69	84	2	3	2	3	3	6	14	0
Harrisburg–Carlisle, PA	23	31	3	5	1	1	4	7	11	0
Hartford–West Hartford–East Hartford, CT	38	48	9	14	1	1	5	8	14	0
Honolulu (Urban), HI	43	56	5	6	5	6	4	5	12	0

Table 6a. Diagnoses of HIV infection among adult and adolescent males, by transmission category and metropolitan statistical area of residence, 2014—United States and Puerto Rico (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Houston–The Woodlands–Sugar Land, TX	757	1,053	15	37	26	41	49	86	301	2
Indianapolis–Carmel–Anderson, IN	147	168	4	5	5	6	25	27	14	0
Jackson, MS	92	130	0	3	1	2	1	9	43	1
Jacksonville, FL	167	193	4	5	8	9	54	61	20	0
Kansas City, MO–KS	134	154	3	4	2	3	1	3	15	0
Knoxville, TN	30	36	1	1	0	0	1	2	5	0
Lakeland–Winter Haven, FL	47	50	1	1	0	0	15	17	1	0
Lancaster, PA	12	18	0	1	2	2	3	4	7	0
Las Vegas–Henderson–Paradise, NV	263	312	7	9	18	22	11	16	38	0
Little Rock–North Little Rock–Conway, AR	91	128	2	4	1	3	1	5	32	0
Los Angeles–Long Beach–Anaheim, CA	1,493	2,153	40	59	41	63	12	34	415	0
Anaheim Division	213	260	16	19	8	10	1	2	14	0
Los Angeles Division	1,280	1,892	24	40	33	52	11	32	401	0
Louisville/Jefferson County, KY–IN	85	132	3	5	5	6	1	6	47	0
Madison, WI	20	23	0	0	0	0	0	0	2	0
McAllen–Edinburg–Mission, TX	37	52	0	1	0	1	13	15	13	0
Memphis, TN–MS–AR	170	218	0	3	1	2	42	50	43	0
Miami–Fort Lauderdale–West Palm Beach, FL	1,412	1,598	32	43	24	29	304	353	144	2
Fort Lauderdale Division	452	498	17	21	10	11	114	134	36	1
Miami Division	826	935	10	15	9	11	128	146	75	1
West Palm Beach Division	134	166	5	8	5	7	62	73	33	0
Milwaukee–Waukesha–West Allis, WI	82	108	2	4	0	1	3	7	27	0
Minneapolis–St. Paul–Bloomington, MN–WI	132	187	3	5	11	14	6	14	57	1
Modesto, CA	11	14	0	0	0	0	0	0	3	0
Nashville–Davidson–Murfreesboro–Franklin, TN	156	187	5	6	3	4	6	10	25	0
New Haven–Milford, CT	47	55	2	5	1	2	8	11	10	0
New Orleans–Metairie, LA	224	310	8	15	6	12	18	31	92	1
New York–Newark–Jersey City, NY–NJ–PA ^d	2,076	2,811	58	271	49	75	172	326	805	1
Nassau County Division	138	185	3	16	3	4	9	19	56	0
New York Division	1,789	2,343	41	188	44	63	149	259	578	1
Newark Division	139	271	12	63	2	7	11	43	168	0
North Port–Sarasota–Bradenton, FL	58	65	2	3	3	4	10	13	6	0
Ogden–Clearfield, UT	4	8	0	0	2	3	1	1	4	0
Oklahoma City, OK	80	104	4	5	16	19	3	5	18	0
Omaha–Council Bluffs, NE–IA	43	51	2	2	2	2	5	7	7	0
Orlando–Kissimmee–Sanford, FL	368	430	16	22	14	16	34	49	57	1
Oxnard–Thousand Oaks–Ventura, CA	34	39	2	2	2	2	3	4	2	0
Palm Bay–Melbourne–Titusville, FL	29	35	0	0	0	0	4	7	7	0
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	447	522	29	45	10	13	174	200	61	0
Camden Division	53	84	4	15	0	1	10	19	35	0
Montgomery Division	60	67	2	2	2	2	16	17	4	0
Philadelphia Division	303	328	21	25	8	9	132	142	12	0
Wilmington Division	31	42	2	3	0	0	16	21	10	0
Phoenix–Mesa–Scottsdale, AZ	378	454	26	29	22	26	19	24	61	1
Pittsburgh, PA	98	123	3	7	2	3	6	10	27	0
Portland–South Portland, ME	9	16	1	3	1	1	1	5	12	0
Portland–Vancouver–Hillsboro, OR–WA	104	126	8	9	30	32	5	7	18	0
Providence–Warwick, RI–MA	71	94	2	6	4	5	13	17	17	0
Provo–Orem, UT	1	1	0	0	0	0	0	1	1	0
Raleigh, NC	80	118	0	4	5	7	7	17	46	0
Richmond, VA	120	145	3	4	3	4	12	16	22	0

Table 6a. Diagnoses of HIV infection among adult and adolescent males, by transmission category and metropolitan statistical area of residence, 2014—United States and Puerto Rico (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Riverside–San Bernardino–Ontario, CA	310	420	16	22	12	16	13	18	62	0
Rochester, NY	45	50	1	1	1	1	10	11	3	0
Sacramento–Roseville–Arden-Arcade, CA	78	104	7	9	3	4	26	30	21	0
St. Louis, MO–IL	176	216	0	2	10	12	20	24	30	1
Salt Lake City, UT	49	63	1	1	12	14	2	4	14	0
San Antonio–New Braunfels, TX	257	304	13	16	9	12	5	7	25	0
San Diego–Carlsbad–San Marcos, CA	318	385	14	17	22	26	42	50	19	0
San Francisco–Oakland–Hayward, CA ^d	499	605	20	24	48	53	20	27	61	1
Oakland Division	201	265	7	9	8	10	10	14	34	1
San Francisco Division	288	328	12	13	38	41	9	12	24	0
San Jose–Sunnyvale–Santa Clara, CA	101	137	8	10	7	10	1	4	29	0
San Juan–Carolina–Caguas, PR	194	257	35	61	2	4	75	101	62	0
Santa Rosa, CA	20	25	2	3	2	2	0	0	4	0
Scranton–Wilkes-Barre–Hazelton, PA	8	10	3	3	0	0	3	3	2	0
Seattle–Tacoma–Bellevue, WA	198	265	5	7	19	23	4	13	66	1
Seattle Division	177	233	5	7	17	21	4	12	56	1
Tacoma Division	21	31	0	0	2	3	0	1	10	0
Spokane–Spokane Valley, WA	3	3	0	0	0	0	1	1	0	0
Springfield, MA	20	34	1	4	2	3	0	1	9	0
Stockton–Lodi, CA	48	57	4	5	4	5	8	9	4	0
Syracuse, NY	38	47	4	6	1	1	5	7	11	0
Tampa–St. Petersburg–Clearwater, FL	333	417	20	25	20	23	44	57	80	4
Toledo, OH	33	39	1	1	0	0	3	4	4	0
Tucson, AZ	54	68	4	5	7	8	7	8	13	0
Tulsa, OK	67	77	4	5	6	7	1	1	5	1
Virginia Beach–Norfolk–Newport News, VA–NC	160	225	3	6	5	8	19	32	69	1
Washington–Arlington–Alexandria, DC–VA–MD–WV	461	778	8	33	12	25	53	124	284	2
Silver Spring Division	70	123	2	7	1	4	20	34	41	0
Washington Division	391	656	6	26	11	21	33	90	243	1
Wichita, KS	19	24	2	2	4	4	0	0	4	0
Winston-Salem, NC	29	38	2	3	2	2	2	5	11	0
Worcester, MA–CT	12	19	1	3	1	1	0	2	5	0
Youngstown–Warren–Boardman, OH–PA	18	24	1	1	0	0	2	3	6	0
Subtotal for MSAs (population of ≥500,000)	18,354	24,697	636	1,262	704	968	1,748	2,692	5,371	52
Metropolitan areas (population of 50,000–499,999)	2,717	3,852	165	291	130	190	288	504	1,137	7
Nonmetropolitan areas	637	967	53	91	32	51	92	169	360	2
Total^e	21,834	29,762	859	1,669	873	1,222	2,139	3,404	6,955	61

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States and Puerto Rico.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying trends based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.

^c Estimated numbers resulted from statistical adjustment that accounted for reporting delays and missing transmission category, but not for incomplete reporting.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 6b. Adult and adolescent males living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2013—United States and Puerto Rico

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Akron, OH	468	561	22	33	27	33	42	50	121	6
Albany–Schenectady–Troy, NY	722	799	228	280	135	144	126	153	190	27
Albuquerque, NM	860	923	65	74	126	135	52	60	91	3
Allentown–Bethlehem–Easton, PA–NJ	371	429	204	243	44	49	175	195	139	17
Atlanta–Sandy Springs–Roswell, GA	13,191	17,808	746	1,285	1,153	1,382	576	1,486	5,722	124
Augusta–Richmond County, GA–SC	718	955	107	170	61	83	110	212	421	27
Austin–Round Rock, TX	3,007	3,299	256	282	349	377	194	245	417	24
Bakersfield, CA	638	733	375	385	293	302	142	150	133	10
Baltimore–Columbia–Towson, MD	4,353	5,805	3,269	3,526	673	769	1,518	1,904	2,052	161
Baton Rouge, LA	1,185	1,699	333	439	162	250	290	438	877	30
Birmingham–Hoover, AL	1,864	2,250	116	147	113	140	192	262	558	18
Boise City, ID	247	283	33	36	57	62	14	18	52	5
Boston–Cambridge–Newton, MA–NH ^d	5,276	6,270	1,244	1,705	491	564	558	1,041	1,871	148
Boston Division	3,418	3,975	724	993	302	343	328	608	1,052	83
Cambridge Division	1,700	2,120	507	692	176	206	216	416	785	62
Bridgeport–Stamford–Norwalk, CT	748	858	448	501	44	50	310	343	243	32
Buffalo–Cheektowaga–Niagara Falls, NY	931	999	251	293	147	154	123	141	154	22
Cape Coral–Fort Myers, FL	547	647	73	88	65	74	247	291	180	12
Charleston–North Charleston, SC	984	1,172	108	156	94	116	167	241	349	16
Charlotte–Concord–Gastonia, NC–SC	2,879	3,697	329	447	166	243	400	688	1,348	23
Chattanooga, TN–GA	582	672	49	57	40	46	50	74	149	11
Chicago–Naperville–Elgin, IL–IN–WI	16,316	18,531	1,965	2,162	1,550	1,664	1,332	1,561	2,935	284
Chicago Division	15,060	17,026	1,804	1,973	1,410	1,504	1,165	1,366	2,591	262
Elgin Division	291	327	43	45	37	40	41	45	51	7
Gary Division	554	675	75	91	66	75	78	93	171	11
Lake County Division	411	503	43	53	37	45	48	57	122	5
Cincinnati, OH–KY–IN	1,962	2,331	103	136	124	146	166	213	493	28
Cleveland–Elyria, OH	2,528	2,998	231	288	226	260	300	359	652	39
Colorado Springs, CO	471	530	38	45	61	71	23	28	87	5
Columbia, SC	1,684	1,984	188	284	142	181	342	467	576	18
Columbus, OH	2,863	3,498	131	186	170	212	279	352	820	32
Dallas–Fort Worth–Arlington, TX	13,358	15,126	718	859	927	1,060	756	1,001	2,179	100
Dallas Division	11,198	12,625	399	516	651	753	510	686	1,673	64
Fort Worth Division	2,160	2,501	319	343	276	307	246	315	506	36
Dayton, OH	850	962	31	46	47	53	68	85	163	17
Deltona–Daytona Beach–Ormond Beach, FL	709	739	108	113	78	80	62	75	71	18
Denver–Aurora–Lakewood, CO	6,088	6,467	351	387	886	929	301	326	520	43
Des Moines–West Des Moines, IA	350	383	25	28	42	45	40	48	48	4
Detroit–Warren–Dearborn, MI	5,358	6,187	425	519	356	419	375	515	1,263	106
Detroit Division	3,606	4,208	353	432	259	310	295	414	950	66
Warren Division	1,752	1,979	72	87	97	110	80	100	313	40
Durham–Chapel Hill, NC	770	1,003	110	162	54	78	121	203	410	10
El Paso, TX	1,191	1,292	90	105	81	90	122	138	151	14
Fayetteville–Springdale–Rogers, AR	302	314	33	34	48	49	19	20	22	7
Fresno, CA	1044	1,057	118	116	136	135	13	14	20	7
Grand Rapids–Wyoming, MI	526	616	21	28	44	50	46	64	131	9
Greensboro–High Point, NC	1005	1,264	94	151	53	84	103	210	477	16
Greenville–Anderson–Mauldin, SC	856	959	70	94	72	82	100	130	175	9
Harrisburg–Carlisle, PA	534	567	195	214	61	65	120	134	84	10
Hartford–West Hartford–East Hartford, CT	927	1,056	827	864	116	123	272	297	239	22

Table 6b. Adult and adolescent males living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2013—United States and Puerto Rico (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Honolulu (Urban), HI	1,152	1,215	74	78	103	107	39	44	82	9
Houston–The Woodlands–Sugar Land, TX	11,348	13,535	1,064	1,281	1,075	1,232	2,073	2,370	2,984	147
Indianapolis–Carmel–Anderson, IN	2,766	3,062	156	182	271	291	306	348	403	26
Jackson, MS	1,257	1,691	87	190	90	147	182	307	769	27
Jacksonville, FL	2,527	2,578	292	295	257	258	865	880	107	36
Kansas City, MO–KS	3,090	3,344	149	166	351	371	112	151	362	28
Knoxville, TN	701	787	63	67	40	45	43	55	130	7
Lakeland–Winter Haven, FL	554	617	91	105	57	62	338	372	125	9
Lancaster, PA	248	292	89	112	21	26	53	65	98	13
Las Vegas–Henderson–Paradise, NV	4,068	4,351	317	339	472	512	185	212	389	24
Little Rock–North Little Rock–Conway, AR	1,149	1,260	85	96	98	108	79	95	161	10
Los Angeles–Long Beach–Anaheim, CA	35,818	40,915	1,340	1,699	2,988	3,367	840	1,201	5,716	248
Anaheim Division	4,982	5,159	341	347	341	354	131	139	168	34
Los Angeles Division	30,836	35,756	999	1,352	2,647	3,013	709	1,062	5,548	213
Louisville/Jefferson County, KY–IN	1,662	1,961	136	153	134	149	156	192	401	17
Madison, WI	393	448	20	25	43	47	20	28	82	10
McAllen–Edinburg–Mission, TX	531	639	51	68	21	30	100	112	148	4
Memphis, TN–MS–AR	3,042	3,790	139	200	144	196	596	744	1,140	52
Miami–Fort Lauderdale–West Palm Beach, FL	22,512	24,503	1,824	2,159	1,478	1,606	7,286	8,168	3,670	375
Fort Lauderdale Division	7,451	8,141	578	671	480	526	2,124	2,481	1,289	117
Miami Division	12,760	13,835	991	1,196	814	878	3,479	3,870	1,895	193
West Palm Beach Division	2,301	2,527	255	292	184	202	1,683	1,817	486	65
Milwaukee–Waukesha–West Allis, WI	1,674	1,896	165	188	162	179	122	157	320	20
Minneapolis–St. Paul–Bloomington, MN–WI	3,408	4,023	183	226	346	388	182	309	858	37
Modesto, CA	295	319	34	34	44	47	24	27	41	9
Nashville–Davidson–Murfreesboro–Franklin, TN	2,731	3,074	314	321	182	196	255	322	530	40
New Haven–Milford, CT	818	900	654	692	86	94	284	301	198	38
New Orleans–Metairie, LA	3,260	4,237	388	522	408	541	409	618	1,520	65
New York–Newark–Jersey City, NY–NJ–PA ^d	48,285	59,267	14,879	21,791	4,548	5,477	8,436	11,540	23,381	1,818
Nassau County Division	2,197	2,654	495	686	230	263	262	365	881	121
New York Division	42,634	51,668	12,212	17,979	3,871	4,642	7,025	9,580	19,364	1,501
Newark Division	3,159	4,591	1,820	2,702	364	477	1,049	1,480	2,968	184
North Port–Sarasota–Bradenton, FL	761	827	91	99	55	60	171	195	115	10
Ogden–Clearfield, UT	173	194	9	10	47	49	5	7	26	1
Oklahoma City, OK	1,461	1,649	125	141	263	279	91	121	275	17
Omaha–Council Bluffs, NE–IA	615	726	47	58	85	96	68	89	166	14
Orlando–Kissimmee–Sanford, FL	5,379	5,788	692	741	433	462	634	828	738	67
Oxnard–Thousand Oaks–Ventura, CA	590	621	41	44	46	49	36	41	53	10
Palm Bay–Melbourne–Titusville, FL	510	577	71	78	54	57	88	110	118	17
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	9,122	9,572	3,574	3,735	1,099	1,127	3,955	4,091	1,064	240
Camden Division	1,099	1,297	351	460	138	156	339	402	395	32
Montgomery Division	961	1,017	236	251	92	95	345	360	117	23
Philadelphia Division	6,286	6,448	2,602	2,630	745	749	2,985	3,031	478	170
Wilmington Division	776	811	385	394	124	127	286	299	74	15
Phoenix–Mesa–Scottsdale, AZ	6,279	6,806	617	664	838	893	306	344	709	53
Pittsburgh, PA	1,812	1,896	170	195	102	109	230	251	174	31
Portland–South Portland, ME	395	425	32	45	28	31	15	26	62	6
Portland–Vancouver–Hillsboro, OR–WA	2,959	3,150	221	228	384	397	113	132	247	24
Providence–Warwick, RI–MA	1,131	1,295	457	510	132	144	278	324	293	37
Provo–Orem, UT	86	93	6	7	17	18	4	5	17	8
Raleigh, NC	1,501	1,885	132	192	115	153	156	310	656	17

Table 6b. Adult and adolescent males living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2013—United States and Puerto Rico (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Richmond, VA	2,054	2,282	325	350	190	203	353	416	411	33
Riverside–San Bernardino–Ontario, CA	5,175	5,557	464	487	611	638	370	400	418	34
Rochester, NY	1,053	1,203	352	447	130	145	130	179	331	24
Sacramento–Roseville–Arden-Arcade, CA	2,110	2,244	220	222	329	335	348	357	186	25
St. Louis, MO–IL	4,212	4,664	202	246	279	313	302	347	617	53
Salt Lake City, UT	1,077	1,139	132	136	277	285	41	52	101	19
San Antonio–New Braunfels, TX	3,334	3,768	295	338	227	271	210	262	581	15
San Diego–Carlsbad–San Marcos, CA	9,159	9,355	526	533	1,057	1,061	381	396	165	59
San Francisco–Oakland–Hayward, CA ^d	16,832	17,352	1,115	1,133	2,904	2,937	684	744	689	81
Oakland Division	4,444	4,735	387	399	409	430	437	466	339	45
San Francisco Division	11,953	12,152	580	585	2,368	2,377	202	225	293	31
San Jose–Sunnyvale–Santa Clara, CA	2,067	2,260	140	146	234	248	142	166	265	21
San Juan–Carolina–Caguas, PR	2,956	3,100	3,173	3,253	578	587	1,902	1,966	395	131
Santa Rosa, CA	796	821	49	50	140	142	45	49	46	8
Scranton–Wilkes-Barre–Hazelton, PA	200	222	73	81	26	28	84	87	45	7
Seattle–Tacoma–Bellevue, WA	5,688	6,127	287	311	811	843	278	349	592	47
Seattle Division	5,187	5,552	216	235	734	759	218	280	492	38
Tacoma Division	501	575	71	76	77	84	60	69	100	9
Spokane–Spokane Valley, WA	241	261	34	35	67	70	11	14	29	3
Springfield, MA	443	559	384	455	75	84	76	112	225	31
Stockton–Lodi, CA	541	557	193	193	116	117	123	126	31	8
Syracuse, NY	472	516	93	116	53	57	59	73	101	19
Tampa–St. Petersburg–Clearwater, FL	5,430	5,763	528	557	496	511	845	927	543	76
Toledo, OH	509	540	32	36	49	52	61	65	51	9
Tucson, AZ	1,256	1,333	143	149	154	162	86	94	114	13
Tulsa, OK	984	1,065	73	82	166	174	73	86	127	9
Virginia Beach–Norfolk–Newport News, VA–NC	3,047	3,628	297	348	216	252	373	504	917	50
Washington–Arlington–Alexandria, DC–VA–MD–WV	12,977	16,043	1,763	2,202	1,084	1,274	2,711	3,641	4,521	222
Silver Spring Division	1,094	1,586	129	187	80	113	491	689	759	46
Washington Division	11,883	14,457	1,634	2,015	1,004	1,161	2,220	2,952	3,762	176
Wichita, KS	450	481	27	30	87	89	31	37	50	8
Winston-Salem, NC	629	825	59	103	45	62	91	175	362	13
Worcester, MA–CT	448	538	359	412	67	73	93	137	198	30
Youngstown–Warren–Boardman, OH–PA	246	331	57	78	16	23	55	66	135	11
Subtotal for MSAs (population of ≥500,000)	369,712	424,462	54,402	67,228	37,115	41,288	49,339	61,548	87,157	6,192
Metropolitan areas (population of 50,000–499,999)	47,297	55,765	10,632	12,730	6,901	7,815	8,438	10,764	14,787	991
Nonmetropolitan areas	10,709	13,310	2,825	3,488	1,801	2,112	2,564	3,343	4,691	321
Total^e	431,192	497,770	68,619	84,463	46,331	51,795	60,723	76,245	107,927	7,613

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States and Puerto Rico.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying trends based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.

^c Estimated numbers resulted from statistical adjustment that accounted for reporting delays and missing transmission category, but not for incomplete reporting.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 7a. Diagnoses of HIV infection among adult and adolescent females, by transmission category and metropolitan statistical area of residence, 2014—United States and Puerto Rico

MSA of residence	Injection drug use		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Akron, OH	0	0	2	4	3	1
Albany–Schenectady–Troy, NY	1	2	6	11	5	0
Albuquerque, NM	0	0	1	4	3	0
Allentown–Bethlehem–Easton, PA–NJ	1	2	10	22	12	0
Atlanta–Sandy Springs–Roswell, GA	0	22	32	230	159	1
Augusta–Richmond County, GA–SC	1	3	1	18	14	0
Austin–Round Rock, TX	1	3	8	27	18	0
Bakersfield, CA	8	10	4	15	11	0
Baltimore–Columbia–Towson, MD	9	17	96	155	35	0
Baton Rouge, LA	3	10	33	101	70	1
Birmingham–Hoover, AL	0	2	9	26	16	0
Boise City, ID	0	0	0	0	0	0
Boston–Cambridge–Newton, MA–NH ^d	7	28	11	110	84	1
Boston Division	4	16	7	69	52	0
Cambridge Division	3	12	4	41	32	0
Bridgeport–Stamford–Norwalk, CT	2	4	20	32	13	1
Buffalo–Cheektowaga–Niagara Falls, NY	5	7	5	21	17	0
Cape Coral–Fort Myers, FL	3	3	13	14	0	0
Charleston–North Charleston, SC	2	3	9	22	13	0
Charlotte–Concord–Gastonia, NC–SC	4	10	19	71	54	0
Chattanooga, TN–GA	3	4	4	9	5	0
Chicago–Naperville–Elgin, IL–IN–WI	10	25	119	212	81	2
Chicago Division	9	23	102	182	69	2
Elgin Division	0	1	4	7	3	0
Gary Division	0	1	6	13	7	0
Lake County Division	1	1	7	9	2	0
Cincinnati, OH–KY–IN	5	7	4	30	27	0
Cleveland–Elyria, OH	3	5	11	24	13	0
Colorado Springs, CO	0	0	2	4	2	0
Columbia, SC	0	2	9	33	24	0
Columbus, OH	3	5	8	28	20	0
Dallas–Fort Worth–Arlington, TX	11	26	135	253	99	0
Dallas Division	9	22	106	208	85	0
Fort Worth Division	2	4	29	45	14	0
Dayton, OH	0	1	3	14	11	0
Deltona–Daytona Beach–Ormond Beach, FL	9	10	12	18	6	0
Denver–Aurora–Lakewood, CO	4	7	15	28	16	1
Des Moines–West Des Moines, IA	1	1	4	4	0	0
Detroit–Warren–Dearborn, MI	3	11	34	97	66	0
Detroit Division	3	10	19	69	53	0
Warren Division	0	1	15	28	13	0
Durham–Chapel Hill, NC	1	2	4	20	16	0
El Paso, TX	0	1	1	10	9	0
Fayetteville–Springdale–Rogers, AR	1	1	0	1	1	0
Fresno, CA	2	4	2	13	11	0
Grand Rapids–Wyoming, MI	1	2	4	14	10	0
Greensboro–High Point, NC	0	2	8	25	18	0
Greenville–Anderson–Mauldin, SC	0	1	5	12	7	0
Harrisburg–Carlisle, PA	1	1	2	6	4	0
Hartford–West Hartford–East Hartford, CT	2	4	12	21	9	0
Honolulu (Urban), HI	1	2	3	6	4	0

Table 7a. Diagnoses of HIV infection among adult and adolescent females, by transmission category and metropolitan statistical area of residence, 2014—United States and Puerto Rico (cont)

MSA of residence	Injection drug use		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Houston–The Woodlands–Sugar Land, TX	14	43	104	295	201	2
Indianapolis–Carmel–Anderson, IN	1	2	38	47	7	0
Jackson, MS	0	2	11	39	28	0
Jacksonville, FL	9	10	68	76	4	0
Kansas City, MO–KS	2	3	6	22	16	0
Knoxville, TN	1	1	5	5	0	0
Lakeland–Winter Haven, FL	2	2	21	24	2	0
Lancaster, PA	1	1	0	3	3	0
Las Vegas–Henderson–Paradise, NV	3	5	19	46	28	2
Little Rock–North Little Rock–Conway, AR	1	2	6	18	12	0
Los Angeles–Long Beach–Anaheim, CA	14	38	65	226	151	0
Anaheim Division	4	5	21	26	2	0
Los Angeles Division	10	33	44	200	149	0
Louisville/Jefferson County, KY–IN	3	5	1	26	25	0
Madison, WI	1	1	0	2	2	0
McAllen–Edinburg–Mission, TX	0	0	12	15	2	0
Memphis, TN–MS–AR	0	2	74	92	14	0
Miami–Fort Lauderdale–West Palm Beach, FL	30	37	398	466	50	2
Fort Lauderdale Division	9	11	144	160	10	1
Miami Division	16	19	165	196	24	1
West Palm Beach Division	5	7	89	109	16	0
Milwaukee–Waukesha–West Allis, WI	2	3	7	17	10	0
Minneapolis–St. Paul–Bloomington, MN–WI	0	5	10	59	51	1
Modesto, CA	0	0	1	2	1	0
Nashville–Davidson–Murfreesboro–Franklin, TN	2	3	18	31	12	0
New Haven–Milford, CT	1	1	8	12	4	0
New Orleans–Metairie, LA	4	12	29	81	55	0
New York–Newark–Jersey City, NY–NJ–PA ^d	49	166	255	833	606	5
Nassau County Division	0	8	15	52	42	0
New York Division	36	116	204	625	440	4
Newark Division	12	40	31	144	117	1
North Port–Sarasota–Bradenton, FL	2	2	18	21	2	0
Ogden–Clearfield, UT	0	0	1	2	1	0
Oklahoma City, OK	4	6	7	20	12	0
Omaha–Council Bluffs, NE–IA	0	0	7	7	0	0
Orlando–Kissimmee–Sanford, FL	9	13	96	134	35	2
Oxnard–Thousand Oaks–Ventura, CA	1	2	3	7	4	0
Palm Bay–Melbourne–Titusville, FL	2	3	11	15	4	0
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	21	29	159	207	41	2
Camden Division	7	12	8	31	23	0
Montgomery Division	2	2	7	9	1	0
Philadelphia Division	9	11	119	139	16	2
Wilmington Division	3	3	25	29	1	0
Phoenix–Mesa–Scottsdale, AZ	15	21	41	79	40	1
Pittsburgh, PA	3	6	4	23	21	0
Portland–South Portland, ME	0	2	2	13	13	1
Portland–Vancouver–Hillsboro, OR–WA	5	7	4	12	9	0
Providence–Warwick, RI–MA	1	4	16	27	10	0
Provo–Orem, UT	0	0	0	1	1	0
Raleigh, NC	0	2	11	32	21	0
Richmond, VA	0	1	21	32	10	0

Table 7a. Diagnoses of HIV infection among adult and adolescent females, by transmission category and metropolitan statistical area of residence, 2014—United States and Puerto Rico (cont)

MSA of residence	Injection drug use		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Riverside–San Bernardino–Ontario, CA	4	11	20	54	32	0
Rochester, NY	2	3	11	16	5	0
Sacramento–Roseville–Arden-Arcade, CA	2	3	23	34	9	0
St. Louis, MO–IL	4	5	43	57	10	0
Salt Lake City, UT	2	3	3	10	7	0
San Antonio–New Braunfels, TX	10	13	17	36	18	0
San Diego–Carlsbad–San Marcos, CA	3	4	39	47	2	0
San Francisco–Oakland–Hayward, CA ^d	18	24	19	61	38	0
Oakland Division	8	13	8	44	33	0
San Francisco Division	9	10	8	11	3	0
San Jose–Sunnyvale–Santa Clara, CA	2	3	2	9	7	0
San Juan–Carolina–Caguas, PR	7	9	71	94	12	0
Santa Rosa, CA	0	0	1	2	1	0
Scranton–Wilkes-Barre–Hazelton, PA	0	0	8	8	0	0
Seattle–Tacoma–Bellevue, WA	6	10	7	46	42	1
Seattle Division	5	8	5	37	34	1
Tacoma Division	1	2	2	10	8	0
Spokane–Spokane Valley, WA	0	0	0	2	2	0
Springfield, MA	2	4	4	16	9	0
Stockton–Lodi, CA	0	0	5	7	1	0
Syracuse, NY	0	1	5	11	7	0
Tampa–St. Petersburg–Clearwater, FL	18	23	77	118	39	1
Toledo, OH	0	0	3	5	2	0
Tucson, AZ	0	1	8	12	4	0
Tulsa, OK	2	3	10	18	7	0
Virginia Beach–Norfolk–Newport News, VA–NC	1	3	27	57	29	0
Washington–Arlington–Alexandria, DC–VA–MD–WV	7	33	90	304	189	2
Silver Spring Division	0	4	32	73	30	0
Washington Division	7	29	58	230	159	2
Wichita, KS	0	0	1	5	4	0
Winston-Salem, NC	1	3	1	15	15	0
Worcester, MA–CT	0	1	1	10	7	0
Youngstown–Warren–Boardman, OH–PA	0	0	4	4	0	0
Subtotal for MSAs (population of ≥500,000)	402	854	2,737	5,894	2,992	37
Metropolitan areas (population of 50,000–499,999)	82	157	491	1,104	580	3
Nonmetropolitan areas	20	40	132	312	170	1
Total^e	507	1,060	3,374	7,364	3,771	42

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States and Puerto Rico.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying trends based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.

^c Estimated numbers resulted from statistical adjustment that accounted for reporting delays and missing transmission category, but not for incomplete reporting.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 7b. Adult and adolescent females living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2013—United States and Puerto Rico

MSA of residence	Injection drug use		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Akron, OH	15	25	97	141	55	2
Albany–Schenectady–Troy, NY	154	203	339	466	198	23
Albuquerque, NM	35	40	80	102	29	3
Allentown–Bethlehem–Easton, PA–NJ	129	156	279	363	123	12
Atlanta–Sandy Springs–Roswell, GA	498	884	3,024	4,824	2,145	116
Augusta–Richmond County, GA–SC	73	141	210	568	414	6
Austin–Round Rock, TX	129	168	343	529	241	15
Bakersfield, CA	51	56	105	132	39	7
Baltimore–Columbia–Towson, MD	2,036	2,342	2,933	4,082	1,493	182
Baton Rouge, LA	208	353	646	1,334	859	28
Birmingham–Hoover, AL	75	138	450	825	466	19
Boise City, ID	17	20	23	41	23	1
Boston–Cambridge–Newton, MA–NH ^d	647	1,054	1,247	2,427	1,602	121
Boston Division	353	580	675	1,292	858	70
Cambridge Division	280	457	538	1,093	732	50
Bridgeport–Stamford–Norwalk, CT	267	304	483	587	170	25
Buffalo–Cheektowaga–Niagara Falls, NY	140	162	466	532	98	12
Cape Coral–Fort Myers, FL	70	84	391	473	112	17
Charleston–North Charleston, SC	71	111	360	526	226	21
Charlotte–Concord–Gastonia, NC–SC	188	378	765	1,652	1,128	39
Chattanooga, TN–GA	24	38	140	237	120	4
Chicago–Naperville–Elgin, IL–IN–WI	1,203	1,544	3,299	4,585	1,862	230
Chicago Division	1,115	1,417	2,953	4,096	1,663	213
Elgin Division	35	40	102	120	27	4
Gary Division	33	55	145	214	102	11
Lake County Division	20	32	99	155	70	3
Cincinnati, OH–KY–IN	83	136	363	599	300	15
Cleveland–Elyria, OH	129	179	586	791	285	32
Colorado Springs, CO	30	40	62	84	38	6
Columbia, SC	103	162	643	914	345	16
Columbus, OH	115	181	460	743	363	18
Dallas–Fort Worth–Arlington, TX	588	893	2,308	3,616	1,650	94
Dallas Division	350	605	1,774	2,824	1,302	55
Fort Worth Division	238	287	534	792	348	39
Dayton, OH	35	47	179	258	102	12
Deltona–Daytona Beach–Ormond Beach, FL	93	102	300	343	71	19
Denver–Aurora–Lakewood, CO	184	242	558	686	198	16
Des Moines–West Des Moines, IA	6	9	67	99	36	2
Detroit–Warren–Dearborn, MI	407	593	910	1,650	1,004	65
Detroit Division	346	491	718	1,308	799	49
Warren Division	61	101	192	342	205	15
Durham–Chapel Hill, NC	65	111	207	447	306	14
El Paso, TX	31	41	140	191	67	6
Fayetteville–Springdale–Rogers, AR	23	26	67	81	22	5
Fresno, CA	108	109	172	179	20	10
Grand Rapids–Wyoming, MI	19	32	133	202	87	6
Greensboro–High Point, NC	40	108	198	555	439	11
Greenville–Anderson–Mauldin, SC	42	59	256	339	103	3
Harrisburg–Carlisle, PA	80	86	229	255	38	6
Hartford–West Hartford–East Hartford, CT	410	447	538	629	163	27
Honolulu (Urban), HI	45	57	114	159	67	10

Table 7b. Adult and adolescent females living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2013—United States and Puerto Rico (cont)

MSA of residence	Injection drug use		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Houston–The Woodlands–Sugar Land, TX	866	1,187	3,746	5,186	1,876	126
Indianapolis–Carmel–Anderson, IN	101	129	553	713	208	22
Jackson, MS	81	176	367	840	601	20
Jacksonville, FL	319	324	1,835	1,862	76	44
Kansas City, MO–KS	105	123	448	615	196	12
Knoxville, TN	34	40	119	177	70	4
Lakeland–Winter Haven, FL	95	102	460	508	81	24
Lancaster, PA	56	79	119	175	85	4
Las Vegas–Henderson–Paradise, NV	155	200	654	788	204	24
Little Rock–North Little Rock–Conway, AR	46	55	255	308	72	10
Los Angeles–Long Beach–Anaheim, CA	797	1,267	2,799	4,665	2,483	234
Anaheim Division	162	171	583	630	75	25
Los Angeles Division	635	1,095	2,216	4,036	2,408	209
Louisville/Jefferson County, KY–IN	95	120	298	454	196	10
Madison, WI	20	26	69	100	40	3
McAllen–Edinburg–Mission, TX	12	20	143	192	66	11
Memphis, TN–MS–AR	118	197	1,601	2,049	595	36
Miami–Fort Lauderdale–West Palm Beach, FL	1,526	1,795	12,143	13,530	2,127	476
Fort Lauderdale Division	510	625	3,753	4,346	853	144
Miami Division	741	855	5,968	6,543	921	235
West Palm Beach Division	275	315	2,422	2,641	353	97
Milwaukee–Waukesha–West Allis, WI	109	141	360	498	186	14
Minneapolis–St. Paul–Bloomington, MN–WI	117	194	589	1,241	764	40
Modesto, CA	34	36	49	58	19	8
Nashville–Davidson–Murfreesboro–Franklin, TN	215	231	678	843	213	16
New Haven–Milford, CT	398	425	562	629	127	26
New Orleans–Metairie, LA	260	474	1,007	1,808	1,086	69
New York–Newark–Jersey City, NY–NJ–PA ^d	8,835	13,972	18,026	29,004	17,876	1,848
Nassau County Division	327	491	928	1,354	679	93
New York Division	7,107	11,392	14,960	23,980	14,788	1,542
Newark Division	1,299	1,974	1,996	3,493	2,347	200
North Port–Sarasota–Bradenton, FL	89	98	335	394	86	19
Ogden–Clearfield, UT	8	10	25	30	8	1
Oklahoma City, OK	101	125	196	302	145	15
Omaha–Council Bluffs, NE–IA	34	46	157	260	124	9
Orlando–Kissimmee–Sanford, FL	376	426	1,702	2,044	474	84
Oxnard–Thousand Oaks–Ventura, CA	25	26	98	101	10	4
Palm Bay–Melbourne–Titusville, FL	56	66	255	322	98	19
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	1,979	2,071	5,137	5,478	643	188
Camden Division	165	211	437	558	182	22
Montgomery Division	96	112	365	408	70	10
Philadelphia Division	1,469	1,498	3,806	3,972	357	136
Wilmington Division	249	249	529	541	34	20
Phoenix–Mesa–Scottsdale, AZ	298	359	706	902	290	37
Pittsburgh, PA	85	108	389	476	123	11
Portland–South Portland, ME	23	33	41	85	57	4
Portland–Vancouver–Hillsboro, OR–WA	102	118	312	371	89	15
Providence–Warwick, RI–MA	309	374	441	569	209	22
Provo–Orem, UT	2	3	15	17	4	1
Raleigh, NC	100	185	296	661	475	23
Richmond, VA	171	219	632	877	335	24

Table 7b. Adult and adolescent females living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2013—United States and Puerto Rico (cont)

MSA of residence	Injection drug use		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Riverside–San Bernardino–Ontario, CA	238	294	642	819	259	37
Rochester, NY	280	379	338	584	361	17
Sacramento–Roseville–Arden-Arcade, CA	144	151	417	453	63	17
St. Louis, MO–IL	119	185	842	1,124	361	20
Salt Lake City, UT	80	94	133	191	76	6
San Antonio–New Braunfels, TX	131	179	376	594	290	22
San Diego–Carlsbad–San Marcos, CA	268	280	869	919	96	47
San Francisco–Oakland–Hayward, CA ^d	763	822	1,322	1,578	400	88
Oakland Division	279	324	807	968	242	44
San Francisco Division	476	490	470	556	144	40
San Jose–Sunnyvale–Santa Clara, CA	57	73	246	339	129	19
San Juan–Carolina–Caguas, PR	982	1,001	2,965	3,099	240	100
Santa Rosa, CA	35	37	92	102	19	7
Scranton–Wilkes-Barre–Hazelton, PA	39	50	83	112	45	5
Seattle–Tacoma–Bellevue, WA	180	248	499	837	448	45
Seattle Division	122	180	387	674	383	40
Tacoma Division	58	68	112	163	65	5
Spokane–Spokane Valley, WA	16	17	28	37	11	1
Springfield, MA	200	260	261	410	217	25
Stockton–Lodi, CA	67	68	142	152	16	4
Syracuse, NY	63	78	208	256	71	9
Tampa–St. Petersburg–Clearwater, FL	443	515	1,920	2,233	461	78
Toledo, OH	24	32	204	234	45	8
Tucson, AZ	77	86	160	188	55	18
Tulsa, OK	48	57	136	180	65	12
Virginia Beach–Norfolk–Newport News, VA–NC	226	321	830	1,404	731	38
Washington–Arlington–Alexandria, DC–VA–MD–WV	1,271	1,880	4,939	7,987	3,723	222
Silver Spring Division	64	147	894	1,437	611	32
Washington Division	1,207	1,734	4,045	6,550	3,112	190
Wichita, KS	23	25	108	125	21	2
Winston-Salem, NC	48	98	179	413	298	10
Worcester, MA–CT	187	231	246	408	211	19
Youngstown–Warren–Boardman, OH–PA	19	30	94	135	59	7
Subtotal for MSAs (population of ≥500,000)	32,846	44,933	100,066	141,288	58,295	5,715
Metropolitan areas (population of 50,000–499,999)	4,885	6,312	16,119	22,929	8,973	746
Nonmetropolitan areas	1,213	1,674	4,466	6,699	2,906	207
Total^e	39,255	53,355	121,394	172,090	70,796	6,770

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States and Puerto Rico.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying trends based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.

^c Estimated numbers resulted from statistical adjustment that accounted for reporting delays and missing transmission category, but not for incomplete reporting.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 8a. Diagnoses of HIV infection among black/African American adults and adolescents, by transmission category and metropolitan statistical area of residence, 2014—United States

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Akron, OH	15	19	1	1	0	0	2	4	5	0
Albany–Schenectady–Troy, NY	5	5	1	2	0	0	2	3	2	0
Albuquerque, NM	2	3	1	1	0	0	0	1	2	0
Allentown–Bethlehem–Easton, PA–NJ	2	2	0	0	0	0	2	8	6	0
Atlanta–Sandy Springs–Roswell, GA	314	755	3	54	1	12	41	291	480	1
Augusta–Richmond County, GA–SC	21	44	1	6	0	1	2	26	36	0
Austin–Round Rock, TX	24	32	0	2	0	0	5	19	20	0
Bakersfield, CA	7	12	3	5	0	1	2	4	8	0
Baltimore–Columbia–Towson, MD	164	273	20	38	4	7	129	207	109	2
Baton Rouge, LA	89	147	9	27	1	7	41	121	150	3
Birmingham–Hoover, AL	77	96	2	5	1	2	10	25	26	0
Boise City, ID	1	1	0	0	0	0	0	0	0	0
Boston–Cambridge–Newton, MA–NH ^d	35	72	3	26	1	3	8	100	102	2
Boston Division	27	52	3	19	0	1	6	68	68	2
Cambridge Division	8	20	0	8	1	2	2	32	34	0
Bridgeport–Stamford–Norwalk, CT	7	9	4	7	0	0	21	31	13	1
Buffalo–Cheektowaga–Niagara Falls, NY	26	31	1	3	2	2	7	17	14	0
Cape Coral–Fort Myers, FL	2	2	1	1	0	0	12	13	0	0
Charleston–North Charleston, SC	60	77	2	5	0	0	15	32	31	0
Charlotte–Concord–Gastonia, NC–SC	156	196	3	9	2	4	26	77	84	0
Chattanooga, TN–GA	11	13	2	3	0	0	1	3	3	0
Chicago–Naperville–Elgin, IL–IN–WI	377	522	11	33	3	8	107	191	169	11
Chicago Division	343	474	11	31	2	6	95	170	149	11
Elgin Division	13	16	0	1	0	0	2	5	5	0
Gary Division	13	21	0	1	1	2	5	11	13	0
Lake County Division	8	10	0	0	0	0	5	5	2	0
Cincinnati, OH–KY–IN	49	73	1	5	0	1	8	35	50	0
Cleveland–Elyria, OH	96	133	1	4	0	1	15	29	47	0
Colorado Springs, CO	2	3	0	0	0	0	1	3	3	0
Columbia, SC	79	108	2	8	0	1	11	39	56	0
Columbus, OH	68	89	0	2	1	2	8	24	34	0
Dallas–Fort Worth–Arlington, TX	312	447	4	20	3	9	104	210	178	0
Dallas Division	260	370	4	17	2	7	79	168	144	0
Fort Worth Division	52	77	0	3	1	2	25	41	34	0
Dayton, OH	25	30	0	1	0	0	2	11	13	0
Deltona–Daytona Beach–Ormond Beach, FL	20	23	5	5	3	3	4	8	6	0
Denver–Aurora–Lakewood, CO	33	42	2	4	1	2	4	9	15	1
Des Moines–West Des Moines, IA	3	3	0	0	0	0	0	0	0	0
Detroit–Warren–Dearborn, MI	215	281	4	15	3	6	32	98	126	1
Detroit Division	173	228	4	14	1	3	20	76	105	0
Warren Division	42	54	0	1	2	2	12	23	21	1
Durham–Chapel Hill, NC	26	33	1	4	0	0	5	20	23	0
El Paso, TX	5	6	0	0	0	0	0	2	2	0
Fayetteville–Springdale–Rogers, AR	1	2	0	0	0	0	0	2	3	0
Fresno, CA	8	10	0	0	1	1	1	4	4	0
Grand Rapids–Wyoming, MI	7	12	1	2	0	0	6	13	12	0
Greensboro–High Point, NC	53	64	3	7	0	1	8	27	30	0
Greenville–Anderson–Mauldin, SC	37	43	0	1	0	0	6	14	12	0
Harrisburg–Carlisle, PA	8	12	4	6	1	1	3	7	9	0
Hartford–West Hartford–East Hartford, CT	16	21	5	10	0	0	7	15	15	0
Honolulu (Urban), HI	2	2	1	1	0	0	3	4	1	0

Table 8a. Diagnoses of HIV infection among black/African American adults and adolescents, by transmission category and metropolitan statistical area of residence, 2014—United States (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Houston–The Woodlands–Sugar Land, TX	296	428	11	44	7	13	92	255	293	2
Indianapolis–Carmel–Anderson, IN	76	83	1	2	2	2	34	42	9	0
Jackson, MS	83	114	0	5	0	1	9	39	59	1
Jacksonville, FL	101	116	3	4	3	4	85	97	17	0
Kansas City, MO–KS	53	60	0	1	0	0	1	12	16	0
Knoxville, TN	4	6	0	0	0	0	2	3	3	0
Lakeland–Winter Haven, FL	18	19	2	2	0	0	20	24	3	0
Lancaster, PA	3	5	0	1	0	0	1	4	5	0
Las Vegas–Henderson–Paradise, NV	57	69	0	2	1	2	15	32	27	1
Little Rock–North Little Rock–Conway, AR	44	61	1	3	0	1	4	16	25	0
Los Angeles–Long Beach–Anaheim, CA	213	338	9	22	4	9	19	77	143	0
Anaheim Division	5	7	3	4	0	0	5	6	2	0
Los Angeles Division	208	331	6	18	4	9	14	71	141	0
Louisville/Jefferson County, KY–IN	21	37	2	5	1	1	0	17	32	0
Madison, WI	3	3	1	1	0	0	0	1	1	0
McAllen–Edinburg–Mission, TX	0	0	0	0	0	0	0	0	0	0
Memphis, TN–MS–AR	134	173	0	4	1	2	93	115	49	0
Miami–Fort Lauderdale–West Palm Beach, FL	332	399	21	31	4	6	510	591	109	3
Fort Lauderdale Division	121	144	10	14	2	2	211	239	36	2
Miami Division	166	203	9	13	2	3	188	223	55	1
West Palm Beach Division	45	53	2	4	0	1	111	129	18	0
Milwaukee–Waukesha–West Allis, WI	48	63	1	3	0	1	5	17	26	0
Minneapolis–St. Paul–Bloomington, MN–WI	24	50	2	6	0	1	12	53	68	2
Modesto, CA	2	3	0	0	0	0	0	0	1	0
Nashville–Davidson–Murfreesboro–Franklin, TN	77	94	4	5	0	0	17	30	24	0
New Haven–Milford, CT	26	29	1	2	1	1	10	13	5	0
New Orleans–Metairie, LA	132	185	6	17	0	3	35	88	105	0
New York–Newark–Jersey City, NY–NJ–PA ^d	637	904	36	221	16	28	256	743	783	5
Nassau County Division	29	39	0	8	1	1	10	32	35	0
New York Division	541	724	27	147	14	22	208	562	550	3
Newark Division	65	138	9	64	1	5	33	139	192	1
North Port–Sarasota–Bradenton, FL	12	15	0	0	0	0	15	18	4	0
Ogden–Clearfield, UT	0	1	0	0	0	0	0	0	1	0
Oklahoma City, OK	22	26	1	2	0	0	3	11	9	0
Omaha–Council Bluffs, NE–IA	9	11	0	0	0	0	7	9	3	0
Orlando–Kissimmee–Sanford, FL	93	111	7	11	1	1	65	102	47	0
Oxnard–Thousand Oaks–Ventura, CA	2	4	0	0	0	0	0	1	3	0
Palm Bay–Melbourne–Titusville, FL	9	13	0	1	0	0	4	8	7	0
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	259	296	14	27	5	6	231	282	60	1
Camden Division	25	38	1	9	0	1	8	25	28	0
Montgomery Division	14	16	0	0	1	1	10	12	2	0
Philadelphia Division	199	216	12	17	4	4	184	210	24	1
Wilmington Division	21	26	1	2	0	0	29	35	6	0
Phoenix–Mesa–Scottsdale, AZ	64	73	3	5	2	2	21	36	20	0
Pittsburgh, PA	38	46	1	6	1	2	5	22	26	0
Portland–South Portland, ME	1	3	1	3	0	0	2	14	16	0
Portland–Vancouver–Hillsboro, OR–WA	5	7	0	1	2	2	4	6	4	0
Providence–Warwick, RI–MA	8	11	0	2	0	0	13	21	9	0
Provo–Orem, UT	0	0	0	0	0	0	0	0	0	0
Raleigh, NC	40	59	0	4	1	3	9	33	43	0
Richmond, VA	74	91	1	3	1	1	29	39	23	0

Table 8a. Diagnoses of HIV infection among black/African American adults and adolescents, by transmission category and metropolitan statistical area of residence, 2014—United States (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Riverside–San Bernardino–Ontario, CA	29	46	2	6	1	1	6	19	24	0
Rochester, NY	17	19	1	1	1	1	13	16	3	0
Sacramento–Roseville–Arden-Arcade, CA	19	28	0	1	0	1	14	20	12	0
St. Louis, MO–IL	112	131	1	2	4	5	56	69	20	1
Salt Lake City, UT	2	4	0	0	1	1	1	5	6	0
San Antonio–New Braunfels, TX	22	30	4	5	1	1	6	11	10	0
San Diego–Carlsbad–San Marcos, CA	32	37	0	0	2	2	13	15	1	0
San Francisco–Oakland–Hayward, CA ^d	87	114	9	14	6	7	17	43	40	1
Oakland Division	61	82	5	9	0	0	9	33	33	1
San Francisco Division	25	31	2	3	5	5	6	7	6	0
San Jose–Sunnyvale–Santa Clara, CA	1	5	0	0	0	0	0	3	6	0
San Juan–Carolina–Caguas, PR ^e	—	—	—	—	—	—	—	—	—	—
Santa Rosa, CA	2	2	0	0	0	0	0	1	1	0
Scranton–Wilkes-Barre–Hazelton, PA	1	1	0	0	0	0	4	4	0	0
Seattle–Tacoma–Bellevue, WA	27	43	2	6	0	1	3	35	50	1
Seattle Division	22	36	2	5	0	1	2	28	42	1
Tacoma Division	5	7	0	1	0	0	1	7	8	0
Spokane–Spokane Valley, WA	0	0	0	0	0	0	1	1	0	0
Springfield, MA	4	6	0	1	0	0	0	3	4	0
Stockton–Lodi, CA	13	15	3	4	0	0	6	7	1	0
Syracuse, NY	8	12	1	4	1	1	3	9	11	0
Tampa–St. Petersburg–Clearwater, FL	107	138	8	12	7	8	76	112	59	1
Toledo, OH	15	16	1	1	0	0	5	6	1	0
Tucson, AZ	4	8	0	0	1	1	9	10	5	0
Tulsa, OK	15	18	0	0	0	0	7	9	2	0
Virginia Beach–Norfolk–Newport News, VA–NC	111	155	3	7	1	3	33	71	76	1
Washington–Arlington–Alexandria, DC–VA–MD–WV	242	455	11	54	2	10	109	352	368	2
Silver Spring Division	28	48	1	6	0	1	41	85	43	0
Washington Division	214	406	10	47	2	9	68	267	325	2
Wichita, KS	5	6	0	0	1	1	0	1	2	0
Winston-Salem, NC	15	20	2	5	1	1	2	16	19	0
Worcester, MA–CT	5	7	0	1	0	0	1	8	6	0
Youngstown–Warren–Boardman, OH–PA	8	10	0	0	0	0	2	3	2	0
Subtotal for MSAs (population of ≥500,000)	6,383	9,077	279	897	111	221	2,676	5,471	4,706	48
Metropolitan areas (population of 50,000–499,999)	1,044	1,544	51	172	17	47	403	954	957	3
Nonmetropolitan areas	286	439	11	44	6	15	108	272	291	0
Total^f	7,777	11,201	342	1,130	137	288	3,200	6,761	6,038	52

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying trends based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.

^c Estimated numbers resulted from statistical adjustment that accounted for reporting delays and missing transmission category, but not for incomplete reporting.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Data are not presented for San Juan–Carolina–Caguas, PR. The 2014 postcensal estimates do not include population denominators by race/ethnicity for Puerto Rico, thereby preventing assessment of the suppression rule for population denominators (i.e., cells suppressed when population denominator <100).

^f Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 8b. Diagnoses of HIV infection among Hispanic/Latino adults and adolescents, by transmission category and metropolitan statistical area of residence, 2014—United States

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Akron, OH	1	1	0	0	0	0	1	1	1	1
Albany–Schenectady–Troy, NY	2	3	0	1	0	0	2	5	4	0
Albuquerque, NM	24	29	3	4	3	4	2	4	6	0
Allentown–Bethlehem–Easton, PA–NJ	7	12	2	5	0	0	10	14	10	0
Atlanta–Sandy Springs–Roswell, GA	29	84	1	8	1	4	5	17	51	0
Augusta–Richmond County, GA–SC	0	3	0	1	0	0	0	0	3	0
Austin–Round Rock, TX	85	114	2	4	3	4	8	14	26	0
Bakersfield, CA	31	42	4	5	2	3	5	12	14	0
Baltimore–Columbia–Towson, MD	15	21	0	1	1	1	7	9	3	0
Baton Rouge, LA	5	8	0	1	0	0	2	2	4	0
Birmingham–Hoover, AL	2	4	0	0	0	0	0	0	2	0
Boise City, ID	0	0	0	0	0	0	1	1	0	0
Boston–Cambridge–Newton, MA–NH ^d	52	98	9	22	2	3	5	31	47	0
Boston Division	35	61	4	11	2	3	3	18	24	0
Cambridge Division	15	35	5	11	0	1	2	14	23	0
Bridgeport–Stamford–Norwalk, CT	12	14	1	3	1	1	4	6	5	0
Buffalo–Cheektowaga–Niagara Falls, NY	11	12	2	2	0	0	2	3	2	0
Cape Coral–Fort Myers, FL	13	14	1	1	0	0	10	11	0	0
Charleston–North Charleston, SC	1	1	0	0	0	0	0	0	0	0
Charlotte–Concord–Gastonia, NC–SC	17	23	0	1	0	0	3	10	12	0
Chattanooga, TN–GA	3	7	0	0	0	0	1	1	4	0
Chicago–Naperville–Elgin, IL–IN–WI	235	290	2	6	4	6	33	45	30	2
Chicago Division	211	262	1	5	4	5	25	35	27	2
Elgin Division	11	14	0	0	0	0	1	1	1	0
Gary Division	7	8	0	0	0	0	3	4	2	0
Lake County Division	6	6	1	1	0	0	4	4	0	0
Cincinnati, OH–KY–IN	6	11	0	1	0	0	1	2	6	0
Cleveland–Elyria, OH	10	16	0	0	1	1	1	2	6	0
Colorado Springs, CO	9	11	0	0	0	0	0	1	3	0
Columbia, SC	2	2	0	0	0	0	0	0	1	0
Columbus, OH	8	11	2	3	1	2	1	3	5	0
Dallas–Fort Worth–Arlington, TX	207	296	6	14	10	14	22	43	76	0
Dallas Division	178	250	5	11	9	12	16	33	58	0
Fort Worth Division	29	47	1	3	1	2	6	9	18	0
Dayton, OH	1	1	0	0	0	0	0	1	1	0
Deltona–Daytona Beach–Ormond Beach, FL	2	2	1	1	1	1	0	1	2	1
Denver–Aurora–Lakewood, CO	50	64	3	5	2	3	6	11	18	0
Des Moines–West Des Moines, IA	3	3	0	0	0	0	0	0	0	0
Detroit–Warren–Dearborn, MI	14	18	0	0	0	0	0	1	4	0
Detroit Division	7	8	0	0	0	0	0	1	2	0
Warren Division	7	9	0	0	0	0	0	0	2	0
Durham–Chapel Hill, NC	5	8	0	0	1	1	1	6	7	0
El Paso, TX	57	76	1	3	1	2	0	9	24	0
Fayetteville–Springdale–Rogers, AR	2	3	1	1	0	0	0	0	1	0
Fresno, CA	50	58	0	1	1	1	2	7	8	0
Grand Rapids–Wyoming, MI	9	12	0	0	0	0	0	1	4	0
Greensboro–High Point, NC	3	3	0	0	0	0	0	0	0	0
Greenville–Anderson–Mauldin, SC	4	6	0	0	0	0	1	1	2	0
Harrisburg–Carlisle, PA	1	2	0	0	0	0	2	3	2	0
Hartford–West Hartford–East Hartford, CT	4	6	3	4	1	1	7	9	4	0
Honolulu (Urban), HI	2	3	0	0	1	1	1	1	1	0

Table 8b. Diagnoses of HIV infection among Hispanic/Latino adults and adolescents, by transmission category and metropolitan statistical area of residence, 2014—United States (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Houston–The Woodlands–Sugar Land, TX	283	390	5	20	6	13	43	91	148	0
Indianapolis–Carmel–Anderson, IN	10	12	1	1	0	0	10	12	4	0
Jackson, MS	1	3	0	0	0	0	1	1	2	0
Jacksonville, FL	9	11	0	0	1	1	8	8	1	0
Kansas City, MO–KS	16	20	1	1	0	0	4	7	6	0
Knoxville, TN	2	2	0	0	0	0	0	0	0	0
Lakeland–Winter Haven, FL	13	14	1	1	0	0	8	8	0	0
Lancaster, PA	1	3	1	1	0	0	1	2	3	0
Las Vegas–Henderson–Paradise, NV	101	118	3	4	4	5	6	12	15	0
Little Rock–North Little Rock–Conway, AR	6	9	0	0	0	0	0	0	3	0
Los Angeles–Long Beach–Anaheim, CA	761	1,106	23	41	18	29	43	134	290	0
Anaheim Division	102	126	6	7	1	2	11	13	8	0
Los Angeles Division	659	980	17	34	17	27	32	121	282	0
Louisville/Jefferson County, KY–IN	13	18	0	1	0	0	0	2	7	0
Madison, WI	1	1	0	0	0	0	0	0	0	0
McAllen–Edinburg–Mission, TX	36	50	0	2	0	1	25	30	14	0
Memphis, TN–MS–AR	6	7	0	0	0	0	4	4	1	0
Miami–Fort Lauderdale–West Palm Beach, FL	703	775	15	20	4	5	133	156	50	0
Fort Lauderdale Division	122	132	2	3	0	0	22	26	7	0
Miami Division	547	603	10	12	4	5	92	104	32	0
West Palm Beach Division	34	40	3	4	0	0	19	26	11	0
Milwaukee–Waukesha–West Allis, WI	14	20	3	4	0	0	4	6	7	0
Minneapolis–St. Paul–Bloomington, MN–WI	14	23	0	1	1	2	0	4	13	0
Modesto, CA	5	7	0	0	0	0	1	1	2	0
Nashville–Davidson–Murfreesboro–Franklin, TN	15	21	0	0	0	0	0	0	4	0
New Haven–Milford, CT	11	13	1	3	0	0	3	5	5	0
New Orleans–Metairie, LA	19	26	1	2	1	2	8	13	11	0
New York–Newark–Jersey City, NY–NJ–PA ^d	798	1,048	37	140	16	24	107	277	391	1
Nassau County Division	60	80	2	10	1	1	8	23	37	0
New York Division	683	876	26	103	15	21	94	220	291	1
Newark Division	52	88	8	26	0	1	5	32	61	0
North Port–Sarasota–Bradenton, FL	10	12	3	3	0	0	6	7	2	0
Ogden–Clearfield, UT	2	4	0	0	0	0	2	2	2	0
Oklahoma City, OK	9	12	1	2	3	3	1	4	5	0
Omaha–Council Bluffs, NE–IA	3	6	0	0	0	0	1	1	3	0
Orlando–Kissimmee–Sanford, FL	121	143	14	17	7	8	48	58	26	3
Oxnard–Thousand Oaks–Ventura, CA	21	23	1	1	1	1	4	7	2	0
Palm Bay–Melbourne–Titusville, FL	3	3	0	0	0	0	1	1	0	0
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	63	76	11	17	2	3	41	51	18	0
Camden Division	14	20	4	9	0	0	6	14	13	0
Montgomery Division	12	15	0	0	1	1	2	2	2	0
Philadelphia Division	37	40	7	8	1	1	33	35	1	0
Wilmington Division	0	2	0	0	0	0	0	0	2	0
Phoenix–Mesa–Scottsdale, AZ	141	167	15	19	5	6	20	35	35	1
Pittsburgh, PA	2	3	0	0	0	0	0	0	1	0
Portland–South Portland, ME	0	1	0	0	0	0	0	1	3	1
Portland–Vancouver–Hillsboro, OR–WA	25	32	0	1	3	3	1	4	9	0
Providence–Warwick, RI–MA	20	29	1	4	0	0	8	13	11	0
Provo–Orem, UT	1	1	0	0	0	0	0	1	1	0
Raleigh, NC	7	13	0	1	2	2	7	10	9	0
Richmond, VA	6	6	0	0	1	1	1	3	2	0

Table 8b. Diagnoses of HIV infection among Hispanic/Latino adults and adolescents, by transmission category and metropolitan statistical area of residence, 2014—United States (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Riverside–San Bernardino–Ontario, CA	143	190	7	11	5	7	13	25	33	0
Rochester, NY	8	8	2	2	0	0	7	7	0	0
Sacramento–Roseville–Arden-Arcade, CA	19	24	1	1	0	0	13	14	3	0
St. Louis, MO–IL	5	9	1	2	0	0	1	2	4	0
Salt Lake City, UT	13	16	0	0	1	1	1	3	5	0
San Antonio–New Braunfels, TX	177	206	16	20	4	6	11	22	23	0
San Diego–Carlsbad–San Marcos, CA	142	174	6	8	7	9	31	38	11	0
San Francisco–Oakland–Hayward, CA ^d	149	177	9	10	12	13	10	18	20	0
Oakland Division	56	71	4	5	5	6	3	7	9	0
San Francisco Division	87	100	5	6	7	8	6	10	11	0
San Jose–Sunnyvale–Santa Clara, CA	52	66	6	8	4	5	1	4	13	0
San Juan–Carolina–Caguas, PR ^e	—	—	—	—	—	—	—	—	—	—
Santa Rosa, CA	5	7	2	3	0	0	1	1	2	0
Scranton–Wilkes-Barre–Hazelton, PA	1	1	0	0	0	0	1	1	0	0
Seattle–Tacoma–Bellevue, WA	30	36	1	1	1	2	1	4	8	0
Seattle Division	26	30	1	1	1	1	1	4	6	0
Tacoma Division	4	6	0	0	0	0	0	0	2	0
Spokane–Spokane Valley, WA	1	1	0	0	0	0	0	0	0	0
Springfield, MA	8	16	1	4	1	2	3	11	11	0
Stockton–Lodi, CA	16	19	0	0	3	4	4	4	2	0
Syracuse, NY	9	10	1	1	0	0	1	1	0	0
Tampa–St. Petersburg–Clearwater, FL	65	78	11	12	2	2	26	32	18	3
Toledo, OH	5	5	0	0	0	0	0	1	1	0
Tucson, AZ	26	31	0	1	1	2	2	5	7	0
Tulsa, OK	8	9	0	0	0	0	0	0	0	0
Virginia Beach–Norfolk–Newport News, VA–NC	6	6	0	0	0	0	4	5	1	0
Washington–Arlington–Alexandria, DC–VA–MD–WV	80	115	1	5	2	4	15	32	39	2
Silver Spring Division	19	32	0	2	0	0	3	10	13	0
Washington Division	61	84	1	3	2	3	12	22	26	2
Wichita, KS	4	4	0	0	0	0	0	0	0	0
Winston-Salem, NC	1	2	0	0	0	0	0	2	4	0
Worcester, MA–CT	0	1	1	2	0	0	0	4	4	0
Youngstown–Warren–Boardman, OH–PA	2	3	0	0	0	0	0	0	2	0
Subtotal for MSAs (population of ≥500,000)	5,241	6,835	248	497	155	223	842	1,501	1,716	18
Metropolitan areas (population of 50,000–499,999)	404	557	28	54	14	21	120	203	202	1
Nonmetropolitan areas	75	133	10	20	2	6	35	62	81	0
Total^f	5,737	7,552	289	579	172	251	1,005	1,782	2,008	19

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying trends based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

Hispanics/Latinos can be of any race.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.

^c Estimated numbers resulted from statistical adjustment that accounted for reporting delays and missing transmission category, but not for incomplete reporting.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Data are not presented for San Juan–Carolina–Caguas, PR. The 2014 postcensal estimates do not include population denominators by race/ethnicity for Puerto Rico, thereby preventing assessment of the suppression rule for population denominators (i.e., cells suppressed when population denominator <100).

^f Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 8c. Diagnoses of HIV infection among white adults and adolescents, by transmission category and metropolitan statistical area of residence, 2014—United States

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Akron, OH	15	19	0	0	1	1	1	1	3	0
Albany–Schenectady–Troy, NY	20	22	3	4	2	2	4	5	2	0
Albuquerque, NM	13	14	2	2	0	0	2	2	0	0
Allentown–Bethlehem–Easton, PA–NJ	7	10	2	3	2	2	3	4	4	0
Atlanta–Sandy Springs–Roswell, GA	51	157	1	5	1	3	4	21	80	0
Augusta–Richmond County, GA–SC	3	14	0	0	0	0	0	1	8	0
Austin–Round Rock, TX	83	106	8	9	9	10	0	1	15	0
Bakersfield, CA	9	18	7	9	0	1	2	7	14	0
Baltimore–Columbia–Towson, MD	30	59	3	5	0	0	18	29	25	0
Baton Rouge, LA	24	36	1	2	2	3	1	1	12	0
Birmingham–Hoover, AL	20	25	0	1	0	0	0	5	8	0
Boise City, ID	7	12	0	0	1	1	0	0	5	0
Boston–Cambridge–Newton, MA–NH ^d	80	123	7	15	4	6	3	17	27	0
Boston Division	42	61	3	6	2	3	2	9	10	0
Cambridge Division	35	57	4	7	2	3	1	8	14	0
Bridgeport–Stamford–Norwalk, CT	18	20	0	1	0	0	3	5	4	0
Buffalo–Cheektowaga–Niagara Falls, NY	23	25	4	5	0	0	1	4	4	0
Cape Coral–Fort Myers, FL	41	44	3	3	1	1	10	10	1	0
Charleston–North Charleston, SC	20	25	2	2	1	1	0	1	5	0
Charlotte–Concord–Gastonia, NC–SC	64	79	3	5	8	9	7	17	22	0
Chattanooga, TN–GA	14	17	3	3	4	4	4	7	5	0
Chicago–Naperville–Elgin, IL–IN–WI	226	295	8	13	11	14	18	31	51	6
Chicago Division	195	257	7	11	10	13	11	20	42	6
Elgin Division	10	13	1	1	1	1	3	4	3	0
Gary Division	10	12	0	0	0	0	1	2	3	0
Lake County Division	11	14	0	0	0	0	3	5	3	0
Cincinnati, OH–KY–IN	45	59	12	13	4	4	4	7	15	0
Cleveland–Elyria, OH	24	36	3	3	1	1	5	7	13	0
Colorado Springs, CO	8	10	1	1	3	3	1	1	2	0
Columbia, SC	13	30	0	1	1	1	2	7	21	0
Columbus, OH	70	91	4	5	5	6	3	8	22	0
Dallas–Fort Worth–Arlington, TX	214	305	10	16	11	15	20	37	70	0
Dallas Division	179	252	6	11	9	12	13	27	53	0
Fort Worth Division	35	54	4	5	2	3	7	10	17	0
Dayton, OH	19	23	0	0	1	1	1	2	4	0
Deltona–Daytona Beach–Ormond Beach, FL	35	38	8	9	0	0	10	12	2	0
Denver–Aurora–Lakewood, CO	95	113	6	8	12	13	8	14	20	0
Des Moines–West Des Moines, IA	13	17	1	1	2	2	3	3	4	0
Detroit–Warren–Dearborn, MI	78	98	2	3	4	5	11	15	20	1
Detroit Division	28	35	2	3	2	2	7	8	7	0
Warren Division	50	63	0	1	2	2	4	6	13	0
Durham–Chapel Hill, NC	5	9	0	0	1	1	0	1	5	0
El Paso, TX	6	14	0	0	0	0	1	1	7	0
Fayetteville–Springdale–Rogers, AR	6	8	1	1	1	1	1	2	2	0
Fresno, CA	19	24	3	3	0	0	0	1	4	0
Grand Rapids–Wyoming, MI	15	21	0	0	2	2	1	3	7	0
Greensboro–High Point, NC	9	10	1	2	0	0	1	3	3	0
Greenville–Anderson–Mauldin, SC	26	33	1	1	2	2	1	3	7	0
Harrisburg–Carlisle, PA	13	17	0	0	0	0	1	2	4	0
Hartford–West Hartford–East Hartford, CT	16	19	3	4	0	0	2	3	4	0
Honolulu (Urban), HI	17	21	2	2	0	0	1	1	3	0

Table 8c. Diagnoses of HIV infection among white adults and adolescents, by transmission category and metropolitan statistical area of residence, 2014—United States (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Houston–The Woodlands–Sugar Land, TX	141	189	11	14	12	14	12	21	48	1
Indianapolis–Carmel–Anderson, IN	56	67	3	3	3	3	12	13	8	0
Jackson, MS	5	10	0	0	1	1	2	5	8	0
Jacksonville, FL	49	57	9	10	4	4	24	27	5	0
Kansas City, MO–KS	60	67	4	4	1	1	1	5	7	0
Knoxville, TN	24	28	2	2	0	0	4	4	2	0
Lakeland–Winter Haven, FL	13	14	0	0	0	0	7	7	0	0
Lancaster, PA	5	6	0	0	2	2	0	0	1	0
Las Vegas–Henderson–Paradise, NV	79	96	7	9	12	13	6	11	17	0
Little Rock–North Little Rock–Conway, AR	35	51	2	3	1	2	3	7	16	0
Los Angeles–Long Beach–Anaheim, CA	369	518	21	32	16	21	13	38	108	0
Anaheim Division	69	82	11	13	6	7	4	6	4	0
Los Angeles Division	300	435	10	18	10	13	9	32	104	0
Louisville/Jefferson County, KY–IN	48	73	4	5	4	5	1	10	30	0
Madison, WI	11	14	0	0	0	0	0	1	3	0
McAllen–Edinburg–Mission, TX	1	2	0	0	0	0	0	0	1	0
Memphis, TN–MS–AR	22	29	0	0	0	0	14	17	7	0
Miami–Fort Lauderdale–West Palm Beach, FL	356	400	24	27	16	17	54	66	33	1
Fort Lauderdale Division	197	210	14	15	8	8	24	27	3	0
Miami Division	106	121	5	5	3	3	13	16	11	1
West Palm Beach Division	53	70	5	7	5	6	17	23	19	0
Milwaukee–Waukesha–West Allis, WI	17	22	0	0	0	0	1	1	4	0
Minneapolis–St. Paul–Bloomington, MN–WI	86	104	1	2	8	9	4	11	21	0
Modesto, CA	3	3	0	0	0	0	0	1	1	0
Nashville–Davidson–Murfreesboro–Franklin, TN	59	67	3	3	3	3	7	9	6	0
New Haven–Milford, CT	8	11	1	1	0	0	3	3	3	0
New Orleans–Metairie, LA	70	93	4	6	4	5	4	11	27	1
New York–Newark–Jersey City, NY–NJ–PA ^d	477	649	23	51	14	19	35	86	178	0
Nassau County Division	46	61	1	3	0	0	5	13	20	0
New York Division	408	548	17	38	14	19	24	55	132	0
Newark Division	19	37	4	8	0	0	3	12	24	0
North Port–Sarasota–Bradenton, FL	36	39	0	0	3	3	6	8	2	0
Ogden–Clearfield, UT	2	3	0	0	2	2	0	1	2	0
Oklahoma City, OK	37	49	5	6	13	15	6	9	10	0
Omaha–Council Bluffs, NE–IA	29	32	2	2	2	2	3	3	1	0
Orlando–Kissimmee–Sanford, FL	138	159	3	5	6	7	13	17	17	0
Oxnard–Thousand Oaks–Ventura, CA	9	10	2	2	1	1	1	2	1	0
Palm Bay–Melbourne–Titusville, FL	16	18	2	2	0	0	10	13	4	0
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	111	132	25	30	2	2	45	56	20	1
Camden Division	11	22	6	9	0	0	2	8	15	0
Montgomery Division	33	36	4	4	0	0	9	10	1	0
Philadelphia Division	57	60	11	12	2	2	26	27	1	1
Wilmington Division	10	14	4	5	0	0	8	10	3	0
Phoenix–Mesa–Scottsdale, AZ	137	172	22	25	14	16	16	27	39	1
Pittsburgh, PA	52	66	5	8	1	1	3	9	18	0
Portland–South Portland, ME	8	12	0	1	1	1	1	2	6	0
Portland–Vancouver–Hillsboro, OR–WA	64	76	12	13	21	22	4	9	13	0
Providence–Warwick, RI–MA	36	46	2	4	4	5	7	9	7	0
Provo–Orem, UT	0	0	0	0	0	0	0	0	0	0
Raleigh, NC	27	37	0	1	2	3	2	5	12	0
Richmond, VA	34	41	2	2	1	1	3	6	7	0

Table 8c. Diagnoses of HIV infection among white adults and adolescents, by transmission category and metropolitan statistical area of residence, 2014—United States (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Riverside–San Bernardino–Ontario, CA	118	160	10	14	6	8	8	17	31	0
Rochester, NY	17	19	0	1	0	0	1	4	5	0
Sacramento–Roseville–Arden-Arcade, CA	31	41	7	9	3	4	18	23	12	0
St. Louis, MO–IL	55	72	2	3	6	7	6	9	16	0
Salt Lake City, UT	30	37	3	4	10	11	2	4	8	0
San Antonio–New Braunfels, TX	48	57	3	4	3	4	4	7	8	0
San Diego–Carlsbad–San Marcos, CA	123	150	11	13	11	13	31	36	8	0
San Francisco–Oakland–Hayward, CA ^d	172	204	16	18	26	28	8	16	23	0
Oakland Division	53	69	4	5	2	2	4	10	13	0
San Francisco Division	117	131	12	13	23	24	4	5	7	0
San Jose–Sunnyvale–Santa Clara, CA	28	41	3	3	3	4	1	1	10	0
San Juan–Carolina–Caguas, PR ^e	—	—	—	—	—	—	—	—	—	—
Santa Rosa, CA	12	15	0	0	2	2	0	0	2	0
Scranton–Wilkes-Barre–Hazelton, PA	5	7	3	3	0	0	6	7	2	0
Seattle–Tacoma–Bellevue, WA	110	138	8	10	15	17	4	12	30	0
Seattle Division	101	125	7	9	13	14	3	8	25	0
Tacoma Division	9	12	1	1	2	2	1	3	5	0
Spokane–Spokane Valley, WA	2	2	0	0	0	0	0	2	2	0
Springfield, MA	7	10	2	3	1	1	1	4	3	0
Stockton–Lodi, CA	14	17	1	1	0	0	2	2	1	0
Syracuse, NY	21	26	2	3	0	0	4	6	7	0
Tampa–St. Petersburg–Clearwater, FL	153	191	18	21	11	13	15	25	38	0
Toledo, OH	11	15	0	0	0	0	1	2	4	0
Tucson, AZ	22	27	4	5	5	5	4	5	5	0
Tulsa, OK	35	40	5	6	5	6	4	8	6	0
Virginia Beach–Norfolk–Newport News, VA–NC	40	58	1	1	3	4	8	11	18	0
Washington–Arlington–Alexandria, DC–VA–MD–WV	118	173	2	5	8	11	13	28	48	0
Silver Spring Division	18	37	1	2	1	2	6	9	14	0
Washington Division	100	136	1	3	7	8	7	19	34	0
Wichita, KS	9	13	1	1	2	2	1	4	6	0
Winston-Salem, NC	8	11	1	1	1	1	0	0	3	0
Worcester, MA–CT	5	9	0	1	1	1	0	0	2	0
Youngstown–Warren–Boardman, OH–PA	8	11	1	1	0	0	3	3	2	0
Subtotal for MSAs (population of ≥500,000)	5,446	7,120	420	570	393	466	630	1,073	1,527	18
Metropolitan areas (population of 50,000–499,999)	1,068	1,475	139	181	91	111	183	342	473	4
Nonmetropolitan areas	240	350	43	56	24	29	61	116	142	2
Total^f	6,791	9,008	605	815	511	611	875	1,537	2,159	25

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying trends based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.

^c Estimated numbers resulted from statistical adjustment that accounted for reporting delays and missing transmission category, but not for incomplete reporting.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Data are not presented for San Juan–Carolina–Caguas, PR. The 2014 postcensal estimates do not include population denominators by race/ethnicity for Puerto Rico, thereby preventing assessment of the suppression rule for population denominators (i.e., cells suppressed when population denominator <100).

^f Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 9a. Black/African American adults and adolescents living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2013—United States

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Akron, OH	144	183	14	28	13	16	76	109	90	4
Albany–Schenectady–Troy, NY	122	143	131	176	33	36	190	265	162	17
Albuquerque, NM	30	34	10	13	8	10	14	20	15	1
Allentown–Bethlehem–Easton, PA–NJ	47	58	49	64	9	9	116	149	62	4
Atlanta–Sandy Springs–Roswell, GA	7,963	10,944	949	1,709	645	803	2,971	5,241	5,722	172
Augusta–Richmond County, GA–SC	444	617	147	263	34	52	255	656	695	26
Austin–Round Rock, TX	349	410	165	193	70	78	231	351	234	14
Bakersfield, CA	122	145	91	95	67	69	66	71	38	3
Baltimore–Columbia–Towson, MD	2,672	3,659	4,441	4,921	484	554	3,684	5,016	2,807	285
Baton Rouge, LA	793	1,210	459	688	93	169	842	1,617	1,535	47
Birmingham–Hoover, AL	1,021	1,265	110	184	49	67	497	871	757	23
Boise City, ID	2	6	2	4	2	3	2	11	16	1
Boston–Cambridge–Newton, MA–NH ^d	701	1,013	524	1,039	91	115	959	2,122	2,004	132
Boston Division	546	748	405	735	72	89	626	1,285	1,207	90
Cambridge Division	151	259	118	301	19	26	321	821	788	41
Bridgeport–Stamford–Norwalk, CT	141	163	291	330	14	15	400	470	169	31
Buffalo–Cheektowaga–Niagara Falls, NY	322	344	155	189	47	50	303	352	118	12
Cape Coral–Fort Myers, FL	104	125	49	66	16	18	400	481	134	13
Charleston–North Charleston, SC	524	634	127	196	48	61	433	629	412	26
Charlotte–Concord–Gastonia, NC–SC	1,537	2,001	400	648	88	139	907	1,867	1,795	42
Chattanooga, TN–GA	168	206	40	51	14	17	111	182	137	5
Chicago–Naperville–Elgin, IL–IN–WI	5,937	7,008	2,091	2,463	702	763	2,913	4,033	2,922	299
Chicago Division	5,507	6,486	1,977	2,311	647	700	2,684	3,695	2,666	287
Elgin Division	57	64	33	35	7	8	45	55	21	3
Gary Division	263	324	45	71	32	37	126	191	162	8
Lake County Division	110	134	36	47	16	18	58	93	73	2
Cincinnati, OH–KY–IN	746	939	81	136	55	69	316	524	483	21
Cleveland–Elyria, OH	1,186	1,455	172	249	94	118	581	776	603	41
Colorado Springs, CO	71	81	10	15	8	11	41	52	33	4
Columbia, SC	1,166	1,373	226	361	94	124	829	1,162	729	29
Columbus, OH	766	1,017	130	214	50	70	440	705	628	17
Dallas–Fort Worth–Arlington, TX	3,624	4,356	608	888	260	325	1,884	2,974	2,137	93
Dallas Division	3,002	3,611	384	624	185	238	1,469	2,353	1,720	56
Fort Worth Division	622	745	224	264	75	86	415	621	417	36
Dayton, OH	340	395	35	55	21	25	158	235	167	16
Deltona–Daytona Beach–Ormond Beach, FL	204	214	93	102	35	36	217	251	75	21
Denver–Aurora–Lakewood, CO	550	615	128	159	78	88	411	468	171	11
Des Moines–West Des Moines, IA	27	34	7	10	3	4	34	64	43	2
Detroit–Warren–Dearborn, MI	3,204	3,774	639	877	207	256	989	1,755	1,760	102
Detroit Division	2,639	3,120	585	787	185	227	841	1,489	1,501	89
Warren Division	565	654	54	90	22	29	148	266	259	13
Durham–Chapel Hill, NC	443	575	153	230	33	48	258	514	511	17
El Paso, TX	32	44	16	19	4	5	15	27	29	0
Fayetteville–Springdale–Rogers, AR	11	11	5	5	1	1	7	8	1	0
Fresno, CA	97	98	78	77	21	21	48	49	8	5
Grand Rapids–Wyoming, MI	83	111	18	29	8	11	86	151	115	8
Greensboro–High Point, NC	576	726	110	211	35	56	229	617	683	17
Greenville–Anderson–Mauldin, SC	415	462	72	100	32	38	251	339	173	4
Harrisburg–Carlisle, PA	122	138	120	135	19	20	161	185	59	2
Hartford–West Hartford–East Hartford, CT	196	228	352	382	26	27	292	346	135	10
Honolulu (Urban), HI	50	58	6	8	9	10	17	21	16	1

Table 9a. Black/African American adults and adolescents living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2013—United States (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Houston–The Woodlands–Sugar Land, TX	3,672	4,641	1,206	1,554	390	472	3,691	4,911	2,766	157
Indianapolis–Carmel–Anderson, IN	892	1,037	123	160	74	85	489	637	353	21
Jackson, MS	976	1,314	119	298	45	93	495	1,035	1,170	35
Jacksonville, FL	1,283	1,316	380	386	108	109	2,119	2,152	131	63
Kansas City, MO–KS	943	1,038	103	124	77	87	309	458	288	16
Knoxville, TN	99	123	29	34	6	8	53	91	77	3
Lakeland–Winter Haven, FL	163	187	58	72	13	15	523	580	111	14
Lancaster, PA	16	22	25	34	3	4	43	69	46	4
Las Vegas–Henderson–Paradise, NV	732	796	146	179	73	85	367	457	219	21
Little Rock–North Little Rock–Conway, AR	514	557	68	80	31	36	230	279	121	11
Los Angeles–Long Beach–Anaheim, CA	4,938	6,000	558	880	537	641	1,000	1,819	2,279	120
Anaheim Division	151	158	49	51	16	18	83	89	20	5
Los Angeles Division	4,787	5,842	509	829	521	623	917	1,730	2,259	115
Louisville/Jefferson County, KY–IN	516	624	138	162	45	52	263	383	287	15
Madison, WI	43	56	22	26	6	7	46	67	42	2
McAllen–Edinburg–Mission, TX	5	5	4	4	0	0	2	2	0	0
Memphis, TN–MS–AR	2,201	2,815	185	312	85	130	1,954	2,494	1,473	50
Miami–Fort Lauderdale–West Palm Beach, FL	4,827	5,745	2,023	2,457	478	557	14,699	16,442	3,823	662
Fort Lauderdale Division	1,464	1,775	680	838	120	149	4,763	5,529	1,452	198
Miami Division	2,628	3,125	1,068	1,288	290	328	6,637	7,334	1,780	328
West Palm Beach Division	735	845	275	331	68	79	3,299	3,580	591	136
Milwaukee–Waukesha–West Allis, WI	714	840	156	201	71	82	299	430	329	13
Minneapolis–St. Paul–Bloomington, MN–WI	563	895	139	217	58	86	409	1,014	1,071	35
Modesto, CA	15	17	11	11	3	3	9	10	7	3
Nashville–Davidson–Murfreesboro–Franklin, TN	951	1,123	342	356	71	80	600	759	425	31
New Haven–Milford, CT	184	207	403	431	26	28	388	430	131	28
New Orleans–Metairie, LA	1,481	2,104	468	755	160	255	1,165	2,029	1,965	97
New York–Newark–Jersey City, NY–NJ–PA ^d	13,142	17,352	10,147	17,121	1,428	1,838	13,462	22,615	22,528	1,936
Nassau County Division	399	506	325	496	55	64	491	765	646	92
New York Division	11,346	14,684	7,706	13,360	1,161	1,496	10,882	18,293	18,185	1,548
Newark Division	1,347	2,091	1,968	3,076	188	249	1,993	3,436	3,596	286
North Port–Sarasota–Bradenton, FL	129	144	46	55	11	12	297	345	89	16
Ogden–Clearfield, UT	15	17	3	4	0	0	5	7	5	0
Oklahoma City, OK	354	422	49	70	43	51	100	181	183	7
Omaha–Council Bluffs, NE–IA	121	154	22	35	14	17	107	189	140	10
Orlando–Kissimmee–Sanford, FL	1,470	1,627	483	542	131	145	1,473	1,841	674	80
Oxnard–Thousand Oaks–Ventura, CA	19	23	3	3	3	3	11	14	8	1
Palm Bay–Melbourne–Titusville, FL	112	131	41	54	10	12	202	258	106	16
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	4,303	4,487	3,303	3,457	556	568	6,297	6,637	1,015	276
Camden Division	359	430	224	315	53	62	415	536	300	27
Montgomery Division	145	156	118	133	26	26	277	307	68	9
Philadelphia Division	3,442	3,524	2,503	2,546	399	400	5,027	5,198	570	213
Wilmington Division	357	378	458	464	78	80	578	596	77	26
Phoenix–Mesa–Scottsdale, AZ	445	523	133	159	80	88	227	316	219	21
Pittsburgh, PA	512	543	157	184	38	41	364	428	139	13
Portland–South Portland, ME	17	24	4	14	1	1	19	58	58	3
Portland–Vancouver–Hillsboro, OR–WA	133	152	31	35	24	27	108	128	55	10
Providence–Warwick, RI–MA	109	131	204	237	14	15	218	292	144	16
Provo–Orem, UT	1	1	0	0	1	1	1	2	3	1
Raleigh, NC	733	927	165	268	65	88	343	738	748	27
Richmond, VA	1,230	1,374	385	445	133	144	809	1,071	569	39

Table 9a. Black/African American adults and adolescents living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2013—United States (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Riverside–San Bernardino–Ontario, CA	531	615	185	217	54	62	318	400	206	15
Rochester, NY	291	350	282	387	49	56	210	359	337	18
Sacramento–Roseville–Arden-Arcade, CA	329	354	102	106	41	43	278	298	65	13
St. Louis, MO–IL	1,928	2,188	201	279	138	160	834	1,088	633	32
Salt Lake City, UT	38	46	19	24	6	7	44	82	56	4
San Antonio–New Braunfels, TX	287	353	64	83	34	44	122	220	197	4
San Diego–Carlsbad–San Marcos, CA	870	898	162	167	128	128	326	347	57	17
San Francisco–Oakland–Hayward, CA ^d	2,282	2,431	937	975	500	512	988	1,158	420	56
Oakland Division	1,335	1,446	397	430	114	122	748	875	301	41
San Francisco Division	895	923	474	478	352	354	221	257	95	14
San Jose–Sunnyvale–Santa Clara, CA	120	139	34	40	22	24	98	138	77	9
San Juan–Carolina–Caguas, PR ^e	—	—	—	—	—	—	—	—	—	—
Santa Rosa, CA	23	26	3	4	6	6	13	18	11	2
Scranton–Wilkes-Barre–Hazelton, PA	27	30	37	41	8	8	41	49	19	4
Seattle–Tacoma–Bellevue, WA	497	630	103	145	51	63	323	584	483	42
Seattle Division	402	520	69	106	44	54	264	499	432	37
Tacoma Division	95	109	34	39	7	9	59	85	51	4
Spokane–Spokane Valley, WA	6	9	1	1	1	1	11	13	6	1
Springfield, MA	67	85	91	134	14	16	64	124	123	12
Stockton–Lodi, CA	96	99	87	87	18	18	83	91	17	4
Syracuse, NY	91	103	66	85	13	15	127	161	73	8
Tampa–St. Petersburg–Clearwater, FL	1,278	1,406	381	442	111	119	1,606	1,857	527	84
Toledo, OH	167	182	34	40	12	14	162	184	52	8
Tucson, AZ	63	71	25	28	13	14	55	71	34	5
Tulsa, OK	180	201	13	24	21	25	74	108	76	5
Virginia Beach–Norfolk–Newport News, VA–NC	1,928	2,276	379	498	122	146	947	1,565	1,234	56
Washington–Arlington–Alexandria, DC–VA–MD–WV	6,317	8,302	2,567	3,436	637	769	6,301	9,701	6,344	328
Silver Spring Division	386	621	111	203	34	52	1,050	1,610	874	41
Washington Division	5,931	7,681	2,456	3,233	603	717	5,251	8,092	5,470	287
Wichita, KS	77	90	9	12	13	14	67	83	35	3
Winston-Salem, NC	306	405	69	139	26	36	207	455	456	17
Worcester, MA–CT	46	68	76	119	6	7	104	236	189	5
Youngstown–Warren–Boardman, OH–PA	101	132	48	69	9	13	82	116	96	6
Subtotal for MSAs (population of ≥500,000)	103,571	127,850	41,161	56,578	10,585	12,695	89,315	126,914	84,003	6,214
Metropolitan areas (population of 50,000–499,999)	14,218	17,916	6,140	8,318	1,876	2,348	13,111	19,432	13,316	710
Nonmetropolitan areas	3,904	5,116	1,731	2,489	610	784	4,052	6,205	4,522	211
Total^f	122,737	152,303	49,433	68,005	13,209	16,000	107,017	153,532	102,909	7,227

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying trends based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.

^c Estimated numbers resulted from statistical adjustment that accounted for reporting delays and missing transmission category, but not for incomplete reporting.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Data are not presented for San Juan–Carolina–Caguas, PR. The 2014 postcensal estimates do not include population denominators by race/ethnicity for Puerto Rico, thereby preventing assessment of the suppression rule for population denominators (i.e., cells suppressed when population denominator <100).

^f Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 9b. Hispanic/Latino adults and adolescents living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2013—United States

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Akron, OH	13	15	2	2	1	1	4	4	3	1
Albany–Schenectady–Troy, NY	81	90	119	135	35	36	82	99	50	6
Albuquerque, NM	439	473	50	57	49	54	67	78	60	5
Allentown–Bethlehem–Easton, PA–NJ	75	94	191	223	15	18	175	219	113	14
Atlanta–Sandy Springs–Roswell, GA	929	1,277	60	111	73	89	245	381	494	13
Augusta–Richmond County, GA–SC	23	35	2	6	4	5	15	23	22	0
Austin–Round Rock, TX	977	1,090	85	104	80	90	178	241	210	11
Bakersfield, CA	281	323	191	200	108	113	122	137	78	8
Baltimore–Columbia–Towson, MD	201	271	89	103	24	29	159	195	111	3
Baton Rouge, LA	19	28	4	6	2	3	13	18	18	1
Birmingham–Hoover, AL	42	58	4	6	3	4	18	26	28	0
Boise City, ID	33	38	5	7	2	3	9	14	13	0
Boston–Cambridge–Newton, MA–NH ^d	831	1,078	646	831	83	100	454	761	711	53
Boston Division	535	668	327	418	52	61	217	366	349	22
Cambridge Division	286	398	314	406	31	39	235	391	356	31
Bridgeport–Stamford–Norwalk, CT	226	255	236	265	17	19	258	297	116	16
Buffalo–Cheektowaga–Niagara Falls, NY	88	104	129	144	30	31	89	98	43	3
Cape Coral–Fort Myers, FL	79	103	38	43	7	9	97	115	55	6
Charleston–North Charleston, SC	38	60	5	10	2	4	17	29	45	4
Charlotte–Concord–Gastonia, NC–SC	183	273	9	21	5	12	60	125	176	5
Chattanooga, TN–GA	19	29	1	4	1	2	9	17	21	0
Chicago–Naperville–Elgin, IL–IN–WI	3,260	3,782	486	579	295	321	907	1,113	873	85
Chicago Division	3,001	3,469	445	527	265	286	784	965	776	79
Elgin Division	88	97	16	19	14	15	51	58	20	0
Gary Division	61	75	17	20	8	9	20	24	27	5
Lake County Division	110	140	8	13	8	10	52	65	50	1
Cincinnati, OH–KY–IN	46	58	13	16	3	4	33	40	22	0
Cleveland–Elyria, OH	153	191	99	107	29	32	97	120	81	10
Colorado Springs, CO	78	85	12	16	5	5	10	15	18	1
Columbia, SC	44	76	5	11	5	7	32	49	57	0
Columbus, OH	107	133	19	23	11	14	38	48	45	4
Dallas–Fort Worth–Arlington, TX	3,139	3,637	191	280	161	194	558	802	806	31
Dallas Division	2,673	3,088	103	179	107	132	417	615	654	26
Fort Worth Division	466	550	88	101	54	61	141	187	152	5
Dayton, OH	27	29	0	0	0	0	2	4	4	0
Deltona–Daytona Beach–Ormond Beach, FL	74	77	28	30	7	7	36	42	19	7
Denver–Aurora–Lakewood, CO	1,175	1,290	128	154	161	177	172	219	201	5
Des Moines–West Des Moines, IA	34	40	3	4	3	4	11	14	11	0
Detroit–Warren–Dearborn, MI	203	243	31	39	7	10	59	83	81	6
Detroit Division	108	134	24	30	7	9	41	60	59	5
Warren Division	95	109	7	9	0	1	18	23	22	1
Durham–Chapel Hill, NC	48	93	0	9	3	7	36	74	96	1
El Paso, TX	1,064	1,142	94	113	66	73	234	285	168	17
Fayetteville–Springdale–Rogers, AR	34	38	9	10	1	1	14	20	12	1
Fresno, CA	567	572	67	66	58	58	93	98	15	7
Grand Rapids–Wyoming, MI	69	88	7	9	5	6	27	33	29	1
Greensboro–High Point, NC	51	74	3	8	1	4	15	32	46	0
Greenville–Anderson–Mauldin, SC	52	66	7	10	2	3	21	27	23	0
Harrisburg–Carlisle, PA	31	34	69	73	9	10	51	57	16	1
Hartford–West Hartford–East Hartford, CT	115	118	18	19	16	17	3	6	11	4
Honolulu (Urban), HI	217	250	629	649	53	55	359	390	126	29
Houston–The Woodlands–Sugar Land, TX	3,385	4,110	276	395	210	261	1,373	1,679	1,215	58

Table 9b. Hispanic/Latino adults and adolescents living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2013—United States (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Indianapolis–Carmel–Anderson, IN	152	186	18	21	15	18	88	100	49	0
Jackson, MS	23	39	4	7	3	5	9	19	32	0
Jacksonville, FL	140	144	33	33	17	17	114	116	8	3
Kansas City, MO–KS	275	327	28	33	33	37	60	79	81	1
Knoxville, TN	17	26	1	2	2	2	7	13	16	0
Lakeland–Winter Haven, FL	76	89	35	38	11	12	100	110	35	7
Lancaster, PA	43	57	70	89	4	6	73	92	65	9
Las Vegas–Henderson–Paradise, NV	1,101	1,166	65	75	88	96	179	204	107	6
Little Rock–North Little Rock–Conway, AR	48	60	4	7	8	9	4	8	19	0
Los Angeles–Long Beach–Anaheim, CA	14,748	17,415	777	1,145	1,021	1,215	1,871	2,923	4,094	234
Anaheim Division	2,122	2,215	204	212	128	136	373	399	116	28
Los Angeles Division	12,626	15,200	573	932	893	1,079	1,498	2,524	3,978	206
Louisville/Jefferson County, KY–IN	64	86	9	11	3	4	25	35	35	0
Madison, WI	40	51	2	3	5	6	10	13	17	2
McAllen–Edinburg–Mission, TX	495	594	55	78	18	27	236	292	198	14
Memphis, TN–MS–AR	59	90	12	14	4	6	59	67	43	1
Miami–Fort Lauderdale–West Palm Beach, FL	9,298	9,919	639	754	466	496	3,281	3,624	1,170	113
Fort Lauderdale Division	1,490	1,621	115	137	90	96	526	610	257	22
Miami Division	7,404	7,844	450	534	346	367	2,340	2,566	804	77
West Palm Beach Division	404	454	74	83	30	33	415	448	109	14
Milwaukee–Waukesha–West Allis, WI	178	216	63	66	19	21	89	106	66	5
Minneapolis–St. Paul–Bloomington, MN–WI	294	373	34	43	24	29	76	112	132	6
Modesto, CA	119	128	15	16	11	13	30	35	23	7
Nashville–Davidson–Murfreesboro–Franklin, TN	154	190	11	15	2	4	75	88	56	3
New Haven–Milford, CT	182	206	354	378	22	24	258	280	97	20
New Orleans–Metairie, LA	197	274	20	39	24	32	82	138	163	6
New York–Newark–Jersey City, NY–NJ–PA ^d	15,307	18,845	9,404	13,161	1,791	2,095	8,870	12,334	12,108	1,216
Nassau County Division	593	727	165	255	45	55	339	475	407	48
New York Division	13,894	16,940	8,409	11,775	1,623	1,888	7,878	10,927	10,711	1,108
Newark Division	758	1,096	620	888	92	118	587	858	921	54
North Port–Sarasota–Bradenton, FL	72	91	36	40	2	4	67	82	43	3
Ogden–Clearfield, UT	37	41	3	3	11	12	7	10	7	0
Oklahoma City, OK	114	144	24	28	17	20	41	56	52	1
Omaha–Council Bluffs, NE–IA	68	94	5	9	4	7	31	45	48	1
Orlando–Kissimmee–Sanford, FL	1,079	1,191	338	360	109	116	517	617	283	48
Oxnard–Thousand Oaks–Ventura, CA	288	297	21	23	16	16	74	77	19	5
Palm Bay–Melbourne–Titusville, FL	31	36	19	19	6	6	32	37	15	4
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	943	1,036	1,074	1,132	204	211	1,203	1,264	292	70
Camden Division	174	224	164	204	34	39	177	209	135	14
Montgomery Division	85	94	62	65	11	11	98	101	19	4
Philadelphia Division	619	652	792	806	147	150	863	887	132	51
Wilmington Division	65	67	56	57	12	12	65	67	6	1
Phoenix–Mesa–Scottsdale, AZ	1,764	1,959	291	328	219	240	341	418	331	18
Pittsburgh, PA	59	61	17	19	6	6	16	19	8	1
Portland–South Portland, ME	16	17	9	11	4	4	3	6	6	0
Portland–Vancouver–Hillsboro, OR–WA	343	396	36	42	25	29	50	64	75	1
Providence–Warwick, RI–MA	178	217	181	217	28	32	257	307	137	16
Provo–Orem, UT	22	25	3	3	2	3	9	9	6	2
Raleigh, NC	101	170	12	28	4	9	37	88	142	3
Richmond, VA	73	92	24	26	5	6	54	63	31	0
Riverside–San Bernardino–Ontario, CA	1,599	1,767	217	239	164	176	387	457	249	25

Table 9b. Hispanic/Latino adults and adolescents living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2013—United States (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Rochester, NY	118	152	217	268	21	24	101	170	165	8
Sacramento–Roseville–Arden-Arcade, CA	384	416	57	60	47	50	127	136	53	8
St. Louis, MO–IL	140	162	15	21	9	10	31	47	43	0
Salt Lake City, UT	179	198	53	58	44	46	45	60	42	3
San Antonio–New Braunfels, TX	2,117	2,359	258	311	119	142	350	471	455	24
San Diego–Carlsbad–San Marcos, CA	3,018	3,106	272	281	260	263	504	528	108	54
San Francisco–Oakland–Hayward, CA ^d	3,301	3,438	253	270	460	470	426	487	231	36
Oakland Division	915	975	87	95	68	72	198	221	86	14
San Francisco Division	2,307	2,374	140	148	370	376	202	235	126	20
San Jose–Sunnyvale–Santa Clara, CA	766	856	61	72	78	86	137	180	160	9
San Juan–Carolina–Caguas, PR ^e	—	—	—	—	—	—	—	—	—	—
Santa Rosa, CA	116	129	10	10	18	19	32	34	21	5
Scranton–Wilkes-Barre–Hazelton, PA	19	22	21	26	5	5	39	46	17	2
Seattle–Tacoma–Bellevue, WA	671	750	66	82	85	92	99	145	145	4
Seattle Division	608	677	48	62	75	80	72	107	120	4
Tacoma Division	63	74	18	20	10	12	27	37	25	1
Spokane–Spokane Valley, WA	14	16	5	5	5	5	2	2	3	1
Springfield, MA	128	183	388	450	34	38	219	301	212	35
Stockton–Lodi, CA	209	214	55	56	29	30	93	96	11	2
Syracuse, NY	42	47	29	32	8	8	24	30	19	5
Tampa–St. Petersburg–Clearwater, FL	714	781	195	210	52	54	401	464	167	21
Toledo, OH	36	37	4	5	3	3	10	11	4	1
Tucson, AZ	411	441	74	79	49	53	81	87	50	7
Tulsa, OK	75	87	14	15	7	8	23	30	25	4
Virginia Beach–Norfolk–Newport News, VA–NC	109	137	28	32	9	11	62	81	60	4
Washington–Arlington–Alexandria, DC–VA–MD–WV	1,480	1,833	128	201	89	110	699	925	654	31
Silver Spring Division	193	272	19	35	11	16	192	244	139	4
Washington Division	1,287	1,561	109	167	78	95	507	681	515	27
Wichita, KS	61	68	8	10	9	10	25	27	12	1
Winston-Salem, NC	49	88	4	12	1	3	14	39	74	0
Worcester, MA–CT	74	97	268	294	28	30	135	174	94	16
Youngstown–Warren–Boardman, OH–PA	17	34	9	13	0	1	16	21	30	3
Subtotal for MSAs (population of ≥500,000)	82,595	95,686	20,515	26,332	7,538	8,533	28,669	37,127	29,555	2,558
Metropolitan areas (population of 50,000–499,999)	5,367	6,803	2,603	3,195	878	1,034	2,840	3,691	3,163	179
Nonmetropolitan areas	956	1,471	658	820	198	259	709	963	1,020	45
Total^f	89,409	104,529	24,026	30,666	8,697	9,919	32,400	42,018	33,964	2,814

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying trends based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

Hispanics/Latinos can be of any race.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.

^c Estimated numbers resulted from statistical adjustment that accounted for reporting delays and missing transmission category, but not for incomplete reporting.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Data are not presented for San Juan–Carolina–Caguas, PR. The 2014 postcensal estimates do not include population denominators by race/ethnicity for Puerto Rico, thereby preventing assessment of the suppression rule for population denominators (i.e., cells suppressed when population denominator <100).

^f Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 9c. White adults and adolescents living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2013—United States

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Akron, OH	291	342	21	28	12	15	55	74	82	3
Albany–Schenectady–Troy, NY	433	467	83	107	46	49	113	152	113	15
Albuquerque, NM	331	350	38	40	57	58	42	51	31	0
Allentown–Bethlehem–Easton, PA–NJ	231	258	79	96	18	20	128	152	77	8
Atlanta–Sandy Springs–Roswell, GA	3,499	4,626	167	260	339	384	234	461	1,396	38
Augusta–Richmond County, GA–SC	218	266	30	40	21	23	41	84	104	6
Austin–Round Rock, TX	1,574	1,678	120	136	186	193	104	145	183	13
Bakersfield, CA	208	234	133	135	94	95	49	60	47	5
Baltimore–Columbia–Towson, MD	1,208	1,529	524	577	112	126	381	502	490	40
Baton Rouge, LA	349	432	75	94	59	68	74	124	168	7
Birmingham–Hoover, AL	724	830	70	81	52	57	104	149	187	8
Boise City, ID	202	226	41	44	50	53	23	30	41	5
Boston–Cambridge–Newton, MA–NH ^d	3,503	3,883	675	818	294	322	325	464	632	76
Boston Division	2,200	2,397	322	385	166	181	138	203	296	35
Cambridge Division	1,167	1,336	334	408	115	127	154	225	307	38
Bridgeport–Stamford–Norwalk, CT	347	400	166	184	11	13	116	138	113	11
Buffalo–Cheektowaga–Niagara Falls, NY	431	452	77	87	49	50	115	134	62	11
Cape Coral–Fort Myers, FL	354	409	53	60	40	45	134	159	100	8
Charleston–North Charleston, SC	387	439	43	56	38	44	69	98	110	6
Charlotte–Concord–Gastonia, NC–SC	994	1,228	92	131	63	78	160	275	425	12
Chattanooga, TN–GA	386	425	30	38	23	26	61	100	103	10
Chicago–Naperville–Elgin, IL–IN–WI	5,959	6,447	437	489	406	425	572	691	758	106
Chicago Division	5,449	5,845	350	386	362	375	435	521	592	90
Elgin Division	127	143	27	30	12	13	34	38	30	7
Gary Division	209	251	43	52	21	24	71	86	76	6
Lake County Division	174	209	17	22	11	13	32	46	60	3
Cincinnati, OH–KY–IN	1,095	1,252	85	109	64	70	164	224	270	21
Cleveland–Elyria, OH	1,083	1,228	78	96	93	99	169	206	221	18
Colorado Springs, CO	306	346	39	45	45	52	29	38	69	5
Columbia, SC	437	494	48	61	37	43	107	149	125	5
Columbus, OH	1,831	2,164	91	121	95	113	227	292	462	23
Dallas–Fort Worth–Arlington, TX	5,974	6,405	446	498	457	484	438	575	663	57
Dallas Division	5,019	5,342	225	262	328	346	262	348	443	31
Fort Worth Division	955	1,063	221	236	129	138	176	228	220	27
Dayton, OH	456	505	30	35	22	24	77	92	84	13
Deltona–Daytona Beach–Ormond Beach, FL	403	421	71	74	36	37	104	118	45	8
Denver–Aurora–Lakewood, CO	4,201	4,390	255	289	612	629	238	280	326	42
Des Moines–West Des Moines, IA	274	291	20	21	32	33	44	48	25	3
Detroit–Warren–Dearborn, MI	1,771	1,958	135	163	119	128	197	264	350	51
Detroit Division	740	812	72	84	50	54	105	134	141	18
Warren Division	1,031	1,146	63	79	69	74	92	130	209	33
Durham–Chapel Hill, NC	245	292	13	22	15	19	21	44	90	6
El Paso, TX	86	94	8	10	10	10	12	15	17	2
Fayetteville–Springdale–Rogers, AR	243	251	39	41	43	44	62	70	30	10
Fresno, CA	339	342	68	69	48	48	31	32	12	5
Grand Rapids–Wyoming, MI	357	394	14	20	28	30	55	63	60	5
Greensboro–High Point, NC	336	410	19	34	16	23	44	91	154	6
Greenville–Anderson–Mauldin, SC	370	409	28	38	35	38	78	96	77	6
Harrisburg–Carlisle, PA	353	365	65	70	26	28	116	125	41	12
Hartford–West Hartford–East Hartford, CT	484	546	240	263	32	35	151	179	134	11
Honolulu (Urban), HI	577	605	47	54	43	44	47	60	56	5

Table 9c. White adults and adolescents living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2013—United States (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Houston–The Woodlands–Sugar Land, TX	3,842	4,244	380	439	422	440	540	683	689	40
Indianapolis–Carmel–Anderson, IN	1,615	1,719	104	116	169	175	244	277	181	24
Jackson, MS	202	272	37	48	35	40	27	54	128	10
Jacksonville, FL	1,018	1,032	174	176	117	118	380	387	40	12
Kansas City, MO–KS	1,742	1,838	110	117	218	223	160	187	164	22
Knoxville, TN	564	614	65	69	31	33	98	122	101	8
Lakeland–Winter Haven, FL	297	323	87	92	31	33	155	169	57	10
Lancaster, PA	176	196	40	54	10	11	50	65	57	4
Las Vegas–Henderson–Paradise, NV	1,947	2,090	245	267	273	291	244	283	246	18
Little Rock–North Little Rock–Conway, AR	538	589	53	56	53	56	81	94	83	8
Los Angeles–Long Beach–Anaheim, CA	13,924	14,991	713	823	1,230	1,293	553	786	1,381	94
Anaheim Division	2,366	2,419	236	240	177	180	206	219	78	22
Los Angeles Division	11,558	12,572	477	584	1,053	1,113	347	566	1,303	72
Louisville/Jefferson County, KY–IN	1,000	1,159	72	86	82	88	134	186	251	9
Madison, WI	295	322	14	19	28	29	26	37	53	8
McAllen–Edinburg–Mission, TX	26	33	4	5	3	3	4	8	14	0
Memphis, TN–MS–AR	633	712	53	62	52	54	129	162	154	14
Miami–Fort Lauderdale–West Palm Beach, FL	7,744	8,159	582	627	466	483	1,089	1,245	711	62
Fort Lauderdale Division	4,237	4,464	250	271	249	258	449	531	379	35
Miami Division	2,408	2,535	170	184	139	144	313	350	205	16
West Palm Beach Division	1,099	1,160	162	172	78	81	327	364	127	11
Milwaukee–Waukesha–West Allis, WI	723	773	47	54	65	69	68	85	94	15
Minneapolis–St. Paul–Bloomington, MN–WI	2,402	2,573	97	120	228	235	226	316	319	29
Modesto, CA	151	161	40	41	27	28	27	32	26	6
Nashville–Davidson–Murfreesboro–Franklin, TN	1,556	1,679	160	164	101	103	227	278	238	21
New Haven–Milford, CT	423	456	269	281	33	36	177	196	89	13
New Orleans–Metairie, LA	1,474	1,742	147	185	196	222	133	208	440	27
New York–Newark–Jersey City, NY–NJ–PA ^d	16,132	18,547	2,785	3,588	868	1,004	2,262	3,064	4,403	328
Nassau County Division	968	1,138	246	307	85	95	245	317	349	43
New York Division	14,187	16,173	2,181	2,820	712	824	1,764	2,378	3,537	251
Newark Division	838	1,083	296	391	55	67	205	310	475	28
North Port–Sarasota–Bradenton, FL	546	578	95	99	41	43	122	142	67	8
Ogden–Clearfield, UT	111	123	11	13	34	35	15	18	18	1
Oklahoma City, OK	875	956	127	139	181	185	109	135	155	22
Omaha–Council Bluffs, NE–IA	399	444	47	51	62	66	79	101	86	11
Orlando–Kissimmee–Sanford, FL	2,658	2,787	220	236	180	187	288	345	228	20
Oxnard–Thousand Oaks–Ventura, CA	258	276	41	43	25	27	46	48	35	8
Palm Bay–Melbourne–Titusville, FL	351	392	64	67	35	36	103	127	87	15
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	3,412	3,556	952	985	265	274	1,221	1,278	330	68
Camden Division	495	557	107	127	46	50	149	172	113	9
Montgomery Division	670	700	116	127	47	50	269	285	80	17
Philadelphia Division	1,927	1,967	621	621	143	144	646	659	114	35
Wilmington Division	320	332	108	110	29	30	157	161	23	6
Phoenix–Mesa–Scottsdale, AZ	3,734	3,965	448	485	493	515	363	417	397	48
Pittsburgh, PA	1,110	1,153	64	81	50	53	193	229	127	22
Portland–South Portland, ME	356	378	42	53	23	25	31	42	54	7
Portland–Vancouver–Hillsboro, OR–WA	2,362	2,465	234	244	304	310	228	260	174	25
Providence–Warwick, RI–MA	791	892	366	413	84	91	217	262	207	21
Provo–Orem, UT	62	66	5	6	9	9	9	11	11	5
Raleigh, NC	608	720	43	67	40	49	56	116	213	6
Richmond, VA	689	745	71	81	37	38	99	129	124	17

Table 9c. White adults and adolescents living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2013—United States (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Riverside–San Bernardino–Ontario, CA	2,864	2,974	279	301	370	375	260	304	187	28
Rochester, NY	558	607	76	101	47	51	111	159	136	11
Sacramento–Roseville–Arden-Arcade, CA	1,259	1,328	187	190	227	228	306	318	114	18
St. Louis, MO–IL	2,000	2,156	92	113	116	126	231	274	264	37
Salt Lake City, UT	816	847	134	141	214	218	71	83	69	16
San Antonio–New Braunfels, TX	812	917	92	106	68	77	85	122	177	8
San Diego–Carlsbad–San Marcos, CA	4,825	4,891	323	327	618	618	347	362	77	28
San Francisco–Oakland–Hayward, CA ^d	9,818	9,989	586	603	1,713	1,720	397	450	318	48
Oakland Division	1,838	1,923	154	167	203	209	200	225	140	25
San Francisco Division	7,693	7,772	373	378	1,448	1,449	158	183	158	20
San Jose–Sunnyvale–Santa Clara, CA	966	1,012	90	94	119	121	100	113	88	15
San Juan–Carolina–Caguas, PR ^e	—	—	—	—	—	—	—	—	—	—
Santa Rosa, CA	627	636	66	68	107	107	80	85	30	7
Scranton–Wilkes-Barre–Hazelton, PA	145	161	43	52	11	12	74	90	51	6
Seattle–Tacoma–Bellevue, WA	4,122	4,289	258	283	602	613	291	353	297	38
Seattle Division	3,815	3,940	184	204	553	561	226	272	224	31
Tacoma Division	307	350	74	78	49	52	65	81	73	8
Spokane–Spokane Valley, WA	213	225	39	41	57	59	22	29	23	2
Springfield, MA	237	275	99	122	25	27	46	80	91	8
Stockton–Lodi, CA	189	194	106	106	55	55	64	65	13	5
Syracuse, NY	296	319	40	51	27	29	82	95	61	13
Tampa–St. Petersburg–Clearwater, FL	3,281	3,404	365	389	313	317	673	748	281	43
Toledo, OH	289	302	16	21	32	33	90	102	37	7
Tucson, AZ	718	755	105	111	85	87	92	104	79	17
Tulsa, OK	608	651	77	82	110	113	87	100	77	7
Virginia Beach–Norfolk–Newport News, VA–NC	876	1,061	103	123	68	76	162	221	316	25
Washington–Arlington–Alexandria, DC–VA–MD–WV	4,452	5,037	236	313	259	286	383	618	949	67
Silver Spring Division	408	554	44	69	26	34	85	178	281	27
Washington Division	4,044	4,483	192	244	233	253	298	439	668	40
Wichita, KS	274	285	31	31	57	58	39	42	22	5
Winston-Salem, NC	248	302	28	42	12	16	40	79	117	5
Worcester, MA–CT	308	347	194	221	32	35	93	119	105	20
Youngstown–Warren–Boardman, OH–PA	116	152	16	23	6	7	46	56	61	7
Subtotal for MSAs (population of ≥500,000)	160,513	174,920	17,582	20,241	15,829	16,650	19,796	24,861	24,805	2,284
Metropolitan areas (population of 50,000–499,999)	24,559	27,446	4,535	5,135	3,407	3,627	6,006	7,533	6,002	655
Nonmetropolitan areas	5,203	5,989	1,268	1,442	850	914	1,758	2,270	1,785	220
Total^f	191,955	210,299	23,600	27,088	20,304	21,426	27,776	34,977	33,060	3,212

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying trends based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.

^c Estimated numbers resulted from statistical adjustment that accounted for reporting delays and missing transmission category, but not for incomplete reporting.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Data are not presented for San Juan–Carolina–Caguas, PR. The 2014 postcensal estimates do not include population denominators by race/ethnicity for Puerto Rico, thereby preventing assessment of the suppression rule for population denominators (i.e., cells suppressed when population denominator <100).

^f Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 10. Deaths of adults and adolescents with diagnosed HIV infection, by sex and metropolitan statistical area of residence, 2013—United States and Puerto Rico

MSA of residence	Males				Females				Total			
	Estimated ^a			Rank ^b	Estimated ^a			Rank ^b	No.	Estimated ^a		Rank ^b
	No.	No.	Rate		No.	No.	Rate			No.	Rate	
Akron, OH	8	9	3.0	—	2	2	0.7	—	10	11	1.8	—
Albany–Schenectady–Troy, NY	17	19	5.1	80	12	13	3.3	26	29	32	4.2	64
Albuquerque, NM	13	14	3.9	88	2	2	0.6	—	15	17	2.2	92
Allentown–Bethlehem–Easton, PA–NJ	13	14	4.3	85	7	8	2.2	—	20	22	3.2	83
Atlanta–Sandy Springs–Roswell, GA	177	247	11.4	28	51	73	3.1	30	228	319	7.1	30
Augusta–Richmond County, GA–SC	13	16	7.1	63	5	6	2.3	—	18	22	4.6	55
Austin–Round Rock, TX	36	41	5.3	79	12	14	1.8	39	48	54	3.5	79
Bakersfield, CA	28	31	8.8	48	4	4	1.4	—	32	35	5.2	51
Baltimore–Columbia–Towson, MD	138	144	12.9	19	67	69	5.7	13	205	213	9.1	18
Baton Rouge, LA	67	76	22.9	5	41	47	13.4	1	108	122	18.0	3
Birmingham–Hoover, AL	55	67	14.8	16	23	29	5.8	12	78	95	10.1	15
Boise City, ID	5	6	2.3	—	1	1	0.4	—	6	7	1.3	—
Boston–Cambridge–Newton, MA–NH ^c	96	113	5.8	74	33	38	1.8	38	129	151	3.8	72
Boston Division	60	69	8.7	—	20	23	2.7	—	80	93	5.5	—
Cambridge Division	34	41	4.3	—	13	15	1.5	—	47	56	2.8	—
Bridgeport–Stamford–Norwalk, CT	35	39	10.3	36	8	9	2.2	—	43	48	6.1	38
Buffalo–Cheektowaga–Niagara Falls, NY	34	38	8.2	52	17	18	3.6	23	51	57	5.8	42
Cape Coral–Fort Myers, FL	20	24	8.7	51	10	12	4.2	—	30	36	6.4	36
Charleston–North Charleston, SC	30	37	12.7	20	7	8	2.5	—	37	44	7.5	23
Charlotte–Concord–Gastonia, NC–SC	82	96	10.4	34	34	39	3.9	21	116	135	7.0	32
Chattanooga, TN–GA	12	14	6.4	73	5	6	2.7	—	17	20	4.5	57
Chicago–Naperville–Elgin, IL–IN–WI	335	443	11.5	27	104	138	3.4	25	439	580	7.3	27
Chicago Division	304	407	13.8	—	93	125	4.0	—	397	532	8.7	—
Elgin Division	6	7	2.9	—	2	2	0.9	—	8	10	1.9	—
Gary Division	14	15	5.5	—	5	5	1.8	—	19	21	3.6	—
Lake County Division	11	13	3.7	—	4	5	1.3	—	15	18	2.5	—
Cincinnati, OH–KY–IN	48	55	6.4	72	9	10	1.1	—	57	65	3.7	73
Cleveland–Elyria, OH	50	58	6.9	65	12	13	1.5	42	62	71	4.1	66
Colorado Springs, CO	7	8	2.8	—	2	3	0.9	—	9	10	1.9	—
Columbia, SC	53	59	18.4	9	12	13	3.9	22	65	72	10.9	12
Columbus, OH	56	62	7.9	55	12	13	1.6	41	68	76	4.7	53
Dallas–Fort Worth–Arlington, TX	250	286	10.7	32	63	72	2.6	32	313	358	6.5	35
Dallas Division	193	222	12.5	—	47	54	2.9	—	240	276	7.6	—
Fort Worth Division	57	64	7.1	—	16	18	1.9	—	73	82	4.4	—
Dayton, OH	13	14	4.4	84	6	7	1.9	—	19	21	3.1	84
Deltona–Daytona Beach–Ormond Beach, FL	21	26	10.2	37	11	13	4.9	—	32	39	7.4	25
Denver–Aurora–Lakewood, CO	69	77	7.0	64	2	2	0.2	—	71	79	3.5	78

Table 10. Deaths of adults and adolescents with diagnosed HIV infection, by sex and metropolitan statistical area of residence, 2013—United States and Puerto Rico (cont)

MSA of residence	Males				Females				Total			
	Estimated ^a				Estimated ^a				Estimated ^a			
	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b
Des Moines–West Des Moines, IA	12	13	5.4	78	3	3	1.3	—	15	16	3.3	81
Detroit–Warren–Dearborn, MI	100	117	6.7	67	32	36	1.9	37	132	152	4.2	63
Detroit Division	83	97	13.9	—	26	29	3.8	—	109	126	8.6	—
Warren Division	17	20	1.9	—	6	7	0.6	—	23	26	1.2	—
Durham–Chapel Hill, NC	19	23	10.6	33	10	13	5.4	—	29	35	7.8	22
El Paso, TX	15	18	5.6	76	3	3	1.0	—	18	21	3.2	82
Fayetteville–Springdale–Rogers, AR	9	10	5.2	—	0	0	0.0	—	9	10	2.6	—
Fresno, CA	32	35	9.4	41	6	6	1.7	—	38	41	5.5	48
Grand Rapids–Wyoming, MI	9	10	2.5	—	3	3	0.8	—	12	13	1.6	95
Greensboro–High Point, NC	30	34	11.6	26	7	9	2.9	—	37	44	7.0	33
Greenville–Anderson–Mauldin, SC	28	32	9.4	39	8	9	2.4	—	36	41	5.8	44
Harrisburg–Carlisle, PA	19	22	9.4	40	4	4	1.8	—	23	26	5.5	46
Hartford–West Hartford–East Hartford, CT	38	44	8.7	50	16	18	3.4	24	54	62	6.0	39
Honolulu (Urban), HI	6	7	1.8	—	0	0	0.0	—	6	7	0.9	—
Houston–The Woodlands–Sugar Land, TX	313	361	14.4	17	93	107	4.2	20	406	469	9.2	17
Indianapolis–Carmel–Anderson, IN	77	84	11.0	30	15	17	2.0	35	92	101	6.3	37
Jackson, MS	39	46	20.7	7	20	24	9.7	7	59	70	14.9	8
Jacksonville, FL	93	108	19.2	8	60	69	11.5	3	153	177	15.2	7
Kansas City, MO–KS	67	75	9.2	42	8	9	1.1	—	75	84	5.0	52
Knoxville, TN	20	23	6.6	71	3	3	0.9	—	23	26	3.7	76
Lakeland–Winter Haven, FL	34	40	15.7	15	17	20	7.5	9	51	60	11.5	10
Lancaster, PA	8	9	4.3	—	6	7	3.0	—	14	16	3.7	75
Las Vegas–Henderson–Paradise, NV	94	104	12.4	22	13	15	1.7	40	107	119	7.1	29
Little Rock–North Little Rock–Conway, AR	29	34	11.7	25	8	9	2.9	—	37	43	7.1	28
Los Angeles–Long Beach–Anaheim, CA	503	557	10.3	35	74	82	1.5	43	577	639	5.8	43
Anaheim Division	61	68	5.3	—	11	13	0.9	—	72	80	3.1	—
Los Angeles Division	442	489	11.9	—	63	70	1.6	—	505	559	6.7	—
Louisville/Jefferson County, KY–IN	42	50	9.8	38	10	12	2.2	—	52	62	5.9	40
Madison, WI	3	3	1.2	—	4	4	1.6	—	7	7	1.4	—
McAllen–Edinburg–Mission, TX	20	23	7.7	57	3	3	1.0	—	23	26	4.3	62
Memphis, TN–MS–AR	110	131	25.3	3	42	49	8.5	8	152	181	16.5	5
Miami–Fort Lauderdale–West Palm Beach, FL	628	731	30.4	1	285	328	12.6	2	913	1,059	21.2	1
Fort Lauderdale Division	187	218	28.9	—	92	108	13.4	—	279	326	20.9	—
Miami Division	343	398	36.8	—	142	163	13.9	—	485	560	24.9	—
West Palm Beach Division	98	115	20.3	—	51	57	9.3	—	149	173	14.6	—
Milwaukee–Waukesha–West Allis, WI	37	43	6.8	66	13	15	2.2	34	50	57	4.4	58
Minneapolis–St. Paul–Bloomington, MN–WI	53	59	4.2	87	10	10	0.7	—	63	70	2.4	90
Modesto, CA	14	15	7.1	62	0	0	0.0	—	14	15	3.5	80

Table 10. Deaths of adults and adolescents with diagnosed HIV infection, by sex and metropolitan statistical area of residence, 2013—United States and Puerto Rico (cont)

MSA of residence	Males				Females				Total			
	Estimated ^a				Estimated ^a				Estimated ^a			
	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b
Nashville—Davidson—Murfreesboro—Franklin, TN	71	83	11.8	24	21	24	3.2	28	92	107	7.4	26
New Haven—Milford, CT	38	45	12.7	21	18	21	5.3	14	56	65	8.9	19
New Orleans—Metairie, LA	111	122	24.6	4	51	58	10.7	5	162	180	17.4	4
New York—Newark—Jersey City, NY—NJ—PA ^c	1,606	1,816	22.6	6	795	886	10.1	6	2,401	2,702	16.1	6
Nassau County Division	49	54	4.6	—	37	41	3.3	—	86	95	3.9	—
New York Division	1,353	1,530	26.9	—	629	698	11.1	—	1,982	2,227	18.6	—
Newark Division	190	217	21.5	—	126	145	13.3	—	316	361	17.3	—
North Port—Sarasota—Bradenton, FL	31	37	12.1	23	7	8	2.3	—	38	45	7.0	34
Ogden—Clearfield, UT	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—
Oklahoma City, OK	34	39	7.3	59	9	11	1.9	—	43	49	4.6	56
Omaha—Council Bluffs, NE—IA	11	12	3.4	—	3	3	0.9	—	14	15	2.1	93
Orlando—Kissimmee—Sanford, FL	137	160	17.3	12	53	62	6.3	10	190	223	11.7	9
Oxnard—Thousand Oaks—Ventura, CA	10	11	3.2	—	1	1	0.3	—	11	12	1.7	—
Palm Bay—Melbourne—Titusville, FL	18	21	9.1	44	10	12	5.1	—	28	34	7.0	31
Philadelphia—Camden—Wilmington, PA—NJ—DE—MD	340	395	16.3	13	135	154	5.8	11	475	549	10.8	13
Camden Division	40	45	8.8	—	14	15	2.8	—	54	60	5.7	—
Montgomery Division	34	40	5.0	—	7	8	1.0	—	41	48	2.9	—
Philadelphia Division	240	279	33.6	—	100	113	12.0	—	340	393	22.1	—
Wilmington Division	26	31	10.6	—	14	18	5.6	—	40	48	8.0	—
Phoenix—Mesa—Scottsdale, AZ	126	140	7.9	54	14	15	0.8	47	140	156	4.3	61
Pittsburgh, PA	42	48	4.9	81	13	15	1.4	45	55	63	3.1	85
Portland—South Portland, ME	6	7	3.3	—	1	1	0.5	—	7	8	1.8	—
Portland—Vancouver—Hillsboro, OR—WA	63	71	7.5	58	8	9	0.9	—	71	80	4.1	65
Providence—Warwick, RI—MA	25	29	4.4	83	8	9	1.2	—	33	38	2.8	89
Provo—Orem, UT	2	2	1.0	—	0	0	0.0	—	2	2	0.5	—
Raleigh, NC	37	43	8.9	45	8	9	1.8	—	45	52	5.2	50
Richmond, VA	57	79	15.8	14	19	26	4.7	17	76	105	10.0	16
Riverside—San Bernardino—Ontario, CA	114	127	7.2	61	9	10	0.6	—	123	137	3.9	70
Rochester, NY	35	39	8.8	47	13	15	3.1	29	48	54	5.9	41
Sacramento—Roseville—Arden-Arcade, CA	40	44	4.9	82	7	9	0.9	—	47	52	2.9	88
St. Louis, MO—IL	84	98	8.8	49	21	24	2.0	36	105	123	5.2	49
Salt Lake City, UT	15	17	3.8	90	1	1	0.2	—	16	18	2.0	94
San Antonio—New Braunfels, TX	74	83	9.2	43	20	22	2.3	33	94	105	5.7	45
San Diego—Carlsbad—San Marcos, CA	98	106	7.9	56	17	18	1.4	46	115	125	4.6	54
San Francisco—Oakland—Hayward, CA ^c	303	343	18.1	10	49	55	2.8	31	352	398	10.3	14
Oakland Division	73	81	7.4	—	21	23	2.0	—	94	103	4.6	—
San Francisco Division	218	248	35.8	—	26	30	4.3	—	244	279	20.1	—
San Jose—Sunnyvale—Santa Clara, CA	29	31	3.9	89	5	6	0.8	—	34	37	2.3	91

Table 10. Deaths of adults and adolescents with diagnosed HIV infection, by sex and metropolitan statistical area of residence, 2013—United States and Puerto Rico (cont)

MSA of residence	Males				Females				Total			
	Estimated ^a				Estimated ^a				Estimated ^a			
	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b
San Juan–Carolina–Caguas, PR	213	255	28.3	2	96	114	11.2	4	309	369	19.2	2
Santa Rosa, CA	9	10	4.8	—	1	1	0.5	—	10	11	2.6	—
Scranton–Wilkes-Barre–Hazleton, PA	13	16	6.6	69	3	4	1.4	—	16	19	4.0	68
Seattle–Tacoma–Bellevue, WA	88	101	6.7	68	20	22	1.4	44	108	122	4.0	67
Seattle Division	78	90	7.7	—	16	18	1.5	—	94	107	4.6	—
Tacoma Division	10	11	3.2	—	4	4	1.2	—	14	15	2.2	—
Spokane–Spokane Valley, WA	12	13	5.7	75	1	1	0.5	—	13	14	3.0	87
Springfield, MA	19	22	8.8	46	6	7	2.5	—	25	30	5.5	47
Stockton–Lodi, CA	16	18	6.6	70	6	6	2.2	—	22	25	4.4	59
Syracuse, NY	14	15	5.6	77	5	5	1.8	—	19	20	3.6	77
Tampa–St. Petersburg–Clearwater, FL	175	206	17.5	11	57	66	5.1	15	232	271	11.1	11
Toledo, OH	7	9	3.7	—	2	2	0.8	—	9	11	2.2	—
Tucson, AZ	26	30	7.3	60	2	3	0.7	—	28	33	3.9	69
Tulsa, OK	27	31	8.2	53	2	3	0.6	—	29	34	4.3	60
Virginia Beach–Norfolk–Newport News, VA–NC	67	93	13.3	18	24	33	4.5	18	91	126	8.8	20
Washington–Arlington–Alexandria, DC–VA–MD–WV	216	257	10.7	31	92	112	4.4	19	308	369	7.5	24
Silver Spring Division	13	12	2.4	—	9	10	1.8	—	22	22	2.1	—
Washington Division	203	245	12.9	—	83	103	5.1	—	286	347	8.9	—
Wichita, KS	11	12	4.7	—	6	7	2.6	—	17	19	3.7	74
Winston-Salem, NC	24	29	11.0	29	12	14	5.0	16	36	43	7.8	21
Worcester, MA–CT	14	16	4.2	86	12	13	3.3	27	26	30	3.8	71
Youngstown–Warren–Boardman, OH–PA	11	12	5.3	—	2	2	1.0	—	13	15	3.1	86
Subtotal for MSAs (population of ≥500,000)	8,801	10,186	11.7	—	3,015	3,474	3.8	—	11,816	13,661	7.6	—
Metropolitan areas (population of 50,000–499,999)	1,499	1,747	5.7	—	511	594	1.9	—	2,010	2,340	3.8	—
Nonmetropolitan areas	419	490	3.9	—	144	174	1.4	—	563	664	2.6	—
Total^d	10,794	12,511	9.6	—	3,683	4,257	3.1	—	14,477	16,769	6.3	—

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Deaths of persons with diagnosed HIV infection may be due to any cause. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States and Puerto Rico.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting. Rates are per 100,000 population.

^b Based on estimated rate. Ranks were not assigned to MSAs with estimated rates that were based on reported or estimated numbers less than 12.

^c Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^d Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.