



Health Insurance Coverage: Early Release of Estimates from the National Health Interview Survey, January – September 2006

by Robin A. Cohen, Ph.D., and Michael E. Martinez, M.P.H., Division of Health Interview Statistics, National Center for Health Statistics

Highlights

- From January through September 2006, 43.8 million persons of all ages (14.9%) were uninsured at the time of the interview, 54.9 million (18.7%) had been uninsured for at least part of the year prior to the interview, and 30.9 million (10.5%) had been uninsured for more than a year at the time of the interview.
- For children under the age of 18 years, the percentage who were uninsured at the time of the interview was 9.4% in the first 9 months of 2006.
- In the first 9 months of 2006, more than 57% of currently unemployed adults and nearly 23% of employed adults aged 18–64 years had been uninsured for at least part of the past year, and nearly 33% of currently unemployed adults and nearly 14% of employed adults had been uninsured for more than a year.

Introduction

The Centers for Disease Control and Prevention's (CDC) National Center for Health Statistics (NCHS) is releasing selected estimates of health insurance coverage for the civilian noninstitutionalized U.S. population based on data from the January through September 2006 National Health Interview Survey (NHIS), along with comparable estimates from the 1997–2005 NHIS. Three types of measures of lack of health insurance coverage are provided: *current* (uninsured at the time of the interview), *intermittent* (uninsured at least part of the year prior to the interview which also includes persons uninsured for more than a year), and *long term* (uninsured for more than a year at the time of the interview). Different timeframes are used to measure lack of insurance coverage to reflect different policy-relevant perspectives. The measure of current

lack of coverage provides an estimate of persons who at any given time may experience barriers to obtaining needed health care. The estimate of persons who were uninsured at any time in the year prior to interview provides an annual caseload of persons who may experience these barriers. This measure includes persons who have insurance at the time of interview, but had a period of noncoverage in the year prior to the interview, as well as those who are currently uninsured who may have had been uninsured for a long period of time. Finally, the measure of lack of coverage for more than a year provides an estimate of those with a persistent lack of coverage who may be at high risk of not obtaining preventive services as well as care for illness and injury. These three measures of lack of coverage are not mutually exclusive, and a given individual may be counted in more than one of the three measures.

The 2006 health insurance estimates are being released prior to final data editing and final weighting to provide access to the most recent information from NHIS. The resulting estimates for persons without health insurance are generally 0.1–0.3 percentage points lower than those based on the editing procedures used for the final data files. Occasionally, due to decisions made for the final data editing and weighting, estimates based on preliminary editing procedures may differ by more than 0.3 percentage points.

Due to small sample sizes, estimates based on less than a year of data may have large variances, and caution should be used in analyzing these estimates. Patterns for such estimates may change as more data become available.

In 2004, the NHIS instrument recorded a much larger than expected proportion of respondents with a family income for the previous calendar year of

“\$2,” and those responses were used in calculating some estimates in previous releases of this report. Based on a subsequent extensive review, these “\$2” responses were coded to “not ascertained” for the final microdata files. A decision was made to rerun the 2004 estimates to reflect this editing decision. Therefore, the 2004 estimates stratified by poverty in this report may differ from those released in previous reports.

NCHS imputes income for approximately 30% of NHIS records, but the imputed income file is not released until a few months after the annual release of NHIS microdata. Therefore, Early Release health insurance estimates stratified by poverty are based only on the reported income and may differ from similar estimates produced later (e.g., in *Health United States* (1)) that are based on both reported and imputed income.

Estimates for 2006 are stratified by age group, sex, race/ethnicity, poverty status, marital status, employment status, region, and educational attainment.

Two additional questions were added to the health insurance section of NHIS beginning with the third quarter of 2004 to reduce potential errors in reporting Medicare and Medicaid status. For persons aged 65 years and over with no reported Medicare coverage, questions were asked explicitly about Medicare coverage. For persons aged under 65 years with no reported coverage, questions were asked explicitly about Medicaid coverage. Respondents who were reclassified as covered by the additional questions received appropriate followup questions concerning periods of noncoverage for insured respondents. For this report, all estimates beginning with 2005 are calculated including the two additional questions. To ease the transition caused by the change in the instrument, two



sets of estimates are shown for 2004 in the tables. Estimates that did not use the two additional questions are labeled "Method 1," and estimates that did use the additional questions are labeled "Method 2." Further discussion of these methods and implications of these changes are presented in the "Technical Notes" section of this report.

Data Source

The data are derived from the Family Core component of the 1997–2006 NHIS, which collects information on all family members in each household. Data analyses for the January–September 2006 NHIS were based on 53,225 persons in the Family Core. NHIS is a multistage probability sample survey of the civilian noninstitutionalized population of the United States. It is conducted continuously throughout the year for NCHS by interviewers of the U.S. Census Bureau. Visit the NCHS website

<http://www.cdc.gov/nchs/nhis.htm> for more information on the design, content, and use of NHIS.

NHIS is a comprehensive health survey that can be used to relate health insurance coverage to health outcomes and health care utilization. It has a low item nonresponse rate (about 1%) for the health insurance questions. Because NHIS is conducted throughout the year, yielding a nationally representative sample each week, data can be analyzed weekly or quarterly to monitor health insurance coverage trends.

A new sample design was implemented for the 2006 NHIS. In addition to the continued oversampling of black and Hispanic persons carried out in the NHIS according to the 1995–2005 sample design, persons of Asian descent are also oversampled according to the new sample design. The impact of the new sample design on estimates presented in this report is expected to be minimal. For a more complete description of the estimation procedures and definitions of selected terms, see the "Technical Notes" section of this report.

This report is produced by the NHIS Early Release (ER) Program,




Figure 1. Percentage of children under 18 years of age who lacked health insurance coverage at the time of interview, for at least part of the past year, or for more than a year: United States, 1997–September 2006

DATA SOURCE: Family Core component of the 1997–2006 National Health Interview Surveys. The estimates for 2006 were based on data collected from January through September. Data are based on household interviews of a sample of the civilian noninstitutionalized population.




Figure 2. Percentage of persons without health insurance, by three measurements and age group, and percentage of persons with health insurance, by coverage type and age group: United States, January–September 2006

DATA SOURCE: Family Core component of the 2006 National Health Interview Survey. The estimates for 2006 were based on data collected from January through September. Data are based on household interviews of a sample of the civilian noninstitutionalized population.



which releases updated selected estimates quarterly which are available from: (<http://www.cdc.gov/nchs/nhis.htm>.)

Results

Lack of health insurance coverage

From January to September 2006, the percentage of uninsured persons at the time of the interview was 14.9% (43.8 million) for persons of all ages, 16.9% (43.5 million) for persons under the age of 65 years, 19.9% (36.6 million) for persons aged 18–64 years, and 9.4% (6.9 million) for children under the age of 18 years (Tables 1 and 2). For persons under the age of 65 there was a significant increase between 2005 and the first 9 months of 2006 in the percentage of people uninsured at the time of the interview.

Based on data from the January – September 2006 NHIS, a total of 54.9 million (18.7%) persons of all ages were uninsured for at least part of the year prior to the interview (Tables 1 and 2). Working-age adults were almost twice as likely to experience this lack of coverage (24.3%) as children under the age of 18 (13.1%). The percentage of children uninsured during at least part of the year prior to the interview decreased from 18.1% in 1997 to 12.6% in 2005 (Figure 1). The observed increase in the percentage of children who lacked coverage for at least part of the year prior to the interview, from 12.6% in 2005 to 13.1% in the first 9 months of 2006, was not statistically significant. A decreasing trend between 1997 and 2006 was not observed among adults aged 18–64 years (Table 1).

Data from January to September 2006 also revealed that 11.9% (30.8 million) of persons under age 65 (14.6% of adults and 5.3% of children) had been uninsured for more than a year (Tables 1 and 2). Children were less likely than working-age adults to be uninsured for more than a year (Figure 2). Among adults 18–64 years, the percentage uninsured for more than a




Figure 3. Percentage with health insurance by coverage type and percentage uninsured at the time of interview, for near poor children under 18 years of age: United States, 1997–September 2006

DATA SOURCE: Family Core component of the 1997–2006 National Health Interview Surveys. The estimates for 2006 were based on data collected from January through September. Data are based on household interviews of a sample of the civilian noninstitutionalized population.




Figure 4. Percentage of persons under 65 years of age without health insurance coverage at the time of interview, by age group and sex: United States, January–September 2006

DATA SOURCE: Family Core component of the 2006 National Health Interview Survey. Estimates for 2006 were based on data collected from January through September. Data are based on household interviews of a sample of the civilian noninstitutionalized population.



year at the time of the interview was statistically higher in the first 9 months of 2006 (14.6%) from 1997 (13.3%), despite lower rates in some of the intervening years. The percentage of children uninsured for more than a year decreased from 8.4% in 1997 to 5.3% in the first 9 months of 2006 (**Figure 1**). Since 2002, the percentage of children uninsured for more than a year has remained relatively steady.

Public and private coverage

From January to September 2006, 18.2% of persons under 65 years were covered by public health plans at the time of the interview, and 66.3% were covered by private health insurance plans (**Table 3**). In the first 9 months of 2006, 69.2% of adults 18–64 years of age were covered by a private plan compared with 59.1% of children under 18 years (**Figure 2**). Almost one-third of children (32.8%) were covered by a public plan, compared with 12.3% of adults 18–64 years.

The percentage of children covered by public plans significantly increased from 29.9% in 2005 to 32.8% in the first 9 months of 2006 and the percentage of children covered by private coverage significantly decreased from 62.4% in 2005 to 59.1% in the first 9 months of 2006. The differences in public coverage between 2005 and the first 9 months of 2006 for working-age adults were not statistically significant. For working-age adults private coverage decreased from 70.9% in 2005 to 69.2% in the first 9 months of 2006. Private health care coverage rates among both children and working-age adults are now significantly lower than in 1997.

Insurance coverage by poverty status

From January to September 2006, 12.2% of poor children and 16.4% of near poor children (see “**Technical Notes**” for definition of poverty) did not have health insurance coverage at the time of interview (**Table 4**). The percentage of poor children who were uninsured at the time of the interview

generally decreased from 1997 through September 2006. Among poor children, the observed decrease in the percent uninsured at the time of interview from 13.0% in 2005 to 12.2% in the first 9 months of 2006 was not statistically significant. Among near poor children, the observed increase in the percentage uninsured at the time of interview from 14.7% in 2005 to 16.4% in the first 9 months of 2006 was not statistically significant. The increase between 2005 (36.6%) and the first 9 months of 2006 (39.9%) in the percentage of near poor working-age adults who were uninsured at the time of interview was statistically significant. From 1997 to September 2006, the percentage of poor adults who were uninsured remained relatively stable.

Based on the January–September 2006 data, 76.3% of poor children and 49.7% of near poor children were covered by a public health plan at the time of interview (**Table 5**). The observed increases in public coverage for poor children from 73.3% in 2005 to 76.3% in the first 9 months of 2006 and for near poor children from 47.3% in 2005 to 49.7% in the first 9 months of 2006 were not statistically significant. The percentage of near-poor children covered by a public plan has more than doubled between 1997 and the first 9 months of 2006, with all income groups experiencing an increase. However, the largest increase was seen among near poor children (**Table 5** and **Figure 3**). Based on data from January to September 2006, 36.6% of poor working-age adults were covered by public coverage.

From January to September 2006, 13.0% of poor children and 36.4% of near poor children were covered by private health insurance at the time of interview (**Table 6**). The observed decrease in private coverage for near poor children from 40.0% in 2005 to 36.4% in the first 9 months of 2006 was not statistically significant. The rate of private coverage among near-poor children was approximately 19 percentage points lower in January–September 2006 than in 1997. Among poor adults aged 18–64 years, 24.4% were covered by private health

insurance in January–September 2006. Among near poor adults aged 18–64 years, the percentage with private coverage decreased from 52.6% in 1997 to 41.9% in the first 9 months of 2006. Among not-poor adults aged 18–64 years, the percent with private coverage did not change significantly between 2005 (84.4%) and January–September 2006 (83.9%).

Lack of coverage, by selected demographic characteristics

Race/ethnicity

Based on data from the January–September 2006 NHIS, Hispanic persons were considerably more likely than non-Hispanic white persons and non-Hispanic black persons to be uninsured at the time of interview, to have been uninsured for at least part of the past 12 months, and to have been uninsured for more than a year (**Table 7**). Approximately one-third of Hispanic persons were uninsured at the time of interview or had been uninsured for at least part of the past year, and more than one-fourth of Hispanic persons had been without health insurance coverage for more than a year.

Age and sex

For persons under 65 years of age, for both sexes combined, the percentage of persons uninsured at the time of the interview was highest among those aged 18–24 years (29.8%) and lowest among those under 18 years (9.4%) (**Figure 4**). Starting at age 18, younger adults were more likely than older adults to lack health insurance coverage. Among adults in age groups 18–24 years, 25–34 years, and 35–44 years, men were more likely than women to lack health insurance coverage at the time of interview.

Other demographic characteristics

Lack of health insurance coverage was greatest in the South and West regions of the United States. Among adults who lacked a high school diploma, 30.3% were uninsured at the



time of interview, 33.7% were uninsured for at least part of a year, and 25.1% had been uninsured for more than a year at the time of the interview (Table 7). These rates are 2 to 3 times as high as for persons with more than a high school education. Among currently unemployed adults 18–64 years old, 57.4% had been uninsured for at least part of the past year, and 32.9% had been uninsured for more than a year. Among employed adults, 22.9% had been uninsured for at least part of the past year and 13.8% of had been uninsured for more than a year. Married adults were more likely to have coverage compared with those who were divorced, separated, living with a partner, or never married.

References

1. National Center for Health Statistics. Health United States, 2006 with chartbook on trends in the health of Americans. Hyattsville, MD. 2006.
2. Cohen RA, Martinez ME. Impact of Medicare and Medicaid probe questions on health insurance estimates from the National Health Interview Survey, 2004. Health E-stats. Hyattsville, MD. National Center for Health Statistics 2005.
3. Lamison-White L. Poverty in the United States, 1996. Current population reports, series P60–198. U.S. Bureau of the Census. Washington. 1997.
4. Dalaker J, Naifeh M. Poverty in the United States, 1997. Current population reports, series P60–201. U.S. Bureau of the Census. Washington. 1998.
5. Dalaker J. Poverty in the United States, 1998. Current population reports, series P60–207. U.S. Census Bureau. Washington. 1999.
6. Dalaker J, Proctor B. Poverty in the United States, 1999. Current population reports, series P60–210. U.S. Census Bureau. Washington. 2000.
7. Dalaker J. Poverty in the United States, 2000. Current population reports, series P60–214. U.S. Census Bureau. Washington. 2001.
8. Proctor B, Dalaker J. Poverty in the United States, 2001. Current population reports, series P60–219. U.S. Census Bureau. Washington. 2002.
9. Proctor B, Dalaker J. Poverty in the United States, 2002. Current population reports, series P60–222. U.S. Census Bureau. Washington. 2003.
10. DeNavas-Walt C, Proctor B, Mills R. Income, poverty, and health insurance coverage in the United States: 2003. Current population reports, P60-226. U.S. Census Bureau. Washington. 2004.
11. DeNavas-Walt C, Proctor B, Lee C. Income, poverty, and health insurance coverage in the United States: 2004. Current population reports, P60-229. U.S. Census Bureau. Washington. 2005.
12. DeNavas-Walt C, Proctor B, Lee C. Income, poverty, and health insurance coverage in the United States: 2005. Current population reports, P60-231. U.S. Census Bureau. Washington. 2006.
13. Schiller JS, Barnes P. Early release of selected estimates based on data from the January-September 2006 National Health Interview Survey. National Center for Health Statistics. March 2007. Available from: <http://www.cdc.gov/nchs/nhis.html>.

Table 1. Percentage of persons who lacked health insurance coverage at the time of interview, for at least part of the past year, or for more than a year, by age group: United States, 1997–September 2006

Age group and year	Uninsured ¹ at the time of interview	Uninsured ¹ for at least part of the past year ²	Uninsured ¹ for more than a year ²
Percent (standard error)			
All ages			
1997	15.4 (0.21)	19.5 (0.24)	10.4 (0.18)
1998	14.6 (0.23)	18.6 (0.26)	9.8 (0.19)
1999	14.2 (0.22)	18.2 (0.25)	9.3 (0.19)
2000	14.9 (0.22)	18.7 (0.24)	9.6 (0.18)
2001	14.3 (0.23)	18.0 (0.26)	9.3 (0.18)
2002	14.7 (0.22)	18.3 (0.24)	9.3 (0.17)
2003	15.2 (0.24)	18.6 (0.26)	10.0 (0.19)
2004 (Method 1) ³	14.7 (0.21)	18.0 (0.23)	10.1 (0.17)
2004 (Method 2) ³	14.6 (0.20)	17.9 (0.23)	10.1 (0.17)
2005 ³	14.2 (0.21)	17.6 (0.23)	10.0 (0.18)
2006 (Jan. – Sept.)	14.9 (0.34)	18.7 (0.37)	10.5 (0.30)
Under 65 years			
1997	17.4 (0.24)	21.9 (0.28)	11.8 (0.21)
1998	16.5 (0.26)	20.9 (0.29)	11.0 (0.21)
1999	16.0 (0.25)	20.4 (0.28)	10.5 (0.21)
2000	16.8 (0.24)	21.0 (0.26)	10.8 (0.20)
2001	16.2 (0.26)	20.3 (0.29)	10.5 (0.21)
2002	16.5 (0.24)	20.6 (0.27)	10.4 (0.19)
2003	17.2 (0.27)	20.9 (0.28)	11.2 (0.21)
2004 Method 1) ³	16.6 (0.23)	20.2 (0.26)	11.4 (0.19)
2004 Method 2) ³	16.4 (0.23)	20.1 (0.26)	11.4 (0.19)
2005 ³	16.0 (0.24)	19.9 (0.26)	11.3 (0.21)
2006 (Jan. – Sept.) ⁴	16.9 (0.38)	21.1 (0.42)	11.9 (0.34)
18–64 years			
1997	18.9 (0.23)	23.6 (0.26)	13.3 (0.21)
1998	18.2 (0.27)	22.5 (0.30)	12.5 (0.23)
1999	17.8 (0.26)	22.2 (0.29)	11.9 (0.23)
2000	18.7 (0.27)	22.9 (0.29)	12.4 (0.23)
2001	18.3 (0.27)	22.4 (0.29)	12.3 (0.22)
2002	19.1 (0.26)	23.1 (0.29)	12.5 (0.21)
2003	20.1 (0.29)	23.8 (0.31)	13.7 (0.25)
2004 (Method 1) ³	19.4 (0.26)	23.2 (0.29)	13.8 (0.21)
2004 (Method 2) ³	19.3 (0.26)	23.1 (0.29)	13.8 (0.21)
2005 ³	18.9 (0.26)	22.8 (0.28)	13.8 (0.23)
2006 (Jan. – Sept.)	19.9 (0.44)	24.3 (0.47)	14.6 (0.39)
Under 18 years			
1997	13.9 (0.36)	18.1 (0.41)	8.4 (0.29)
1998	12.7 (0.34)	17.1 (0.40)	7.6 (0.27)
1999	11.8 (0.32)	16.3 (0.39)	7.2 (0.26)
2000	12.3 (0.32)	16.7 (0.35)	7.0 (0.23)
2001	11.0 (0.34)	15.2 (0.41)	6.3 (0.25)
2002	10.5 (0.32)	14.6 (0.37)	5.6 (0.24)
2003	10.1 (0.34)	13.7 (0.37)	5.3 (0.25)
2004 (Method 1) ³	9.6 (0.29)	12.9 (0.33)	5.4 (0.25)
2004 (Method 2) ³	9.4 (0.29)	12.7 (0.33)	5.4 (0.25)
2005 ³	8.9 (0.29)	12.6 (0.33)	5.3 (0.24)
2006 (Jan. – Sept.)	9.4 (0.43)	13.1 (0.51)	5.3 (0.34)

¹A person was defined as uninsured if he or she did not have any private health insurance, Medicare, Medicaid, State Children's Health Insurance Program (SCHIP), state-sponsored or other government-sponsored health plan, or military plan. A person was also defined as uninsured if he or she had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

²A year is defined as the 12 months prior to interview.

³ Beginning in the third quarter of 2004, two additional questions were added to the National Health Interview Survey (NHIS) insurance section to reduce potential errors in reporting Medicare and Medicaid status. Persons aged 65 years and over not reporting Medicare coverage were asked explicitly about Medicare coverage, and persons under 65 years old with no reported coverage were asked explicitly about Medicaid coverage. Estimates of uninsurance for 2004 are calculated without using the additional information from these questions (noted as Method 1) and with the responses to these questions (noted as Method 2). Respondents who were reclassified as covered by the additional questions received the appropriate followup questions concerning periods of noncoverage for insured respondents. These reclassified respondents were excluded in the tabulation of *Uninsured for more than a year* using Method 1 in 2004. Beginning in 2005, all estimates are calculated using Method 2. See "Technical Notes" for additional information.

⁴In 2006, NHIS underwent a sample redesign. The estimates for 2006 may not be completely comparable to previous years.

DATA SOURCE: Family Core component of the 1997–2006 NHIS. The estimates for 2006 are based on data collected January through September. Data are based on household interviews of a sample of the civilian noninstitutionalized population.

Table 2. Number of persons who lacked health insurance coverage at the time of interview, for at least part of the past year, or for more than a year, by age group: United States, 1997–September 2006

Age group and year	Uninsured ¹ at the time of interview	Uninsured ¹ for at least part of the past year ²	Uninsured ¹ for more than a year ²
Number in millions			
All ages			
1997	41.0	51.9	27.7
1998	40.1	49.9	26.3
1999	38.7	49.4	25.3
2000	41.3	51.8	26.6
2001	40.2	50.4	26.1
2002	41.5	51.7	26.2
2003	43.6	53.1	28.5
2004 (Method 1) ³	42.5	52.0	29.2
2004 (Method 2) ³	42.1	51.6	29.2
2005 ³	41.2	51.3	29.2
2006 (Jan. – Sept.)	43.8	54.9	30.9
Under 65 years			
1997	40.7	51.4	27.6
1998	39.0	49.5	26.2
1999	38.3	48.9	25.1
2000	40.8	51.3	26.4
2001	39.8	49.9	25.9
2002	41.1	51.2	25.9
2003	43.2	52.5	28.3
2004 (Method 1) ³	42.0	51.3	28.9
2004 (Method 2) ³	41.7	51.0	28.9
2005 ³	41.0	50.9	29.0
2006 (Jan. – Sept.)	43.5	54.4	30.8
18–64 years			
1997	30.8	38.5	21.7
1998	30.0	37.2	20.7
1999	29.8	37.1	19.9
2000	32.0	39.2	21.3
2001	31.9	38.9	21.4
2002	33.5	40.6	21.9
2003	35.9	42.5	24.5
2004 (Method 1) ³	35.0	41.9	25.0
2004 (Method 2) ³	34.9	41.8	25.0
2005 ³	34.5	41.7	25.2
2006 (Jan. – Sept.)	36.6	44.8	26.9
Under 18 years			
1997	9.9	12.9	6.0
1998	9.1	12.3	5.5
1999	8.5	11.8	5.2
2000	8.9	12.0	5.1
2001	7.9	11.0	4.5
2002	7.6	10.6	4.1
2003	7.3	10.0	3.9
2004 (Method 1) ³	7.0	9.4	4.0
2004 (Method 2) ³	6.8	9.3	3.9
2005 ³	6.5	9.3	3.9
2006 (Jan. – Sept.)	6.9	9.6	3.9

¹A person was defined as uninsured if he or she did not have any private health insurance, Medicare, Medicaid, State Children's Health Insurance Program (SCHIP), state-sponsored or other government-sponsored health plan, or military plan. A person was also defined as uninsured if he or she had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

²A year is defined as the 12 months prior to interview.

³ Beginning in the third quarter of 2004, two additional questions were added to the National Health Interview Survey (NHIS) insurance section to reduce potential errors in reporting Medicare and Medicaid status. Persons aged 65 years and over not reporting Medicare coverage were asked explicitly about Medicare coverage, and persons under 65 years old with no reported coverage were asked explicitly about Medicaid coverage. Estimates of uninsurance for 2004 are calculated without using the additional information from these questions (noted as Method 1) and with the responses to these questions (noted as Method 2). Respondents who were reclassified as covered by the additional questions received the appropriate followup questions concerning periods of noncoverage for insured respondents. These reclassified respondents were excluded in the tabulation of *Uninsured for more than a year* using Method 1 in 2004. Beginning in 2005, all estimates are calculated using Method 2. See "Technical Notes" for additional information.

DATA SOURCE: Family Core component of the 1997–2006 NHIS. The estimates for 2006 are based on data collected January through September. Data are based on household interviews of a sample of the civilian noninstitutionalized population.

Table 3. Percentage of persons under the age of 65 years with public or private coverage at the time of interview, by age group: United States, 1997–September 2006

Type of coverage and year	Under 65 years	Under 18 years	18–64 years
Percent (standard error)			
Public health plan coverage¹			
1997	13.6 (0.25)	21.4 (0.48)	10.2 (0.20)
1998	12.7 (0.26)	20.0 (0.49)	9.5 (0.21)
1999	12.4 (0.24)	20.4 (0.46)	9.0 (0.19)
2000	12.9 (0.26)	22.0 (0.50)	9.1 (0.19)
2001	13.6 (0.26)	23.6 (0.50)	9.4 (0.21)
2002	15.2 (0.29)	27.1 (0.54)	10.3 (0.23)
2003	16.0 (0.31)	28.6 (0.58)	10.9 (0.24)
2004 (Method 1) ³	16.1 (0.29)	28.5 (0.54)	11.1 (0.22)
2004 (Method 2) ³	16.2 (0.29)	28.7 (0.54)	11.1 (0.23)
2005 ³	16.8 (0.29)	29.9 (0.56)	11.5 (0.22)
2006 (Jan. – Sept.)	18.2 (0.47)	32.8 (0.90)	12.3 (0.35)
Private health insurance coverage²			
1997	70.8 (0.35)	66.2 (0.57)	72.8 (0.30)
1998	72.0 (0.36)	68.5 (0.55)	73.5 (0.32)
1999	73.1 (0.36)	69.1 (0.55)	74.7 (0.33)
2000	71.8 (0.34)	67.1 (0.53)	73.8 (0.32)
2001	71.6 (0.37)	66.7 (0.57)	73.7 (0.33)
2002	69.8 (0.39)	63.9 (0.61)	72.3 (0.35)
2003	68.2 (0.40)	62.6 (0.60)	70.6 (0.36)
2004 ⁴	68.6 (0.39)	63.1 (0.59)	70.9 (0.36)
2005 ^{3,4}	68.4 (0.39)	62.4 (0.60)	70.9 (0.36)
2006 (Jan. – Sept.)	66.3 (0.67)	59.1 (0.97)	69.2 (0.59)

¹The health plan category “public health plan coverage” includes Medicaid, State Children’s Health Insurance Program (SCHIP), state-sponsored or other government-sponsored health plan, Medicare (disability), and military plans.

²The health plan category “private health insurance coverage” excludes plans that paid for only one type of service such as accidents or dental care. A small number of persons were covered by both public and private plans and were included in both categories.

³Beginning in the third quarter of 2004, two additional questions were added to the National Health Interview Survey (NHIS) insurance section to reduce potential errors in reporting Medicare and Medicaid status. Persons aged 65 years and over not reporting Medicare coverage were asked explicitly about Medicare coverage, and persons under 65 years old with no reported coverage were asked explicitly about Medicaid coverage. Estimates of uninsurance for 2004 are calculated without using the additional information from these questions (noted as Method 1) and with the responses to these questions (noted as Method 2). Respondents who were reclassified as covered by the additional questions received the appropriate followup questions concerning periods of noncoverage for insured respondents. Beginning in 2005, all estimates are calculated using Method 2. See “Technical Notes” for additional information.

⁴The two additional questions added beginning in quarter 3 of 2004 did not affect the estimates of private coverage.

DATA SOURCE: Family Core component of the 1997–2006 NHIS. The estimates for 2006 are based on data collected January through September. Data are based on household interviews of a sample of the civilian noninstitutionalized population.

Table 4. Percentage uninsured at the time of interview for persons under the age of 65 years, by age group and poverty status: United States, 1997–September 2006

Age group and year	Poverty status ¹				
	Total	Poor	Near poor	Not poor	Unknown
Percent uninsured ² (standard error)					
Under 65 years					
1997	17.4 (0.24)	32.7 (0.80)	30.4 (0.70)	8.9 (0.22)	21.6 (0.59)
1998	16.5 (0.26)	32.7 (0.84)	30.8 (0.79)	8.0 (0.22)	20.7 (0.59)
1999	16.0 (0.25)	32.1 (0.93)	30.7 (0.73)	7.8 (0.20)	20.1 (0.48)
2000	16.8 (0.24)	32.7 (0.89)	31.3 (0.69)	8.7 (0.22)	19.7 (0.51)
2001	16.2 (0.26)	31.0 (0.99)	28.6 (0.69)	8.4 (0.21)	20.3 (0.53)
2002	16.5 (0.24)	28.6 (0.80)	28.3 (0.70)	9.5 (0.24)	20.7 (0.55)
2003	17.2 (0.27)	29.4 (0.91)	30.2 (0.70)	9.1 (0.25)	21.3 (0.52)
2004 (Method 1) ^{3,4}	16.6 (0.23)	30.5 (0.93)	29.1 (0.67)	9.4 (0.23)	18.7 (0.48)
2004 (Method 2) ^{3,4}	16.4 (0.23)	30.1 (0.91)	28.9 (0.67)	9.4 (0.23)	18.6 (0.48)
2005 ³	16.0 (0.24)	28.4 (0.78)	28.6 (0.63)	9.1 (0.22)	18.5 (0.48)
2006 (Jan. – Sept.)	16.9 (0.38)	28.8 (1.13)	31.5 (1.10)	9.7 (0.36)	17.6 (0.61)
Under 18 years					
1997	13.9 (0.36)	22.4 (0.99)	22.8 (0.96)	6.1 (0.33)	18.3 (0.90)
1998	12.7 (0.34)	21.6 (1.02)	22.5 (0.97)	4.9 (0.29)	16.5 (0.75)
1999	11.8 (0.32)	21.4 (1.13)	21.6 (0.92)	4.4 (0.29)	14.9 (0.69)
2000	12.3 (0.32)	20.6 (1.04)	21.4 (0.93)	5.3 (0.30)	15.0 (0.72)
2001	11.0 (0.34)	18.8 (1.24)	17.0 (0.85)	4.4 (0.26)	15.5 (0.84)
2002	10.5 (0.32)	15.9 (0.97)	15.7 (0.84)	5.3 (0.36)	14.1 (0.76)
2003	10.1 (0.34)	15.4 (1.06)	14.7 (0.88)	4.8 (0.33)	13.5 (0.67)
2004 (Method 1) ^{3,4}	9.6 (0.29)	16.2 (1.23)	15.5 (0.81)	5.0 (0.30)	10.5 (0.56)
2004 (Method 2) ^{3,4}	9.4 (0.29)	15.3 (1.17)	15.1 (0.81)	5.0 (0.30)	10.3 (0.56)
2005 ³	8.9 (0.29)	13.0 (0.92)	14.7 (0.79)	4.6 (0.30)	11.0 (0.66)
2006 (Jan. – Sept.)	9.4 (0.43)	12.2 (1.16)	16.4 (1.22)	5.0 (0.48)	10.2 (0.81)
18–64 years					
1997	18.9 (0.23)	40.2 (0.88)	34.9 (0.71)	9.9 (0.22)	22.9 (0.58)
1998	18.2 (0.27)	40.8 (1.02)	36.0 (0.83)	9.2 (0.23)	22.2 (0.60)
1999	17.8 (0.26)	39.9 (1.11)	36.3 (0.81)	9.0 (0.20)	22.2 (0.50)
2000	18.7 (0.27)	41.1 (1.05)	37.4 (0.77)	10.0 (0.24)	21.5 (0.53)
2001	18.3 (0.27)	39.5 (1.19)	35.6 (0.78)	9.9 (0.22)	22.1 (0.52)
2002	19.1 (0.26)	37.0 (1.09)	36.2 (0.77)	11.0 (0.25)	23.2 (0.56)
2003	20.1 (0.29)	38.2 (1.19)	39.5 (0.81)	10.6 (0.27)	24.2 (0.56)
2004 (Method 1) ^{3,4}	19.4 (0.26)	40.1 (1.10)	36.9 (0.72)	11.0 (0.26)	21.7 (0.54)
2004 (Method 2) ^{3,4}	19.3 (0.26)	39.9 (1.09)	36.8 (0.73)	11.0 (0.26)	21.6 (0.54)
2005 ³	18.9 (0.26)	38.5 (0.95)	36.6 (0.73)	10.7 (0.24)	21.2 (0.52)
2006 (Jan. – Sept.)	19.9 (0.44)	40.0 (1.53)	39.9 (1.30)	11.2 (0.39)	20.3 (0.66)

¹Poverty status is based on family income and family size using the U.S. Census Bureau's poverty thresholds. "Poor" persons are defined as those below the poverty threshold, "near poor" persons have incomes of 100% to less than 200% of the poverty threshold, and "not poor" persons have incomes of 200% of the poverty threshold or greater. The percentage of respondents with unknown poverty status was 19.1% in 1997, 23.6% in 1998, 26.4% in 1999, 27.0% in 2000, 27.1% in 2001, 28.1% in 2002, 31.5% in 2003, 29.6% in 2004, 28.9% in 2005 and 30.4% in the first three quarters of 2006. For more information on the unknown income and poverty status categories, see the NHIS Survey Description Document for years 1997–2005 at <http://www.cdc.gov/nchs/nhis.htm>. Estimates may differ from estimates based on both reported and imputed income. See "Technical Notes" for a discussion of the use of imputed income in the stratification of health insurance coverage by poverty.

²A person was defined as uninsured if he or she did not have any private health insurance, Medicare, Medicaid, State Children's Health Insurance Program (SCHIP), state-sponsored or other government-sponsored health plan, or military plan at the time of the interview. A person was also defined as uninsured if he or she had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

³Beginning in the third quarter of 2004, two additional questions were added to the National Health Interview Survey (NHIS) insurance section to reduce potential errors in reporting Medicare and Medicaid status. Persons aged 65 years and over not reporting Medicare coverage were asked explicitly about Medicare coverage, and persons aged under 65 years old with no reported coverage were asked explicitly about Medicaid coverage. Estimates of uninsurance for 2004 are calculated without using the additional information from these questions (noted as Method 1) and with the responses to these questions (noted as Method 2). Respondents who were reclassified as covered by the additional questions received the appropriate followup questions concerning periods of noncoverage for insured respondents. Beginning in 2005, all estimates are calculated using Method 2. See "Technical Notes" for additional information.

⁴These estimates were recalculated and may differ from those previously published. In 2004, a much larger than expected proportion of respondents reported a family income of "\$2." Based on extensive review, these "\$2" responses were coded to "Not ascertained" for the final data files. For this report, a decision was made to re-run the 2004 estimates to reflect this editing decision. For a complete discussion, see the NHIS Survey Description Document for 2004 at <http://www.cdc.gov/nchs/nhis.htm>.

DATA SOURCE: Family Core component of the 1997–2006 NHIS. The estimates for 2006 are based on data collected January through September. Data are based on household interviews of a sample of the civilian noninstitutionalized population.

Table 5. Percentage of persons under the age of 65 years with public health plan coverage at the time of interview, by age group and poverty status: United States, 1997–September 2006

Age group and year	Poverty status ¹				
	Total	Poor	Near poor	Not poor	Unknown
Percent of persons with public health plan coverage ² (standard error)					
Under 65 years					
1997	13.6 (0.25)	46.1 (1.01)	18.2 (0.56)	5.3 (0.19)	13.2 (0.49)
1998	12.7 (0.26)	44.7 (1.05)	17.5 (0.57)	5.1 (0.23)	13.4 (0.45)
1999	12.4 (0.24)	43.4 (1.04)	20.5 (0.63)	4.8 (0.18)	13.2 (0.43)
2000	12.9 (0.26)	43.7 (1.11)	21.7 (0.62)	5.3 (0.21)	12.8 (0.42)
2001	13.6 (0.26)	45.0 (1.14)	25.0 (0.39)	5.7 (0.21)	13.1 (0.42)
2002	15.2 (0.29)	47.0 (1.07)	27.5 (0.72)	6.1 (0.24)	16.6 (0.45)
2003	16.0 (0.31)	48.8 (1.16)	29.3 (0.75)	6.6 (0.27)	15.8 (0.48)
2004 (Method 1) ^{3,4}	16.1 (0.29)	50.7 (1.02)	27.6 (0.69)	6.9 (0.23)	16.0 (0.47)
2004 (Method 2) ^{3,4}	16.2 (0.29)	51.1 (1.01)	27.8 (0.68)	6.9 (0.23)	16.1 (0.47)
2005 ³	16.8 (0.29)	50.6 (0.98)	30.0 (0.72)	7.4 (0.22)	16.4 (0.48)
2006 (Jan. – Sept.)	18.2 (0.47)	52.7 (1.34)	30.6 (0.93)	7.2 (0.33)	17.8 (0.79)
Under 18 years					
1997	21.4 (0.48)	62.1 (1.31)	24.3 (0.93)	6.3 (0.32)	21.4 (0.97)
1998	20.0 (0.49)	61.1 (1.34)	22.9 (0.95)	6.0 (0.39)	22.1 (0.95)
1999	20.4 (0.46)	60.7 (1.37)	28.7 (1.15)	6.0 (0.32)	22.2 (0.88)
2000	22.0 (0.50)	61.8 (1.48)	32.4 (1.13)	7.4 (0.39)	22.1 (0.85)
2001	23.6 (0.50)	65.2 (1.47)	37.0 (1.23)	8.1 (0.39)	23.1 (0.94)
2002	27.1 (0.54)	69.0 (1.33)	42.2 (1.18)	8.9 (0.45)	30.7 (0.99)
2003	28.6 (0.58)	72.3 (1.32)	47.2 (1.27)	9.8 (0.48)	28.5 (1.00)
2004 (Method 1) ^{3,4}	28.5 (0.54)	72.5 (1.36)	43.4 (1.20)	9.7 (0.45)	30.4 (1.01)
2004 (Method 2) ^{3,4}	28.7 (0.54)	73.4 (1.34)	43.8 (1.20)	9.7 (0.45)	30.6 (1.01)
2005 ³	29.9 (0.56)	73.3 (1.32)	47.3 (1.21)	10.7 (0.47)	30.8 (1.05)
2006 (Jan. – Sept.)	32.8 (0.90)	76.3 (1.51)	49.7 (1.70)	10.3 (0.66)	33.2 (1.45)
18 – 64 years					
1997	10.2 (0.20)	34.3 (0.93)	14.6 (0.51)	5.0 (0.18)	10.1 (0.41)
1998	9.5 (0.21)	32.9 (1.08)	14.1 (0.53)	4.8 (0.21)	10.0 (0.34)
1999	9.0 (0.19)	30.8 (0.98)	15.4 (0.52)	4.4 (0.17)	9.6 (0.33)
2000	9.1 (0.19)	31.1 (1.00)	15.2 (0.54)	4.5 (0.19)	9.1 (0.33)
2001	9.4 (0.21)	30.8 (1.10)	17.8 (0.62)	4.8 (0.20)	9.4 (0.33)
2002	10.3 (0.23)	32.5 (1.10)	18.3 (0.66)	5.1 (0.22)	11.2 (0.35)
2003	10.9 (0.24)	34.0 (1.19)	18.6 (0.68)	5.5 (0.24)	11.1 (0.37)
2004 (Method 1) ^{3,4}	11.1 (0.22)	36.1 (1.03)	18.5 (0.61)	5.9 (0.21)	10.8 (0.35)
2004 (Method 2) ^{3,4}	11.1 (0.23)	36.3 (1.03)	18.6 (0.60)	5.9 (0.21)	10.9 (0.35)
2005 ³	11.5 (0.25)	35.6 (0.98)	20.0 (0.61)	6.2 (0.20)	11.3 (0.36)
2006 (Jan. – Sept.)	12.3 (0.35)	36.6 (1.49)	19.9 (0.83)	6.2 (0.29)	12.2 (0.60)

¹Poverty status is based on family income and family size using the U.S. Census Bureau's poverty thresholds. "Poor" persons are defined as those below the poverty threshold, "near poor" persons have incomes of 100% to less than 200% of the poverty threshold, and "not poor" persons have incomes of 200% of the poverty threshold or greater. The percentage of respondents with unknown poverty status was 19.1% in 1997, 23.6% in 1998, 26.4% in 1999, 27.0% in 2000, 27.1% in 2001, 28.1% in 2002, 31.5% in 2003, 29.6% in 2004, 28.9% in 2005 and 30.4% in the first three quarters of 2006. See the NHIS Survey Description Document for years 1997-2005 at <http://www.cdc.gov/nchs/nhis.htm> for more information on the unknown income and poverty status categories. Estimates may differ from estimates based on both reported and imputed income. See the "Technical Notes" for a discussion of the use of imputed income in the stratification of health insurance coverage by poverty.

²The category "public health plan coverage" includes Medicaid, State Children's Health Insurance Program (SCHIP), state-sponsored or other government-sponsored health plan, Medicare (disability), and military plan. A small number of persons were covered by both public and private plans and were included in both categories. See Table 6 for persons covered by private plans.

³Beginning in the third quarter of 2004, two additional questions were added to the National Health Interview Survey (NHIS) insurance section to reduce potential errors in reporting Medicare and Medicaid status. Persons aged 65 years and over not reporting Medicare coverage were asked explicitly about Medicare coverage, and persons aged under 65 years with no reported coverage were asked explicitly about Medicaid coverage. Estimates of uninsurance for 2004 are calculated without using the additional information from these questions (noted as Method 1) and with the responses to these questions (noted as Method 2). Respondents who were reclassified as covered by the additional questions received the appropriate followup questions concerning periods of noncoverage for insured respondents. Beginning in 2005, all estimates are calculated using Method 2. See "Technical Notes" for additional information.

⁴These estimates were recalculated and may differ from those previously published. In 2004, a much larger than expected proportion of respondents reported a family income of "\$2." Based on extensive review, these "\$2" responses were coded to "Not ascertained" for the final data files. For this report, a decision was made to re-run the 2004 estimates to reflect this editing decision. For a complete discussion, see the NHIS Survey Description Document for 2004 at <http://www.cdc.gov/nchs/nhis.htm>.

DATA SOURCE: Family Core component of the 1997–2006 NHIS. The estimates for 2006 are based on data collected January through September. Data are based on household interviews of a sample of the civilian noninstitutionalized population.

Table 6. Percentage of persons under the age of 65 years with private health insurance coverage at the time of interview, by age group and poverty status: United States, 1997–September 2006

Age group and year	Poverty status ¹				
	Total	Poor	Near poor	Not poor	Unknown
Percent of persons with private health insurance coverage ² (standard error)					
Under 65 years					
1997	70.8 (0.35)	22.9 (0.93)	53.5 (0.80)	87.6 (0.27)	66.7 (0.71)
1998	72.0 (0.36)	23.1 (1.02)	53.0 (0.92)	88.1 (0.29)	67.1 (0.71)
1999	73.1 (0.36)	26.1 (1.12)	50.9 (0.86)	88.9 (0.24)	68.0 (0.65)
2000	71.8 (0.34)	25.2 (1.00)	49.1 (0.87)	87.4 (0.28)	68.8 (0.63)
2001	71.6 (0.37)	25.5 (1.13)	48.4 (0.85)	87.2 (0.27)	67.8 (0.69)
2002	69.8 (0.39)	26.0 (1.14)	46.5 (0.89)	86.0 (0.33)	63.9 (0.71)
2003	68.2 (0.40)	23.4 (1.21)	42.3 (0.90)	85.8 (0.34)	64.1 (0.68)
2004 ^{3,4}	68.6 (0.39)	20.0 (1.11)	44.9 (0.85)	85.0 (0.32)	66.3 (0.70)
2005 ³	68.4 (0.39)	22.1 (0.89)	43.2 (0.89)	84.7 (0.30)	66.2 (0.68)
2006 (Jan. – Sept.)	66.3 (0.67)	19.8 (1.41)	40.0 (1.23)	84.4 (0.49)	65.7 (0.98)
Under 18 years					
1997	66.2 (0.57)	17.5 (1.09)	55.0 (1.15)	88.9 (0.43)	61.7 (1.18)
1998	68.5 (0.55)	19.3 (1.17)	56.3 (1.22)	89.9 (0.48)	62.1 (1.13)
1999	69.1 (0.55)	20.2 (1.16)	52.1 (1.23)	90.6 (0.39)	63.8 (1.02)
2000	67.1 (0.53)	19.5 (1.21)	48.8 (1.23)	88.4 (0.47)	64.2 (0.99)
2001	66.7 (0.57)	18.1 (1.12)	48.4 (1.23)	88.4 (0.40)	62.2 (1.16)
2002	63.9 (0.61)	17.2 (1.08)	44.9 (1.29)	86.9 (0.54)	56.3 (1.19)
2003	62.6 (0.60)	14.4 (1.06)	39.9 (1.28)	86.5 (0.56)	58.8 (1.07)
2004 ^{3,4}	63.1 (0.59)	12.6 (0.97)	43.0 (1.29)	86.4 (0.52)	60.0 (1.11)
2005 ³	62.4 (0.60)	15.0 (1.10)	40.0 (1.31)	85.6 (0.52)	59.3 (1.16)
2006 (Jan. – Sept.)	59.1 (0.97)	13.0 (1.34)	36.4 (1.65)	85.7 (0.72)	57.5 (1.47)
18 – 64 years					
1997	72.8 (0.30)	26.8 (1.09)	52.6 (0.76)	87.1 (0.26)	68.6 (0.65)
1998	73.5 (0.32)	25.8 (1.17)	50.9 (0.90)	87.4 (0.27)	69.1 (0.66)
1999	74.7 (0.33)	30.4 (1.39)	50.2 (0.85)	88.2 (0.24)	69.7 (0.60)
2000	73.8 (0.32)	29.2 (1.16)	49.3 (0.83)	87.1 (0.27)	70.6 (0.61)
2001	73.7 (0.33)	31.7 (1.41)	48.4 (0.82)	86.8 (0.28)	69.9 (0.61)
2002	72.3 (0.35)	31.8 (1.50)	47.5 (0.85)	85.7 (0.30)	66.9 (0.62)
2003	70.6 (0.36)	29.0 (1.60)	43.7 (0.88)	85.5 (0.33)	66.0 (0.62)
2004 ^{3,4}	70.9 (0.36)	24.9 (1.39)	46.0 (0.79)	84.6 (0.31)	68.6 (0.65)
2005 ³	70.9 (0.36)	26.8 (1.03)	45.0 (0.85)	84.4 (0.29)	68.7 (0.61)
2006 (Jan. – Sept.)	69.2 (0.59)	24.4 (1.85)	41.9 (1.28)	83.9 (0.49)	68.7 (0.92)

¹Poverty status is based on family income and family size using the U.S. Census Bureau's poverty thresholds. "Poor" persons are defined as those below the poverty threshold, "near poor" persons have incomes of 100% to less than 200% of the poverty threshold, and "not poor" persons have incomes of 200% of the poverty threshold or greater. The percentage of respondents with unknown poverty status was 19.1% in 1997, 23.6% in 1998, 26.4% in 1999, 27.0% in 2000, 27.1% in 2001, 28.1% in 2002, 31.5% in 2003, 29.6% in 2004, 28.9% in 2005 and 30.4% in the first three quarters of 2006. See the NHIS Survey Description Document for years 1997–2005 at <http://www.cdc.gov/nchs/nhis.htm> for more information on the unknown income and poverty status categories. Estimates may differ from estimates based on both reported and imputed income. For a discussion of the use of imputed income in the stratification of health insurance coverage by poverty, see the "Technical Notes."

²The category "private health insurance" excludes plans that paid for only one type of service such as accidents or dental care. A small number of persons were covered by both public and private plans and, thus, were included in both categories. See Table 5 for persons covered by public plans.

³Beginning in the third quarter of 2004, two additional questions were added to the National Health Interview Survey (NHIS) insurance section to reduce potential errors in reporting of Medicare and Medicaid status. Persons 65 years and over not reporting Medicare coverage were asked explicitly about Medicare coverage, and persons under 65 years old with no reported coverage were asked explicitly about Medicaid coverage. Estimates of uninsurance for 2004 are calculated without using the additional information from these questions (noted as Method 1) and with the responses to these questions (noted as Method 2). Respondents who were reclassified as covered by the additional questions received the appropriate followup questions concerning periods of noncoverage for insured respondents. The two additional questions added beginning in quarter 3 or 2004 did not affect the estimates of private coverage. Beginning in 2005, all estimates are calculated using Method 2. See "Technical Notes" for additional information.

⁴These estimates were recalculated and may differ from those previously published. In 2004, a much larger than expected proportion of respondents reported a family income of "\$2." Based on extensive review, these "\$2" responses were coded to "Not ascertained" for the final data files. For this report, a decision was made to re-run the 2004 estimates to reflect this editing decision. For a complete discussion, see the NHIS Survey Description Document for 2004 at <http://www.cdc.gov/nchs/nhis.htm>.

DATA SOURCE: Family Core component of the 1997–2006 NHIS. The estimates for 2006 are based on data collected January through September. Data are based on household interviews of a sample of the civilian noninstitutionalized population.

Table 7. Percentage of persons who lacked health insurance coverage at the time of interview, for at least part of the past year, or for more than a year, by selected demographic characteristics: United States, January–September 2006

Selected characteristic	Uninsured ¹ at the time of interview	Uninsured ¹ for at least part of the past year ²	Uninsured ¹ for more than a year ²
Percent (standard error)			
Age			
All ages	14.9 (0.34)	18.7 (0.37)	10.5 (0.30)
Under 65 years	16.9 (0.38)	21.1 (0.42)	11.9 (0.34)
Under 18 years	9.4 (0.43)	13.1 (0.51)	5.3 (0.34)
18–64 years	19.9 (0.44)	24.3 (0.47)	14.6 (0.39)
65 years and over	0.8 (0.14)	1.5 (0.18)	0.6 (0.13)
Sex			
Male	16.6 (0.39)	20.3 (0.41)	12.3 (0.36)
Female	13.3 (0.36)	17.2 (0.40)	8.8 (0.30)
Race/ethnicity			
Hispanic or Latino	33.4 (1.03)	37.2 (1.00)	27.1 (0.96)
Non-Hispanic			
White, single race	10.5 (0.32)	14.2 (0.40)	7.0 (0.26)
Black, single race	15.9 (0.66)	20.3 (0.82)	10.3 (0.58)
Other races and multiple races	16.4 (1.30)	20.0 (1.39)	10.0 (0.97)
Region			
Northeast	10.3 (0.56)	14.1 (0.72)	6.7 (0.43)
Midwest	11.7 (0.59)	15.4 (0.70)	7.9 (0.48)
South	18.3 (0.61)	22.1 (0.65)	13.2 (0.56)
West	16.5 (0.76)	20.3 (0.81)	12.1 (0.65)
Education ³			
Less than high school	30.3 (1.06)	33.7 (1.06)	25.1 (1.00)
High school diploma or GED ⁴	19.7 (0.58)	23.4 (0.62)	14.6 (0.47)
More than high school	10.8 (0.32)	14.9 (0.38)	7.0 (0.27)
Employment status ⁵			
Employed	18.4 (0.44)	22.9 (0.49)	13.8 (0.39)
Unemployed	51.3 (1.79)	57.4 (1.85)	32.9 (1.89)
Not in workforce	20.3 (0.67)	24.4 (0.67)	14.9 (0.55)
Marital status ³			
Married	12.0 (0.44)	15.0 (0.48)	8.8 (0.37)
Widowed	5.1 (0.49)	6.0 (0.53)	3.9 (0.38)
Divorced or separated	20.5 (0.80)	25.8 (0.94)	15.2 (0.71)
Living with partner	35.8 (1.39)	42.9 (1.42)	26.4 (1.31)
Never married	26.8 (0.74)	32.2 (0.65)	19.6 (0.63)

¹A person was defined as uninsured if he or she did not have any private health insurance, Medicare, Medicaid, State Children's Health Insurance Program (SCHIP), state-sponsored or other government-sponsored health plan, or military plan. A person was also defined as uninsured if he or she had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

²A year is defined as the 12 months prior to interview.

³Education and marital status are shown only for persons aged 18 years and over.

⁴GED is General Educational Development high school equivalency diploma.

⁵Employment status is shown only for persons 18–64 years of age.

DATA SOURCE: Family Core component of the 2006 National Health Interview Survey. The estimates for 2006 are based on data collected January through September. Data are based on household interviews of a sample of the civilian noninstitutionalized population.



Technical Notes

Estimation procedures

NCHS creates survey weights for each calendar quarter of the NHIS sample. The NHIS data weighting procedure has been described in more detail elsewhere ([view/download PDF](#)). Estimates were calculated by using the NHIS survey weights, which are calibrated to census totals for sex, age, and race/ethnicity of the U.S. civilian noninstitutionalized population. The weights for the 1997–1999 NHIS data were derived from 1990 census-based population estimates. Weights for the 2000–2006 NHIS data were derived from 2000 census-based population estimates.

Point estimates and estimates of their variances were calculated using SUDAAN software to account for the complex sample design of NHIS. The Taylor series linearization method was chosen for variance estimation. All estimates shown meet the NCHS standard of having less than or equal to 30% relative standard error unless otherwise noted. Differences between percentages or rates were evaluated using two-sided significance tests at the 0.05 level. Logistic regression was used to evaluate the significance of time trends in the percentage of health insurance coverage. Terms such as “greater than” and “less than” indicate a statistically significant difference. Terms such as “similar” and “no difference” indicate that the estimates being compared were not significantly different. Lack of comments regarding the difference between any two estimates does not necessarily mean that the difference was tested and found to be not significant.

Due to small sample sizes, estimates based on less than a year of data may have large variances, and caution should be used in analyzing these estimates. Patterns for such estimates may change as more data become available.

Definitions of selected terms

Health insurance coverage—The “private health insurance coverage” category excludes plans that paid for only one type of service such as accidents or dental care. The “public health plan coverage” category includes Medicaid, State Children’s Health Insurance Program (SCHIP), state-sponsored or other government-sponsored health plan, Medicare, and military plans. A small number of persons were covered by both public and private plans and were included in both categories. A person was defined as “uninsured” if he or she did not have any private health insurance, Medicare, Medicaid, SCHIP, state-sponsored or other government-sponsored health plan, or military plan at the time of the interview. A person was also defined as uninsured if he or she had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care. The analyses excluded persons with unknown health insurance status (about 1% of respondents each year).

Data on health insurance status were edited using an automated system based on logic checks and keyword searches. For comparability, the estimates for all years were created using these same procedures. The resulting estimates of health insurance coverage are generally within 0.1–0.3 percentage points of those based on the editing procedures used for the final data files. However, occasionally differences greater than 0.3 percentage points have been observed between preliminary estimates and estimates based on final files. In 2004, the NHIS instrument recorded a much larger than expected proportion of respondents with a family income for the previous calendar year of “\$2,” and those responses were used in calculating some estimates in previous releases of this report. Based on a subsequent extensive review, these “\$2” responses were coded to “Not ascertained” for the final microdata files. For a more complete discussion, see the 2004 Survey Description Document at <http://www.cdc.gov/nchs/about/major>

[/nhis/quest_data_related_1997_forward.htm](#). For this report, a decision was made to re-run the 2004 estimates to reflect this editing decision. Estimates impacted by this decision are found in those tables that present estimates stratified by poverty (**Tables 4, 5, and 6**). The estimates primarily impacted were those for poor persons and may differ from those released in previous reports.

The terms HIKIND, MCAREPRB, and MCAIDPRB refer to questions on NHIS. The data on type of health insurance are collected through the HIKIND question “*What kind of health insurance or health care coverage does _____ have? INCLUDE those that pay for only one type of service (nursing home care, accidents, or dental care), exclude private plans that only provide extra cash while hospitalized.*” Respondents can indicate private and public plans or indicate that they or family members are not covered by insurance.

Two additional questions were added to the health insurance section of NHIS beginning with quarter 3 of 2004. One question, MCAREPRB, was asked of persons aged 65 years and over who had not indicated that they had Medicare. The MCAREPRB question is: “*People covered by Medicare have a card which looks like this. {Are/Is} {person} covered by Medicare?*” The other question, MCAIDPRB, was asked of persons under the age of 65 years who had not indicated any type of coverage. The MCAIDPRB question is: “*There is a program called Medicaid that pays for health care for persons in need. In this state it is also called {state name}. {Are/Is} {person} covered by Medicaid?*”

Respondents who were considered insured at the time of interview were asked about periods of noncoverage in the past year. For persons who did not have health insurance at the time of interview, a question concerning the length of time since the respondent had coverage was asked. These questions were used in the estimates of intermittent and long-term uninsurance.



Respondents who originally classified themselves as uninsured, but whose classification was changed to Medicare or Medicaid on the basis of a “yes” response to either probe question, subsequently received appropriate followup questions concerning periods of noncoverage for insured respondents.

Method 1 estimates are based solely on one question (HIKIND). Method 2 estimates are based on responses to three questions (HIKIND, MCAREPRB, and MCAIDPRB). Prior to 2004, estimates in earlier releases of this report were generated using Method 1. Estimates for 2004 are presented using Method 2 in the figures and both Method 1 and Method 2 in the tables. Estimates using Method 1 for the “Uninsured for more than a year” measure excluded persons whose classification was changed from uninsured to either Medicare or Medicaid coverage by either additional probe question. As a result, these respondents did not receive the followup question concerning how long had it been since they had coverage. However, they were asked the questions concerning noncoverage in the past 12 months for insured persons. All estimates beginning in 2005 are calculated using the two additional questions (Method 2).

Of the 892 people (unweighted) who were eligible to receive the MCAREPRB question in the third and fourth quarters of 2004, 55.4% indicated that they were covered by Medicare. Of the 9,146 people (unweighted) who were eligible to receive the MCAIDPRB question in the third and fourth quarters of 2004, 3.0% indicated that they were covered by Medicaid.

From July through December 2004 (the third and fourth quarters combined), the estimates (weighted) for the “uninsured at the time of interview” measure decreased from 10.4% to 9.9% for persons under 18 years of age, from 19.7% to 19.5% for adults 18–64 years of age, and from 1.7% to 1.2% for persons 65 years of age and over with the use of Method 2 as compared with Method 1. The estimates for public coverage increased from 28.1% to

29.6% for children under 18 years of age, from 11.3% to 11.4% for adults 18–64 years of age, and from 89.5% to 93.3% for persons 65 years of age and over with the use of Method 2 as compared with Method 1. The tabulation of “uninsured for more than a year” using Method 1 excludes respondents whose classification was changed to Medicare or Medicaid by either probe question because these individuals did not receive the question concerning duration of noncoverage for persons who are uninsured. There is no impact of the two additional questions on the estimates for private coverage. Additional information on the impact of these two probe questions on health insurance estimates can be found in *Impact of Medicare and Medicaid probe questions on health insurance estimates from the National Health Interview Survey, 2004* (2).

Education—The categories of education are based on the years of school completed or highest degree obtained for persons aged 18 years and over. Only years completed in a school that advances a person toward an elementary or high school diploma, General Educational Development high school equivalency diploma (GED), college, university, or professional degree are included. Education in other schools or home schooling is counted only if the credits are accepted in a regular school system.

Employment—Employment status is assessed at the time of interview and is obtained for persons aged 18 years and over. In this release, it is presented only for persons aged 18–64 years.

Hispanic or Latino origin and race—Hispanic or Latino origin and race are two separate and distinct categories. Persons of Hispanic or Latino origin may be of any race. Hispanic or Latino origin includes persons of Mexican, Puerto Rican, Cuban, Central and South American, or Spanish origins. Race is based on the family respondent’s description of his or her own race background as well as the race background of other family member. For conciseness, the text, tables, and figures in this report use shorter versions of the 1997 Office of

Management and Budget (OMB) race and Hispanic or Latino origin terms. For example, the category “not Hispanic or Latino, black or African American, single race” is referred to as “non-Hispanic black, single race” in the text, tables, and figures. Estimates for non-Hispanic persons of races other than white only or black only or of multiple races are combined into the “other races or multiple race” category.

Poverty status—Poverty categories are based on the ratio of the family’s income in the previous calendar year to the appropriate poverty threshold (given the family’s size and number of children) defined by the U.S. Census Bureau for that year (3–12). Persons who are categorized as poor had a ratio less than 1.0 (i.e., their family income was below the poverty threshold), near poor persons have incomes of 100% to less than 200% of the poverty threshold, and not poor persons have incomes that are 200% of the poverty threshold or greater. The remaining group of respondents is coded as “unknown” with respect to poverty status. The percentage of respondents with unknown poverty status (19.1% in 1997, 23.6% in 1998, 26.4% in 1999, 27.0% in 2000, 27.1% in 2001, 28.1% in 2002, 31.5% in 2003, 29.6% in 2004, 28.9% in 2005 and 30.4% in the first 9 months of 2006) is disaggregated by insurance status and age in **Tables 4, 5, and 6**. See the NHIS Survey Description Documents for 1997–2005 for more information on the unknown income and unknown poverty status categories at <http://www.cdc.gov/nchs/nhis.htm>.

NCHS imputes income for approximately 30% of NHIS records, but the imputed income file is not released until several months after the annual release of NHIS microdata. Therefore, Early Release health insurance estimates stratified by poverty are based only on the reported income and may differ from similar estimates produced later (e.g., *Health United States* (1)) that are based on both reported and imputed income.

Region—In the geographic classification of the U.S. population, states are grouped into the following



four regions used by the U.S. Census Bureau:

Region States included

Northeast Maine, Vermont, New Hampshire, Massachusetts, Connecticut, Rhode Island, New York, New Jersey, and Pennsylvania

Midwest Ohio, Illinois, Indiana, Michigan, Wisconsin, Minnesota, Iowa, Missouri, North Dakota, South Dakota, Kansas, and Nebraska

South Delaware, Maryland, District of Columbia, West Virginia, Virginia, Kentucky, Tennessee, North Carolina, South Carolina, Georgia, Florida, Alabama, Mississippi, Louisiana, Oklahoma, Arkansas, and Texas

West Washington, Oregon, California, Nevada, New Mexico, Arizona, Idaho, Utah, Colorado, Montana, Wyoming, Alaska, and Hawaii

in both Early Release reports. New measures may be added as work continues and in response to changing data needs. Feedback on these releases is welcome (**e-mail**).

Announcements about Early Releases, other new data releases, publications, or corrections related to NHIS will be sent to members of the HISUSERS Listserv. To join, visit the CDC website at <http://www.cdc.gov/subscribe.html>.

Suggested citation

Cohen RA, Martinez ME. Health insurance coverage: Early release of estimates from the National Health Interview Survey, January–September 2006. March 2007. Available from <http://www.cdc.gov/nchs/nhis.htm>.

Future plans

The NCHS Early Release Program will continue updating and releasing estimates of health insurance coverage 6 months after NHIS data collection has been completed for each quarter. In addition to this special report focusing on health insurance, the Early Release Program releases estimates for 15 selected measures of health, including lack of health insurance coverage and type of coverage, usual place to go for medical care, obtaining needed medical care, influenza vaccination, pneumococcal vaccination, obesity, leisure-time physical activity, current smoking, alcohol consumption, HIV testing, general health status, personal care needs, serious psychological distress, diagnosed diabetes, and asthma episodes and current asthma (13). Health insurance estimates are available