



## Calculated Variables

in the Data File of the

2013 Behavioral Risk Factor Surveillance System

*(September 24, 2014)*





## INTRODUCTION:

This document provides information on calculated variables for the 2013 Behavioral Risk Factor Surveillance System survey. BRFSS calculates these variables from the participants' responses to survey questions. There are three types of calculated variables:

1. Variables used to stratify and weight the data (This type is not included in this document.);
2. Intermediate variables, which users derive from a question response and are useful in the calculation of some other variable or risk factor.

Example: Users derive WTKG2 from the WEIGHT2 variable in the survey, in order to calculate the body mass index variable (\_BMI4). Most—but not all—of the intermediate variables end with an underscore, such as FTJUDAY\_.

3. Variables for categorizing or classifying respondents.

Most of these variables begin with an underscore such as \_BMI4.

Exceptions are: \_DENSTR2, \_GEOSTR, and \_STATE, which BRFSS determines before the interview.

Some of the calculated variables group continuous variables—such as weight, age, or body mass index—into categories. Other calculated variables regroup non-continuous variables to simplify analyses. The common focus of these variables is on health behaviors related to a risk of illness or injury.

The tables in this report include a description of what the responses mean and a copy of the code used to calculate these variables in SAS®. The syntax of the code, as given, may or may not work in the particular statistical program that you are using. Users should refer to the appropriate SPSS, SUDAAN, SAS, or other software user manuals for compatible variables names and functions used within the SAS code provided.

New calculated variables added in 2013 are listed below. For a complete list of calculated variables included in the 2013 dataset see the list at the end of this document.

**\_CHISPNC;**  
**\_CRACE1;**  
**\_FLSHOT6;**  
**\_FRTL1;**  
**\_HISPANC;**  
**\_IMPCAGE;**  
**\_IMPCRAC;**  
**\_IMPCSEX;**  
**\_LMTACT1;**  
**\_LMTSCL1;**  
**\_LMTWRK1;**  
**\_M\_RACE;**  
**\_MINAC11;**  
**\_MINAC21;**  
**\_MRACE1;**  
**\_PA150R2;**  
**\_PA30021;**  
**\_PASTAE1;**  
**\_PA300R2;**  
**\_PACAT1;**  
**\_PAINDX1;**  
**\_PAREC1;**  
**\_PRACE1;**  
**\_RACE;**  
**\_RACE\_G1;**  
**\_RACEG21;**  
**\_RACEGR3;**  
**\_VEGLT1;**  
**ACTIN1\_ ;**  
**ACTIN21\_ ;**  
**CRACASC1;**  
**CRACORG1;**  
**METVL1\_;**  
**METVL21\_ ;**  
**MRACASC1;**  
**MRACORG1;**  
**PA1MIN\_ ;**  
**PA1VIGM\_;**  
**PAMIN1\_;**  
**PAMIN21\_;**  
**PAMISS1\_ ;**  
**PAVIG11\_ ;**  
**PAVIG21\_ .**

### Section 1: Health Status

<b>_RFHLTH</b>	<i>Calculated variable for adults with good or better health. We derive RFHLTH from GENHLTH.</i>	
1	Good or Better Health	Respondents who reported having excellent, very good, or good health. (GENHLTH =1, 2, 3)
2	Fair or Poor Health	Respondents who reported having fair or poor health. (GENHLTH =4, 5)
9	Don't Know/ Not Sure Or Refused/ Missing	Respondents who reported they didn't know, refused to answer, or had missing responses for the general health status question. (GENHLTH =7, 9, missing)
<b>SAS Code:</b>		<pre>IF 4 LE GENHLTH LE 5 THEN _RFHLTH=2; ELSE IF 1 LE GENHLTH LE 3 THEN _RFHLTH=1; ELSE _RFHLTH=9;</pre>

### Section 2: Healthy Days--Health-Related Quality of Life

There are no calculated variables for Section 2.

### Section 3: Health Care Access

<b>_HCVU651</b>	<i>Calculated variable for respondents aged 18-64 who have any form of health care coverage. We derive _HCVU651 from AGE and HLTHPLN1.</i>	
1	Have Health Care Coverage	Respondents who reported having health care coverage (18 <= AGE <= 64 and HLTHPLN1 = 1)
2	Do Not Have Health Care Coverage	Respondents who reported not having health care coverage (18 <= AGE <= 64 and HLTHPLN1 = 2)
9	Don't Know/ Not Sure, Refused Or Missing	Respondents who reported that they did not know, were not sure, refused to report or had missing responses for having health care coverage (18 <= AGE <= 64 and HLTHPLN1 = 7, 9, or missing or AGE => 65)
<b>SAS Code:</b>		<pre>IF 18 LE AGE LE 64 THEN DO; IF HLTHPLN1=1 THEN _HCVU651=1; ELSE IF HLTHPLN1=2 THEN _HCVU651=2; ELSE _HCVU651=9; END; ELSE _HCVU651 = 9;</pre>

### Section 4: Inadequate Sleep

There are no calculated variables for Section 4.

### Section 5: Hypertension Awareness

**\_RFHYPE5** *Calculated variable for adults who have been told they have high blood pressure by a doctor, nurse, or other health professional. We derive \_RFHYPE5 from BPHIGH4.*

- |   |  |   |
|---|--|---|
| 1 | No   | Respondents who were not told their pressure is high by a health professional (BPHIGH4=2,3,or 4)  |
| 2 | Yes  | Respondents who were told their pressure is high by a health professional (BPHIGH4=1)   |
| 9 | Don't Know/<br>Not Sure/ Refused/<br>Missing | Respondents who reported they didn't know if they were told if their blood pressure is high, those who refused to answer if they were told if their blood pressure is high, and those with missing responses (BPHIGH4=7,9,or missing) |

**SAS Code:**

```
IF BPHIGH4 = 1 THEN _RFHYPE5=2;
ELSE IF BPHIGH4 = 2 THEN _RFHYPE5=1;
ELSE IF BPHIGH4 = 3 THEN _RFHYPE5=1;
ELSE IF BPHIGH4 = 4 THEN _RFHYPE5=1;
ELSE IF BPHIGH4 IN (.,7,9) THEN _RFHYPE5=9 ;
```

### Section 6: Cholesterol Awareness

**\_CHOLCHK** *Calculated variable for cholesterol check within past five years. We derive \_CHOLCHK from BLOODCHO and CHOLCHK.*

- |   |  |   |
|---|--|---|
| 1 | Had Cholesterol<br>Checked In Past 5<br>Years          | Respondents who reported having had their cholesterol checked within the past five years (BLOODCHO=1 and CHOLCHK=1,2,or 3)  |
| 2 | Did Not Have<br>Cholesterol Checked<br>In Past 5 Years | Respondents who reported not having had their cholesterol checked within the past five years (BLOODCHO=1 and CHOLCHK=4)   |
| 3 | Have Never Had<br>Cholesterol Checked                  | Respondents who reported never having had their cholesterol checked (BLOODCHO=2)  |
| 9 | Don't Know/<br>Not Sure Or Refused/<br>Missing         | Respondents who reported they didn't know if they had their cholesterol checked by a health professional, those who refused to answer if they had their cholesterol checked by a health professional, and those with missing responses (BLOODCHO=7,9,or missing and CHOLCHK=7,9,or missing) |

**SAS Code:**

```
IF BLOODCHO=1 AND (1 LE CHOLCHK LE 3) THEN _CHOLCHK=1;
ELSE IF BLOODCHO=1 AND CHOLCHK=4 THEN _CHOLCHK=2;
ELSE IF BLOODCHO=2 AND CHOLCHK=. THEN _CHOLCHK=3;
ELSE IF BLOODCHO IN (.,7,9) OR CHOLCHK IN (.,7,9) THEN _CHOLCHK=9;
```

### Section 6: Cholesterol Awareness

<b>_RFCHOL</b>		<i>Calculated variable for adults who have had their cholesterol checked and have been told by a doctor, nurse, or other health professional that it was high. We derive _RFCHOL from BLOODCHO and TOLDHI2.</i>
1	No	Respondents who reported having had their blood cholesterol checked but had not been told it was high (BLOODCHO=1 and TOLDHI2=2)
2	Yes	Respondents who reported having had their blood cholesterol checked and had been told that they have high blood cholesterol (BLOODCHO=1 and TOLDHI2=1)
9	Don't Know/ Not Sure Or Refused /Missing	Respondents who reported they did not know if they had their blood cholesterol checked, those that reported they didn't know if they have been told their blood cholesterol was high, those who refused to answer if they had their blood cholesterol checked, those who refused to answer if they had been told that their blood cholesterol was high, and those with missing responses (BLOODCHO=1 and TOLDHI2=7,9,or missing)
.	Missing	Respondents who reported they have not had their blood cholesterol checked (BLOODCHO=2,7,9,or missing)
	<b>SAS Code:</b>	<pre>IF BLOODCHO=1 AND TOLDHI2=1 THEN _RFCHOL=2; ELSE IF BLOODCHO=1 AND TOLDHI2=2 THEN _RFCHOL=1; ELSE IF BLOODCHO=1 AND TOLDHI2 IN (.,7,9) THEN _RFCHOL=9; ELSE _RFCHOL=.;</pre>

### Section 7: Chronic Health Conditions

<b>_LTASTH1</b>		<i>Calculated variable for adults who have ever been told they have asthma. We derive _LTASTH1 from ASTHMA3.</i>
1	No	Respondents who have not been told by a doctor, nurse, or health professional that they had asthma. (ASTHMA3=2)
2	Yes	Respondents who have been told by a doctor, nurse, or health professional that they had asthma. (ASTHMA3=1)
9	Don't Know/ Not Sure Or Refused/Missing	Respondents who reported they did not know if they had been told by a doctor, nurse or health professional that they had asthma; those who refused to answer if they had been told by a doctor, nurse or health professional that they had asthma; or those with missing responses. (ASTHMA3=7, 9, missing)
	<b>SAS Code:</b>	<pre>IF ASTHMA3=1 THEN _LTASTH1=2; ELSE IF ASTHMA3=2 THEN _LTASTH1=1; ELSE _LTASTH1=9;</pre>

**Section 7: Chronic Health Conditions**

**\_CASTHM1** *Calculated variable for adults who have been told they currently have asthma. We derive \_CASTHM1 from ASTHMA3 and ASTHNOW.*

- |   |   |   |
|---|---|---|
| 1 | No  | Respondents who have not been told by a doctor, nurse, or health professional that they had asthma or do not still have asthma. (ASTHMA3=2 or ASTHMA3=1 and ASTHNOW=2)  |
| 2 | Yes   | Respondents who have been told by a doctor, nurse, or health professional that they had asthma and that they still have asthma. (ASTHMA3=1 and ASTHNOW=1)   |
| 9 | Don't know/<br>Not Sure Or<br>Refused/Missing | Respondents who reported they did not know if they had been told by a doctor, nurse or health professional that they had asthma; those who refused to answer if they had been told by a doctor, nurse, or health professional that they had asthma; those who did not know if they still had asthma; those who refused to answer if they still had asthma; or those with missing responses. (ASTHMA3=7, 9, missing; or ASTHNOW=7, 9, missing) |

**SAS Code:**

```
IF ASTHMA3=2 THEN _CASTHM1=1;
ELSE IF ASTHMA3=1 AND ASTHNOW=1 THEN _CASTHM1=2;
ELSE IF ASTHMA3=1 AND ASTHNOW=2 THEN _CASTHM1=1;
ELSE _CASTHM1=9;
```

**Section 7: Chronic Health Conditions**

**\_ASTHMS1** *Calculated variable for computed asthma status. We derive \_ASTHMS1 from ASTHMA3 and ASTHNOW.*

- |   |  |  |
|---|--|--|
| 1 | Current  | Respondents who have been told by a doctor, nurse, or health professional that they had asthma and that they still have asthma. (ASTHMA3=1 and ASTHNOW=1)  |
| 2 | Former   | Respondents who have been told by a doctor, nurse, or health professional that they had asthma but do not still have asthma. (ASTHMA3=1 and ASTHNOW=2)   |
| 3 | Never  | Respondents who have not been told by a doctor, nurse, or health professional that they had asthma. (ASTHMA3=2)  |
| 9 | Don't Know/<br>Not Sure Or Refused/<br>Missing | Respondents who reported they didn't know if they had been told by a doctor, nurse, or health professional that they had asthma; those who refused to answer if they had been told by a doctor, nurse or health professional that they had asthma; those who didn't know if they still had asthma; those that refused to answer if they still had asthma; or those with missing responses. (ASTHMA3=7, 9, missing; or ASTHNOW=7, 9, missing) |

**SAS Code:**

```
IF ASTHMA3=1 AND ASTHNOW=1 THEN _ASTHMS1=1;
ELSE IF ASTHMA3=1 AND ASTHNOW=2 THEN _ASTHMS1=2;
ELSE IF ASTHMA3=2 THEN _ASTHMS1=3;
ELSE _ASTHMS1=9;
```

### Section 7: Chronic Health Conditions

**\_DRDXAR1** *Calculated variable for respondents who have had a doctor diagnose them as having some form of arthritis. We derive \_DRDXAR1 from HAVARTH3.*

- |   |  |   |
|---|--|---|
| 1 | Diagnosed with Arthritis                     | Respondents who have been told by a doctor they had arthritis (HAVARTH2=1)  |
| 2 | Not Diagnosed with Arthritis                 | Respondents who have not been told by a doctor they had arthritis (HAVARTH2=2)  |
| . | Don't Know/<br>Not Sure/ Refused/<br>Missing | Respondents who reported they didn't know if they had been told by a doctor they had arthritis, those who refused to answer if they had been told by a doctor they had arthritis, and those with missing responses (HAVARTH2=7,9, or missing) |

**SAS Code:**  

```
IF HAVARTH3 = 1 THEN _DRDXAR1=1;
ELSE IF HAVARTH3 = 2 THEN _DRDXAR1=2;
ELSE IF HAVARTH3 IN (7,9,.) THEN _DRDXAR1=.;
```

### Section 8: Demographics

**MRACORG1** *Calculated variable for mrace1 with 77,80,88,90s removed. We derive MRACORG1 from MRACE1 in the original order in which the data were received from the state territory. If MRACE1 is greater than 99, then any 77, 80, 88, or 99 is removed. If MRACE1 is less than or equal to 99, then MRACORG1 is equal to MRACE1.*

10 - 605040 302010	Race code(s)	Respondents reported race or races in original order (MRACE1=10, 20, 30, 40, 50, 60, or MRACE1 > 99)
--------------------------	--------------	--

77	Don't Know/ Not Sure	Respondents who reported they did not know or who were unsure of their race. (MRACE1=77)
----	-------------------------	--

99	Refused	Respondents who refused to give their race. (MRACE1=99)
----	---------	---

**SAS Code:**  

```
IF (LEFT(COMPRESS(LENGTH(MRACE1)))) > 2 THEN DO;
MRACORG77=PUT(LEFT(COMPRESS(TRANWRD(MRACE1,"77","")),28.));
MRACORG88=PUT(LEFT(COMPRESS(TRANWRD(MRACORG77,"88","")),28.));
MRACORG99=PUT(LEFT(COMPRESS(TRANWRD(MRACORG88,"99","")),28.));
MRACORG1=PUT(LEFT(COMPRESS(TRANWRD(MRACORG99,"80","")),28.));
END;
ELSE DO;
MRACORG1=MRACE1;
END;
```



**Section 8: Demographics**

MRACASC1 *Calculated variable for mrace with 7,8,9s removed, in ascending order. We derive MRACASC1 from MRACORG1 and sort the values that make up MRACORG1 from smallest to largest.*

10 - 102030 405060	Race code(s)	Respondents reported race or races in ascending order (MRACE1=10, 20, 30, 40, 50, 60, or MRACORG1 > 99)
77	Don't Know/ Not Sure	Respondents who reported they did not know or were unsure of their race. (MRACORG1=77)
99	Refused	Respondents who refused to give their race. (MRACORG1=99)

## Section 8: Demographics

MRACASC1 *Calculated variable for mrace with 7,8,9s removed, in ascending order. We derive MRACASC1 from MRACORG1 and sort the values that make up MRACORG1 from smallest to largest.*

```

SAS Code:      IF (LEFT(COMPRESS(LENGTH(MRACORG1)))) > 2 THEN DO;
                    array pairs[14];
                    length MRAC_SORTED $28;
                    counter = .;
                    do pos = 1 to length(MRACORG1) by 2;
                      counter + 1;
                      pairs[counter] = input(substr(MRACORG1, pos, 2), 2.);
                    end;
                    do i = 1 to counter;
                      MRAC_SORTED = cats(MRAC_SORTED, smallest(i, of pairs[*]));
                    end;
                    drop pairs: i counter pos;
                    MRAC_VALID=MRAC_SORTED;
                    %macro swapthis;
                    %do M = 1 %to 14;
                    %LET R=%eval((&M.*2)-1);
                    %do s = 41 %to 47;
                    if substr(MRAC_VALID,&R.,2)=&s. then do;
                    MRAC_VALID = TRANWRD(MRAC_VALID,"&S.", "40");
                    end;
                    %end;
                    %do t = 51 %to 54;
                    if substr(MRAC_VALID,&R.,2)=&t. then do;
                    MRAC_VALID = TRANWRD(MRAC_VALID,"&T.", "50");
                    end;
                    %end;
                    %end;
                    %mend;
                    %swapthis;
                    DO Z=1 TO 4;
                    MRAC_5050=
                    PUT(LEFT(COMPRESS(TRANWRD(MRAC_VALID, "5050", "50XX"))), 28.);
                    MRAC_ONE50= PUT(LEFT(COMPRESS(TRANWRD(MRAC_5050, "XX", ""))), 28.);
                    END;
                    MRAC_ONE40=MRAC_ONE50;
                    DO Y=1 TO 7;
                    MRAC_4040=
                    PUT(LEFT(COMPRESS(TRANWRD(MRAC_ONE40, "4040", "40XX"))), 28.);
                    MRAC_ONE40= PUT(LEFT(COMPRESS(TRANWRD(MRAC_4040, "XX", ""))), 28.);
                    END;
                    MRACASC1=INPUT(MRAC_ONE40, 28.0);
                    END;
                    ELSE DO;
                    MRACASC1=INPUT(MRACORG1, 28.0);
                    END;

```

**Section 8: Demographics**

**\_PRACE1** *Calculated variable for preferred race category. We derive \_PRACE from MRACASC1 and ORACE3. If MRACEASC has only one response, then \_PRACE1=MRACASC1. If MRACASC1 has more than one response, then \_PRACE1=ORACE3.*

- |    |   |   |
|----|---|---|
| 1  | White                                       | Respondents who reported their race as white. (MRACASC1=10 or MRACASC1>99 and ORACE3=10)  |
| 2  | Black Or African American                   | Respondents who reported their race as black. (MRACASC1=22 or MRACASC1>99 and ORACE3=20)  |
| 3  | American Indian Or Alaskan Native           | Respondents who reported their race as American Indian or Alaskan Native. (MRACASC1=30 or MRACASC1>99 and ORACE3=30)  |
| 4  | Asian                                       | Respondents who reported their race as Asian. (MRACASC1=40 or MRACASC1>99 and ORACE3=40)  |
| 5  | Native Hawaiian Or Other Pacific Islander   | Respondents who reported their race as Native Hawaiian or Pacific Islander. (MRACASC1=50 or MRACASC1>99 and ORACE3=50)  |
| 6  | Other Race                                  | Respondents who report they are of some other race group not listed in the question responses. (MRACASC1=60 or MRACASC1>99 and ORACE3=60)   |
| 7  | No Preferred Race                           | Respondents who reported they are of more than one race group but did not report a preference or the preferred race is missing (MRACASC1>99 and ORACE3=77 or 99)  |
| 8  | Multiracial But Preferred Race Not Answered | Respondents who reported they are of more than one race group but did not answer the question about which race best represents them. NOTE: This is a data collection error. (MRACASC1 >99 and ORACE3=80 or MRACASC1 >99 and ORACE3=Missing) |
| 77 | Don't Know/ Not Sure                        | Respondents who reported they did not know their race and did not answer the question about which race best represents them. (MRACASC1=77)  |
| 99 | Refused                                     | Respondents who refused to give their race and did not answer the question about which race best represents them. (MRACASC1=99)   |

**SAS Code:**

```
IF MRACASC1 EQ 10 THEN _PRACE1 = 1;
ELSE IF MRACASC1 EQ 20 THEN _PRACE1 = 2;
ELSE IF MRACASC1 EQ 30 THEN _PRACE1 = 3;
ELSE IF 40 LE MRACASC1 LE 49 THEN _PRACE1=4;
ELSE IF 50 LE MRACASC1 LE 59 THEN _PRACE1=5;
ELSE IF MRACASC1 EQ 60 THEN _PRACE1=6;
ELSE IF MRACASC1 EQ 77 THEN _PRACE1=77;
ELSE IF MRACASC1 EQ 99 THEN _PRACE1=99;
ELSE IF MRACASC1 GT 99 THEN DO;
  IF ORACE3=77 THEN _PRACE1=7;
ELSE IF ORACE3=99 THEN _PRACE1=7;
ELSE IF ORACE3=. THEN _PRACE1=8;
ELSE IF ORACE3=80 THEN _PRACE1=8;
ELSE IF ORACE3 EQ 10 THEN _PRACE1=1;
ELSE IF ORACE3 EQ 20 THEN _PRACE1=2;
ELSE IF ORACE3 EQ 30 THEN _PRACE1=3;
ELSE IF 40 LE ORACE3 LE 49 THEN _PRACE1=4;
ELSE IF 50 LE ORACE3 LE 59 THEN _PRACE1=5;
ELSE IF ORACE3 EQ 60 THEN _PRACE1=6;
END;
```

**Section 8: Demographics**

**\_MRACE1** *Calculated variable for calculated multiracial race categorization. We derive \_MRACE1 from MRACASC1. If respondents reported more than one race, they are assigned to the multiracial category. If MRACASC1 is less than 40 or equal to 60 then \_MRACE1=MRACASC1. If MRACASC1 is 40-47 then \_MRACE1=40. If MRACASC1 is 50-54 then \_MRACE1=50.*

1	White Only	Respondents who reported they are white. (MRACASC1=10)
2	Black Or African American Only	Respondents who report they are black. (MRACASC1=22)
3	American Indian Or Alaskan Native Only	Respondents who reported they are American Indian or Alaskan Native. (MRACASC1=30)
4	Asian Only	Respondents who reported they are Asian. (MRACASC1=40,41,42,423,44,45,46,47)
5	Native Hawaiian Or Other Pacific Islander Only	Respondents who reported they are native Hawaiian or Pacific Islander. (MRACASC1=50,51,52,53,54)
6	Other Race Only	Respondents who reported they are of some other race group not listed in the question responses. (MRACASC1=60)
7	Multiracial	Respondents who reported they are of more than one race group (MRACASC1>99)
77	Don't Know/ Not Sure	Respondents who reported they did not know their race. (MRACASC1=77)
99	Refused	Respondents who refused to give their race information. (MRACASC1=99)

**SAS Code:**

```
IF MRACASC1 GT 99 THEN _MRACE1 = 7;
ELSE IF MRACASC1 EQ 99 THEN _MRACE1 = 99;
ELSE IF MRACASC1 EQ 77 THEN _MRACE1 = 77;
ELSE IF MRACASC1 EQ 10 THEN _MRACE1 = 1;
ELSE IF MRACASC1 EQ 20 THEN _MRACE1 = 2;
ELSE IF MRACASC1 EQ 30 THEN _MRACE1 = 3;
ELSE IF 40 LE MRACASC1 LE 47 THEN _MRACE1 = 4;
ELSE IF 50 LE MRACASC1 LE 54 THEN _MRACE1 = 5;
ELSE IF MRACASC1=60 THEN _MRACE1=6;
```

**Section 8: Demographics**

**\_M\_RACE** *Calculated variable for calculated multiracial race categorization. We derive \_M\_RACE from MRACASC1. If respondents reported more than one race, they are assigned to the multiracial category. Otherwise \_M\_RACE=MRACASC1.*

10	White	Respondents who reported being white (MRACASC1=10)
20	Black Or African American	Respondents who reported being black or African American (MRACASC1=22)
30	American Indian Or Alaskan Native	Respondents who reported being American Indian or Alaskan Native (MRACASC1=30)
40	Asian	Respondents who reported being Asian (MRACASC1=40)
41	Asian Indian	Respondents who reported being Asian Indian (MRACASC1=41)
42	Chinese	Respondents who reported being Chinese (MRACASC1=42)
43	Filipino	Respondents who reported being Filipino (MRACASC1=43)
44	Japanese	Respondents who reported being Japanese (MRACASC1=44)
45	Korean	Respondents who reported being Korean (MRACASC1=45)
46	Vietnamese	Respondents who reported being Vietnamese (MRACASC1=46)
47	Other Asian	Respondents who reported being Other Asian (MRACASC1=47)
50	Pacific Islander	Respondents who reported being Pacific Islander (MRACASC1=50)
51	Native Hawaiian	Respondents who reported being Native Hawaiian (MRACASC1=51)
52	Guamanian Or Chamorro	Respondents who reported being Guamanian or Chamorro (MRACASC1=52)
53	Samoan	Respondents who reported being Samoan (MRACASC1=53)
54	Other Pacific Islander	Respondents who reported being Other Pacific Islander (MRACASC1=54)
60	Other	Respondents who reported being Other (MRACASC1=60)
70	Multiple Responses	Respondents who reported being of multiple races/ethnicities (MRACASC1>99)
77	Don't Know/ Not Sure	Respondents who reported they did not know their race (MRACASC1=77)
99	Refused	Respondents who refused to answer what race/ethnicity they were (MRACASC1=99)

**SAS Code:**

```
IF MRACASC1 GT 99 THEN _M_RACE = 70;
ELSE IF MRACASC1 EQ 99 THEN _M_RACE = 99;
ELSE IF MRACASC1 EQ 77 THEN _M_RACE = 77;
ELSE IF 10 LE MRACASC1 LE 60 THEN _M_RACE=MRACASC1;
```

**Section 8: Demographics**

HISPANC *Calculated variable for Hispanic, Latino/a, or Spanish origin calculated variable. We derive HISPANC from HISPANC3*

1	Hispanic, Latino/A, Or Spanish Origin	Respondents who reported being of Hispanic, Latino/a, or Spanish origin (HISPANC3=1,2,3,4 or HISPANC3 > 9)
2	Not Of Hispanic, Latino/A, Or Spanish Origin	Respondents who reported they were not of Hispanic, Latino/a, or Spanish origin (HISPANC3=5)
9	Don't Know, Refused Or Missing	Respondents who refused to report if they were of Hispanic, Latino/a, or Spanish origin (HISPANC3=7)
.	Not Asked Or Missing	Respondents who reported they did not know if they were of Hispanic, Latino/a, or Spanish origin (HISPANC3=9)

**SAS Code:**

```
IF HISPANC3 in (5,58) THEN _HISPANC=2;  
ELSE IF HISPANC3 in (7,9,.) THEN _HISPANC=9;  
ELSE _HISPANC=1;
```

**Section 8: Demographics**

**\_RACE**      *Calculated variable for race ethnicity categories. We derive \_RACE from \_MRACE1 and \_HISPANC. All respondents who reported they are of Hispanic or Latino origin are coded as Hispanic.*

- |   |  |  |
|---|--|--|
| 1 | White Only,<br>Non-Hispanic  | Respondents who reported they are white and not of Hispanic origin. (_MRACE1=1 and _HISPANC=2)   |
| 2 | Black Only,<br>Non-Hispanic  | Respondents who reported they are black and not of Hispanic origin. (_MRACE1=2 and _HISPANC=2)   |
| 3 | American Indian Or<br>Alaskan Native Only,<br>Non-Hispanic         | Respondents who reported they are American Indian or Alaskan Native and not of Hispanic origin. (_MRACE1=3 and _HISPANC=2)   |
| 4 | Asian Only,<br>Non-Hispanic  | Respondents who reported they are Asian and not of Hispanic origin. (_MRACE1=4 and _HISPANC=2)   |
| 5 | Native Hawaiian Or<br>Other Pacific Islander<br>Only, Non-Hispanic | Respondents who reported they are Native Hawaiian or Pacific Islander and not of Hispanic origin. (_MRACE1=5 and _HISPANC=2)   |
| 6 | Other Race Only,<br>Non-Hispanic                                   | Respondents who reported they are of some other race group not listed in the question responses and are not of Hispanic origin. (_MRACE1=6 and _HISPANC=2)   |
| 7 | Multiracial,<br>Non-Hispanic                                       | Respondents who reported they are of more than one race group and are not of Hispanic origin. (_MRACE1=7 and _HISPANC=2)   |
| 8 | Hispanic   | Respondents who reported they are of Hispanic origin. (_HISPANC=1)   |
| 9 | Don't Know/<br>Not Sure/ Refused                                   | Respondents who reported they did not know, or refused to give their race and are not of Hispanic origin or did not know, or refused to answer if they are of Hispanic origin. (_MRACE1 =77, 99 and _HISPANC=2 or _HISPANC=7, 9) |

**SAS Code:**

```
IF _HISPANC=9 OR (_MRACE1 IN(77,99) AND HISPANC3 EQ 2) THEN DO;
_RACE = 9 ;
END;
ELSE IF _HISPANC =2 THEN DO;
IF _MRACE1 = 1 THEN _RACE = 1 ;
ELSE IF _MRACE1 = 2 THEN _RACE = 2 ;
ELSE IF _MRACE1 = 3 THEN _RACE = 3 ;
ELSE IF _MRACE1 = 4 THEN _RACE = 4 ;
ELSE IF _MRACE1 = 5 THEN _RACE = 5 ;
ELSE IF _MRACE1 = 6 THEN _RACE = 6 ;
ELSE IF _MRACE1 = 7 THEN _RACE = 7 ;
END;
ELSE IF _HISPANC=1 THEN DO;
_RACE = 8 ;
END;
```

### Section 8: Demographics

**\_RACEG21** *Calculated variable for white Non-Hispanic race group.* We derive \_RACEG21 from \_RACE.

- |   |                                  |  |
|---|----------------------------------|--|
| 1 | Non-Hispanic White               | Respondents who reported they are white and not of Hispanic origin. (_RACE=1)  |
| 2 | Non-White Or<br>Hispanic         | Respondents who reported they are non-white or of Hispanic origin. (_RACE=2, 3, 4, 5, 6, 7, 8)   |
| 9 | Don't Know/<br>Not Sure/ Refused | Respondents who reported they did not know, or refused to give their race and are not of Hispanic origin or did not know, or refused to answer if they are of Hispanic origin. (_RACE=9) |

**SAS Code:**

```
IF _RACE = 1 THEN _RACEG21 = 1;
ELSE IF _RACE IN (2,3,4,5,6,7,8) THEN _RACEG21 = 2;
ELSE IF _RACE=9 THEN _RACEG21 = 9;
```

### Section 8: Demographics

**\_RACEGR3** *Calculated variable for five-level race ethnicity category.* We derive \_RACEGR3 derived from \_RACE.

- |   |                                  |  |
|---|----------------------------------|--|
| 1 | White Only,<br>Non-Hispanic      | Respondents who reported they are white and not of Hispanic origin. (_RACE=1)  |
| 2 | Black Only,<br>Non-Hispanic      | Respondents who reported they are black and not of Hispanic origin. (_RACE=2)  |
| 3 | Other Race Only,<br>Non-Hispanic | Respondents who reported they are not white and not black and not of Hispanic origin. (_RACE=3, 4, 5, 6)   |
| 4 | Multiracial,<br>Non-Hispanic     | Respondents who reported being multiracial but not of Hispanic origin. (_RACE=7)   |
| 5 | Hispanic                         | Respondents who reported they are of Hispanic origin. (_RACE=8)  |
| 9 | Don't Know/<br>Not Sure/ Refused | Respondents who reported they did not know, or refused to give their race and are not of Hispanic origin or did not know, or refused to answer if they are of Hispanic origin. (_RACE=9) |

**SAS Code:**

```
IF _RACE=1 THEN _RACEGR3=1;
ELSE IF _RACE=2 THEN _RACEGR3=2;
ELSE IF 3 LE _RACE LE 6 THEN _RACEGR3=3;
ELSE IF _RACE=7 THEN _RACEGR3=4;
ELSE IF _RACE=8 THEN _RACEGR3=5;
ELSE IF _RACE=9 THEN _RACEGR3=9;
```



**Section 8: Demographics**

**\_RACE\_G1** *Calculated variable for race groups used for internet prevalence tables. We derive \_RACE\_G from \_RACEGR3.*

- |   |  |   |
|---|--|---|
| 1 | White -<br>Non-Hispanic                                | Respondents who reported they are white and not of Hispanic origin.<br>(_RACEGR3=1)   |
| 2 | Black -<br>Non-Hispanic                                | Respondents who reported they are black and not of Hispanic origin.<br>(_RACEGR3=2)   |
| 3 | Hispanic   | Respondents who reported that they are of Hispanic origin.<br>(_RACEGR3=5)  |
| 4 | Other race only,<br>Non-Hispanic                       | All other respondents with valid race responses except for those reporting<br>multiracial or Hispanic origins. (_RACEGR3=3) |
| 5 | Multiracial,<br>Non-Hispanic                           | All other respondents reporting multiracial but non-Hispanic origin.<br>(_RACEGR3=4)  |
| . | Don't know/<br>Not sure/ Refused<br>component question | Respondents with don't know, refused or missing values for _RACEGR2.<br>(_RACEGR3=9, missing)                               |

**SAS Code:**

```
IF _RACEGR3 = 1 THEN _RACE_G1 = 1;
ELSE IF _RACEGR3 = 2 THEN _RACE_G1 = 2;
ELSE IF _RACEGR3 = 3 THEN _RACE_G1 = 4;
ELSE IF _RACEGR3 = 4 THEN _RACE_G1 = 5;
ELSE IF _RACEGR3 = 5 THEN _RACE_G1 = 3;
```

**Section 8: Demographics**

*\_AGEG5YR* Calculated variable for fourteen-level age category. We derive *\_AGEG5YR* from AGE.

1	Age 18 to 24	Respondents with reported age from 18 to 24 years (18 <= AGE <= 24)
2	Age 25 to 29	Respondents with reported age from 25 to 29 years (25 <= AGE <= 29)
3	Age 30 to 34	Respondents with reported age from 30 to 34 years (30 <= AGE <= 34)
4	Age 35 to 39	Respondents with reported age from 35 to 39 years (35 <= AGE <= 39)
5	Age 40 to 44	Respondents with reported age from 40 to 44 years (40 <= AGE <= 44)
6	Age 45 to 49	Respondents with reported age from 45 to 49 years (45 <= AGE <= 49)
7	Age 50 to 54	Respondents with reported age from 50 to 54 years (50 <= AGE <= 54)
8	Age 55 to 59	Respondents with reported age from 55 to 59 years (55 <= AGE <= 59)
9	Age 60 to 64	Respondents with reported age from 60 to 64 years (60 <= AGE <= 64)
10	Age 65 to 69	Respondents with reported age from 65 to 69 years (65 <= AGE <= 69)
11	Age 70 to 74	Respondents with reported age from 70 to 74 years (70 <= AGE <= 74)
12	Age 75 to 79	Respondents with reported age from 75 to 79 years (75 <= AGE <= 79)
13	Age 80 or older	Respondents with reported age from 80 to 99 years (80 <= AGE <= 99)
14	Don't know/ Refused/Missing	Respondents which reported they did not know, were unsure, refused to report or had missing responses for their age. (AGE=7, 9, missing)

## Section 8: Demographics

**\_AGEG5YR** *Calculated variable for fourteen-level age category.* We derive \_AGEG5YR from AGE.

**SAS Code:**

```
IF 18 LE AGE LE 24 THEN _AGEG5YR = 1;
  ELSE IF 25 LE AGE LE 29 THEN _AGEG5YR = 2;
  ELSE IF 30 LE AGE LE 34 THEN _AGEG5YR = 3;
  ELSE IF 35 LE AGE LE 39 THEN _AGEG5YR = 4;
  ELSE IF 40 LE AGE LE 44 THEN _AGEG5YR = 5;
ELSE IF 45 LE AGE LE 49 THEN _AGEG5YR = 6;
  ELSE IF 50 LE AGE LE 54 THEN _AGEG5YR = 7;
  ELSE IF 55 LE AGE LE 59 THEN _AGEG5YR = 8;
  ELSE IF 60 LE AGE LE 64 THEN _AGEG5YR = 9;
  ELSE IF 65 LE AGE LE 69 THEN _AGEG5YR = 10;
ELSE IF 70 LE AGE LE 74 THEN _AGEG5YR = 11;
  ELSE IF 75 LE AGE LE 79 THEN _AGEG5YR = 12;
  ELSE IF 80 LE AGE LE 99 THEN _AGEG5YR = 13;
  ELSE _AGEG5YR = 14;
```

## Section 8: Demographics

**\_AGE65YR** *Calculated variable for two-level age category.* We derive \_AGE65YR from AGE.

- |   |                                 |  |
|---|---------------------------------|--|
| 1 | Age 18 To 64                    | Respondents with reported ages 18–64. (18 <= AGE <=64)   |
| 2 | Age 65 Or Older                 | Respondents with reported ages 65–99. (65 >= AGE >= 99)  |
| 3 | Don't Know/<br>Refused/ Missing | Respondents which reported they did not know, were not sure, refused, or had a missing value for AGE. (AGE=7,9,or missing) |

**SAS Code:**

```
IF 18 LE AGE LE 64 THEN _AGE65YR=1;
  ELSE IF 65 LE AGE LE 99 THEN _AGE65YR=2;
  ELSE _AGE65YR = 3;
```

## Section 8: Demographics

**\_AGE\_G** *Calculated variable for six-level imputed age category.* We derive \_AGE\_G from \_IMPAGE (imputed age).

- |   |                 |   |
|---|-----------------|---|
| 1 | Age 18 to 24    | Respondents with imputed ages 18–24 years of age. (18 <= _IMPAGE <= 24) |
| 2 | Age 25 to 34    | Respondents with imputed ages 25–34 years of age. (25 <= _IMPAGE <= 34) |
| 3 | Age 35 to 44    | Respondents with imputed ages 35–44 years of age. (35 <= _IMPAGE <= 44) |
| 4 | Age 45 to 54    | Respondents with imputed ages 45–54 years of age. (45 <= _IMPAGE <= 54) |
| 5 | Age 55 to 64    | Respondents with imputed ages 55–64 years of age. (55 <= _IMPAGE <= 64) |
| 6 | Age 65 or older | Respondents with imputed ages 65–99 years of age. (_IMPAGE => 65)       |

**SAS Code:**

```
IF (18<=_IMPAGE<=24) THEN _AGE_G = 1;
  ELSE IF (25<=_IMPAGE<=34) THEN _AGE_G = 2;
  ELSE IF (35<=_IMPAGE<=44) THEN _AGE_G = 3;
  ELSE IF (45<=_IMPAGE<=54) THEN _AGE_G = 4;
  ELSE IF (55<=_IMPAGE<=64) THEN _AGE_G = 5;
  ELSE IF (_IMPAGE >= 65) THEN _AGE_G = 6;
```

**Section 8: Demographics**

HTIN4      *Calculated variable for reported height in inches.* We derive HTIN4 from HEIGHT2 and calculate it by adding the foot portion of HEIGHT2 multiplied by 12, to the inch portion.

36 - 95      Height In Inches      Respondents calculated height in inches. (HTIN4=(height in feet x 12) + height in inches)  
 999      Don't Know/  
 Refused/Missing      Respondents who reported they did not know, were not sure, refused to report or had missing responses for their height. (HEIGHT3=777, 999, 7777, 9999 or missing or HEIGHT3 < 36 inches or HEIGHT3 > 95 inches)

**SAS Code:**  
 IF 300<=HEIGHT3<=311 THEN HTIN4=( (HEIGHT3-300)+36) ;  
 ELSE IF 400<=HEIGHT3<=411 THEN HTIN4=( (HEIGHT3-400)+48) ;  
 ELSE IF 500<=HEIGHT3<=511 THEN HTIN4=( (HEIGHT3-500)+60) ;  
 ELSE IF 600<=HEIGHT3<=611 THEN HTIN4=( (HEIGHT3-600)+72) ;  
 ELSE IF 700<=HEIGHT3<=711 THEN HTIN4=( (HEIGHT3-700)+84) ;

**Section 8: Demographics**

HTM4      *Calculated variable for reported height in meters.* We derive HTM4 from the variable HTIN4 by multiplying HTIN4 by 2.54 cm per in and dividing by 100 cm per meter. HTM4 is derived from HEIGHT2 metric values by dividing by 100.

91 - 244      Height in meters      Respondents reported or calculated height in meters. (HTM4=HTIN4 x 0.0254 or  
 [2 implied decimal      HTM4 = (HEIGHT3 - 9000) ÷ 100]  
 places]

999      Don't know/  
 Refused/ Missing      Respondents who reported they did not know, were not sure, refused to report or had missing responses for their height. (HEIGHT3=777, 999, 7777, 9999 or missing or HEIGHT3 < 0.91 meters or HEIGHT3 2.44 meters)

**SAS Code:**  
 IF 300 <= HEIGHT3 <= 711 THEN HTM4=HTIN4\*0.0254 ;  
 ELSE IF 9091 <= HEIGHT3 < 9244 THEN HTM4=(HEIGHT3-9000)/100 ;

### Section 8: Demographics

**WTKG3**      *Calculated variable for reported weight in kilograms.* We derive WTKG3 from WEIGHT2 by multiplying WEIGHT2 by 0.4535924 kg per lb.

2300 - Weight in kilograms Respondents reported or calculated weight in kilograms.  
29500 [2 implied decimal  
places]

99999 Don't know/  
Refused/Missing Respondents who reported they did not know, were not sure, refused to report or had missing responses for their weight.

**SAS Code:**

```
** CONVERSION FACTOR = 0.4535924 kg/lb **;  
IF WEIGHT2 NOT IN (777,999,7777,9999,.) THEN DO;  
IF 0050 LE WEIGHT2 < 0650 THEN WTKG3=WEIGHT2*0.4535924;  
ELSE IF 9023 LE WEIGHT2 < 9295 THEN WTKG3=WEIGHT2-9000;  
END;
```

### Section 8: Demographics

**\_BMI5**      *Calculated variable for body mass index (bmi).* We derive \_BMI5 from WTKG3 and HTM4 by dividing WTKG3 by HTM4<sup>2</sup>.

1 - 9999      1 Or Greater      Respondents calculated body mass index (BMI) {units=kilograms per meter squared}. (\_BMI5 = WTKG3 / (HTM4xHTM4))

. Don't Know/  
Refused/Missing Respondents who had a missing value for their height in meters or weight in kilograms. (WTKG3=missing or HTM4=missing or \_BMI5<12.00 or \_BMI5>=100 or PREGNANT=1)

**SAS Code:**

```
IF (WTKG3 NOTIN (.)) AND (HTM4 NOTIN (.)) THEN _BMI5=WTKG3/(HTM4 **  
2);  
ELSE _BMI5=.;  
IF _BMI5 NE . THEN _BMI5=ROUND(_BMI5,.01);  
IF _BMI5 > 99.99 THEN _BMI5=.;  
IF _BMI5 < 12.00 THEN _BMI5=.;  
IF PREGNANT=1 THEN _BMI5=.;
```

**Section 8: Demographics**

**\_BMI5CAT** *Calculated variable for four-categories of body mass index (bmi). We derive \_BMI5CAT from \_BMI5.*

- |   |                                |   |
|---|--------------------------------|---|
| 1 | Underweight                    | Respondents classified as underweight based on body mass index. ( $\_BMI5 < 18.50$ )              |
| 2 | Normal Weight                  | Respondents classified as normal weight based on body mass index. ( $18.50 \leq \_BMI5 < 25.00$ ) |
| 3 | Overweight                     | Respondents classified as overweight based on body mass index. ( $25.00 \leq \_BMI5 < 30.00$ )    |
| 4 | Obese                          | Respondents classified as obese based on body mass index. ( $30.00 \leq \_BMI5 < 99.99$ )         |
| . | Don't Know/<br>Refused/Missing | Respondents with an unknown, refused, or missing value for body mass index. ( $\_BMI5 = .$ )      |

**SAS Code:**

```
IF (0.00 LE _BMI5 < 18.50) THEN _BMI5CAT=1;
  ELSE IF (18.50 LE _BMI5 < 25.00) THEN _BMI5CAT=2;
  ELSE IF (25.00 LE _BMI5 < 30.00) THEN _BMI5CAT=3;
  ELSE IF _BMI5 GE 30.00 THEN _BMI5CAT=4;
```

**Section 8: Demographics**

**\_RFBMI5** *Calculated variable for adults who have a body mass index greater than 25.00 (overweight or obese). We derive \_RFBMI5 from \_BMI5.*

- |   |                                |  |
|---|--------------------------------|--|
| 1 | No                             | Respondents not classified as overweight or obese based on body mass index. ( $12 \leq \_BMI5 < 25.00$ )   |
| 2 | Yes                            | Respondents classified as overweight or obese based on body mass index. ( $25.00 \leq \_BMI5 \leq 99.99$ ) |
| 9 | Don't know/<br>Refused/Missing | Respondents with an unknown, refused, or missing value for body mass index. ( $\_BMI5 = \text{missing}$ )  |

**SAS Code:**

```
IF (12.00 LE _BMI5 < 25.00) THEN _RFBMI5=1;
  ELSE IF (25.00 <= _BMI5 < 99.99) THEN _RFBMI5=2;
  ELSE _RFBMI5=9;
** Round off HTM4, WTKG3 and _BMI5 to 2 decimal places and remove the
decimal **;
HTIN4 = round(HTIN4,1);
HTM4 = round((HTM4*100),1);
WTKG3 = round((WTKG3*100),1);
IF _BMI5 NE . THEN _BMI5 = ROUND((_BMI5*100),1);
```

**Section 8: Demographics**

**\_CHLDCNT** *Calculated variable for number of children in household.* We derive \_CHLDCNT from CHILDREN.

- |   |                                    |   |
|---|------------------------------------|---|
| 1 | No Children in Household           | Respondents who reported having no children. (CHILDREN=88)  |
| 2 | One Child In Household             | Respondents who reported having one child. (CHILDREN=1)   |
| 3 | Two Children in Household          | Respondents who reported having two children. (CHILDREN=2)  |
| 4 | Three Children in Household        | Respondents who reported having three children. (CHILDREN=3)  |
| 5 | Four Children in Household         | Respondents who reported having four children. (CHILDREN=4)   |
| 6 | Five or More Children in Household | Respondents who reported having five or more children. (5 <= CHILDREN < 87)   |
| 9 | Don't Know/<br>Not Sure/ Missing   | Respondents who reported they did not know, were not sure, refused or had a missing value for CHILDREN. (CHILDREN=99) |

**SAS Code:**

```

IF CHILDREN = 88 THEN _CHLDCNT = 1;
ELSE IF CHILDREN = 01 THEN _CHLDCNT = 2;
ELSE IF CHILDREN = 02 THEN _CHLDCNT = 3;
ELSE IF CHILDREN = 03 THEN _CHLDCNT = 4;
ELSE IF CHILDREN = 04 THEN _CHLDCNT = 5;
ELSE IF 05 <= CHILDREN < 88 THEN _CHLDCNT = 6;
ELSE IF CHILDREN = 99 THEN _CHLDCNT = 9;
ELSE IF CHILDREN = . THEN _CHLDCNT = 9;
    
```

## Section 8: Demographics

**\_EDUCAG** *Calculated variable for level of education completed.* We derive \_EDUCAG from EDUCA.

1	Did Not Graduate High School	Respondents who reported they did not graduate high school. (EDUCA=1,2,3)
2	Graduated High School	Respondents who reported they graduated high school. (EDUCA=4)
3	Attended College Or Technical School	Respondents who reported they attended college or technical school. (EDUCA=5)
4	Graduated From College Or Technical School	Respondents who reported they graduated from college or technical school. (EDUCA=6)
9	Don't Know/ Not Sure/ Missing	Respondents who reported they did not know, were not sure, refused, or had a missing value for EDUCA. (EDUCA=9, missing)

### SAS Code:

```
IF EDUCA IN (1,2,3) THEN _EDUCAG = 1;
ELSE IF EDUCA IN (4) THEN _EDUCAG = 2;
ELSE IF EDUCA IN (5) THEN _EDUCAG = 3;
ELSE IF EDUCA IN (6) THEN _EDUCAG = 4;
ELSE IF EDUCA IN (.,9) THEN _EDUCAG = 9;
```

## Section 8: Demographics

**\_INCOMG** *Calculated variable for income categories.* We derive \_INCOMG from INCOME2.

1	Less Than \$15,000	Respondents whose reported income is less than \$15,000. (INCOME2=1,2)
2	\$15,000 To Less Than \$25,000	Respondents whose reported income is \$15,000 to less than \$25,000. (INCOME2=3,4)
3	\$25,000 To Less Than \$35,000	Respondents whose reported income is \$25,000 to less than \$35,000. (INCOME2=5)
4	\$35,000 To Less Than \$50,000	Respondents whose reported income is \$35,000 to less than \$50,000. (INCOME2=6)
5	\$50,000 Or More	Respondents whose reported income is \$50,000 or more. (INCOME2=7,8)
9	Don't Know/ Not Sure/ Missing	Respondents who refused to answer, did not know or had a missing value for INCOME2. (INCOME2=77,99, or missing)

### SAS Code:

```
IF INCOME2 IN (1,2) THEN _INCOMG = 1;
ELSE IF INCOME2 IN (3,4) THEN _INCOMG = 2;
ELSE IF INCOME2 IN (5) THEN _INCOMG = 3;
ELSE IF INCOME2 IN (6) THEN _INCOMG = 4;
ELSE IF INCOME2 IN (7,8) THEN _INCOMG = 5;
ELSE IF INCOME2 IN (77,99,.) THEN _INCOMG = 9;
```



**Section 9: Tobacco Use**

*\_SMOKER3* Calculated variable for four-level smoker status: everyday smoker, someday smoker, former smoker, non-smoker. We derive *\_SMOKER3* from *SMOKE100* and *SMOKDAY2*.

- |   |  |   |
|---|--|---|
| 1 | Current Smoker--<br>Now Smokes Every<br>Day  | Respondents who reported having smoked at least 100 cigarettes in their lifetime and now smoke every day. (SMOKE100=1 and SMOKDAY2=1)   |
| 2 | Current Smoker --<br>Now Smokes Some<br>Days | Respondents who reported having smoked at least 100 cigarettes in their lifetime and now smoke some days. (SMOKE100=1 and SMOKDAY2=2)   |
| 3 | Former Smoker                                | Respondents who reported having smoked at least 100 cigarettes in their lifetime and currently do not smoke. (SMOKE100=1 and SMOKDAY2=3)  |
| 4 | Never Smoked                                 | Respondents who reported they had not smoked at least 100 cigarettes in their lifetime. (SMOKE100=2)  |
| 9 | Don't Know/<br>Refused/<br>Missing           | Respondents who reported they didn't know if they had smoked 100 cigarettes in their lifetime; those who refused to answer if they had smoked 100 cigarettes in their lifetime; those who didn't know if they now smoked every day, some days or not at all; those who refused to answer if they now smoked every day, some days, or not at all; or those with missing responses. (SMOKE100=7, 9, missing; or SMOKDAY2=7, 9, missing) |

**SAS Code:**

```
IF SMOKE100=2 THEN _SMOKER3=4;
ELSE IF SMOKE100=1 THEN DO;
  IF SMOKDAY2=1 THEN _SMOKER3=1;
  ELSE IF SMOKDAY2=2 THEN _SMOKER3=2;
  ELSE IF SMOKDAY2 = 3 THEN _SMOKER3=3;
  ELSE _SMOKER3=9;
END;
ELSE _SMOKER3=9;
```

### Section 9: Tobacco Use

**\_RFSMOK3** *Calculated variable for adults who are current smokers. We derive \_RFSMOK3 from \_SMOKER3.*

1	No	Respondents who reported they had not smoked at least 100 cigarettes in their lifetime, those who reported having smoked 100 cigarettes in their lifetime but do not currently smoke. (_SMOKER3=3, 4)
2	Yes	Respondents who reported having smoked at least 100 cigarettes in their lifetime and currently smoke. (_SMOKER3=1, 2)
9	Don't Know/ Refused/ Missing	Respondents who reported they did not know if they had smoked 100 cigarettes in their lifetime; those who refused to answer if they had smoked 100 cigarettes in their lifetime; those who didn't know if they now smoked every day, some days or not at all; those who refused to answer if they now smoked every day, some days or not at all; or those with missing responses. (_SMOKER3=9)

**SAS Code:**  

```
IF _SMOKER3 IN (1,2) THEN _RFSMOK3=2;
ELSE IF _SMOKER3 IN (3,4) THEN _RFSMOK3=1;
ELSE _RFSMOK3=9;
```

### Section 10: Alcohol Consumption

**DRNKANY5** *Calculated variable for adults who reported having had at least one drink of alcohol in the past 30 days. We derive DRNKANY5 from AKCDAY5.*

1	Yes	Respondents who reported drinking at least one alcoholic beverage in the past 30 days. (1 <= ALCDAY <= 231)
2	No	Respondents who reported drinking no alcoholic beverages in the past 30 days. (ALCDAY5=888)
7	Don't Know/ Not Sure	Respondents who reported not knowing if they drank at least one alcoholic beverage in the past 30 days. (ALCDAY5=777)
9	Refused/Missing	Respondents who refused to answer or had a missing value for drinking at least one alcoholic beverage in the past 30 days. (ALCDAY5=999, Missing)

**SAS Code:**  

```
IF 1 <= ALCDAY5 < 231 THEN DRNKANY5=1;
ELSE IF ALCDAY5=888 THEN DRNKANY5=2;
ELSE IF ALCDAY5=777 THEN DRNKANY5=7;
ELSE DRNKANY5=9;
```

### Section 10: Alcohol Consumption

**DROCDY3\_** *Calculated variable for drink-occasions-per-day.* We derive DROCDY3\_ from ALCDAY5 by dividing the ALCDAY5 variable by 7 days per week or 30 days per month.

0	No Drink-Occasions per day	Respondents reported no occasions per day that they consumed alcohol. (ALCDAY5=888)
1 - 899	Drink-Occasions per Day	Respondents reported number of occasions per day that they consumed alcohol. (ALCDAY5 not equal to 777, 888, 999, or missing)
900	Don't Know/ Not Sure Or Refused/ Missing	Respondents who reported they did not know how many days they had at least one drink of alcohol, those who refused to answer how many days they had at least one drink of alcohol, those with missing responses. (ALCDAY5=777, 999, or missing)
	<b>SAS Code:</b>	<pre>IF ALCDAY5 NOTIN (888,777,999,.) THEN DO;   IF 101 LE ALCDAY5 LE 107 THEN DROCDY3_=(ALCDAY5-100)/7;   ELSE IF 201 LE ALCDAY5 LE 230 THEN DROCDY3_=(ALCDAY5-200)/30;   END; ELSE IF ALCDAY5 EQ 888 THEN DROCDY3_=0; ELSE DROCDY3_=9; * DROCDY3_=round((DROCDY3_*100),1); *This is done after all of the alcohol calculations but the code is included here;</pre>

### Section 10: Alcohol Consumption

**\_RFBING5** *Calculated variable for binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion).* We derive \_RFBING5 from DRNK3GE5 and ALCDAY5.

1	No	Respondents who reported they did not drink in the past 30 days, or those who reported that they did drink alcohol in the past 30 days but did not report having five or more drinks of alcohol on an occasion. (ALCDAY5<231 and DRNK3GE5=88; or ALCDAY5=888)
2	Yes	Respondents who reported they did drink in the past 30 days and had five or more drinks on one or more occasions in the past month. (ALCDAY5<231 and 1<=DRNK3GE5<=76)
9	Don't Know/ Refused/Missing	Respondents who reported that they did not know if they had consumed five or more drinks of alcohol on one occasion or refused to answer if they had consumed five or more drinks of alcohol on one occasion, or those with missing responses. (DRNK3GE5=77, 99, missing; or ALCDAY5=777, 999, missing)
	<b>SAS Code:</b>	<pre>IF ALCDAY5 NOTIN (888) THEN DO;   IF 1 LE DRNK3GE5 LE 76 THEN _RFBING5=2;   ELSE IF DRNK3GE5 IN (.,77,99) THEN _RFBING5=9;   ELSE IF DRNK3GE5 IN (88) THEN _RFBING5=1;   END; ELSE IF ALCDAY5 = 888 THEN _RFBING5=1; ELSE _RFBING5=9;</pre>

**Section 10: Alcohol Consumption**

*\_DRNKDY4* Calculated variable for calculated total number of alcoholic beverages consumed per day. We derive *\_DRNKDY4* from *DROCDY3\_* and *AVEDRNK2* by multiplying the total number of drink occasions per day (*DROCDY3\_*) by the average number of drinks per occasion (*AVEDRNK2*).

0 Did Not Drink Respondents who did not drink in the past month. (*DROCDY3\_*=0)

1 - 9899 Number Of Drinks Per Day Respondents reported number of alcoholic drinks per day. (0 < *DROCDY3\_* < 990)

9900 Don't Know/ Not Sure/ Refused/ Missing Respondents who refused to report the number of alcohol drinks consumed per day, or respondents who did not know the number of alcohol drinks consumed per day, or those with missing responses or respondents who refused to report the number drink occasions per day, or respondents who did not know the number of drink occasions per day, or those with missing responses. (*AVEDRNK2* = ., 77, 99 or *DROCDY3\_* = 900)

**SAS Code:**

```
IF DROCDY3_ = 0 THEN _DRNKDY4=0;
ELSE IF DROCDY3_ = 9 THEN _DRNKDY4=99;
ELSE IF AVEDRNK2 IN (.,77,99) THEN _DRNKDY4=99;
ELSE _DRNKDY4=AVEDRNK2 * DROCDY3_;
* _DRNKDY4=ROUND((_DRNKDY4*100),1);
*This is done after all of the alcohol calculations but the code is
included here;
```

**Section 10: Alcohol Consumption**

*\_DRNKMO4* Calculated variable for calculated total number of alcoholic beverages consumed per month. We derive *\_DRNKMO4* by multiplying *\_DRNKDY4* by 30.

0 Did not drink in the past month Respondents who did not consume any drinks of alcohol in the past month. (*\_DRNKDY4*=0)

1 - 9998 Number of Drinks Respondents reported number of alcoholic drinks per day. (0 < *\_DRNKDY4* < 9900)

9999 Don't know/ Refused/Missing Respondents who reported they did not know if they consumed any drinks of alcohol in the past month, or those who refused to answer if they consumed any drinks of alcohol in the past month. (*\_DRNKDY4*=9900)

**SAS Code:**

```
IF _DRNKDY4 NOT IN (.,99) THEN _DRNKMO4=_DRNKDY4*30;
ELSE _DRNKMO4=9999;
* _DRNKMO4=ROUND(_DRNKMO4,1);
*This is done after all of the alcohol calculations but the code is
included here;
```

### Section 10: Alcohol Consumption

**\_RFDRHV4** *Calculated variable for heavy drinkers (adult men having more than two drinks per day and adult women having more than one drink per day).* We derive **\_RFDRHV4** from **\_DRNKDY4**, **ALCDAY5**, and **SEX**.

1	No	Male respondents who reported having 2 drinks per day or less, or female respondents who reported having 1 drink per day or less. (Sex=1 and <b>_DRNKDY4</b> <= 200 or Sex=2 and <b>_DRNKDY4</b> <= 100 or <b>ALCDAY5</b> =888)
2	Yes	Male respondents who reported having more than 2 drinks per day, or female respondents who reported having more than 1 drink per day. (Sex=1 and <b>_DRNKDY4</b> > 200 or Sex=2 and <b>_DRNKDY4</b> > 100)
9	Don't Know/ Refused/Missing	Respondents with don't know, refused or missing responses for <b>ALCDAY5</b> or <b>_DRNKDY4</b> . ( <b>ALCDAY5</b> =777, 999, or missing, or <b>_DRNKDY4</b> =99, or missing)
	<b>SAS Code:</b>	<pre> IF SEX=1 AND _DRNKDY4 NOTIN (99,.) THEN DO;   IF _DRNKDY4 GT 2 THEN _RFDRHV4=2;   ELSE IF _DRNKDY4 LE 2 THEN _RFDRHV4=1;   END;   ELSE IF SEX=2 AND _DRNKDY4 NOTIN (99,.) THEN DO;   IF _DRNKDY4 GT 1 THEN _RFDRHV4=2;   ELSE IF _DRNKDY4 LE 1 THEN _RFDRHV4=1;   END;   ELSE IF ALCDAY5 EQ 888 THEN _RFDRHV4=1;   ELSE _RFDRHV4=9; </pre>

### Section 10: Alcohol Consumption

**\_RFDRMN4** *Calculated variable for adult men who are heavy drinkers (having more than two drinks per day).* We derive **\_RFDRMN4** from **\_DRNKDY4** and **SEX** and **ALCDAY5**.

1	No	Male respondents who reported having 2 drinks per day or less. (SEX=1 and <b>_DRNKDY4</b> <= 200 or <b>ALCDAY5</b> =888)
2	Yes	Male respondents who reported having more than 2 drinks per day. (SEX=1 and <b>_DRNKDY4</b> > 200)
9	Don't know/ Refused/Missing	Male respondents with don't know, refused or missing responses for <b>ALCDAY5</b> or <b>_DRNKDY4</b> . (SEX=1 and <b>ALCDAY5</b> =777, 999, or missing, or <b>_DRNKDY4</b> =99, or missing)
.	Respondent is female	Female respondents. (SEX=2)
	<b>SAS Code:</b>	<pre> IF SEX=1 THEN DO;   IF _DRNKDY4 NOTIN (99,.) THEN DO;   IF _DRNKDY4 GT 2 THEN _RFDRMN4=2;   ELSE IF _DRNKDY4 LE 2 THEN _RFDRMN4=1;   END;   ELSE IF ALCDAY5 IN (888) THEN _RFDRMN4=1;   ELSE _RFDRMN4=9;   END;   ELSE IF SEX=2 THEN _RFDRMN4=.; </pre>

**Section 10: Alcohol Consumption**

**\_RFDRWM4** *Calculated variable for adult women who are heavy drinkers (having more than one drink per day).*  
 We derive **\_RFDRWM4** from **\_DRNKDY4** and **SEX** and **ALCDAY5**.

1	No	Female Respondents who reported having 1 drink per day or less. (SEX=2 and <b>_DRNKDY4</b> <= 200 or <b>ALCDAY5</b> =888)
2	Yes	Female Respondents who reported having more than 1 drink per day. (SEX=2 and <b>_DRNKDY4</b> > 200)
9	Don't know/ Refused/Missing	Female respondents with don't know, refused or missing responses for <b>ALCDAY5</b> or <b>_DRNKDY4</b> . (SEX=2 and <b>ALCDAY5</b> =777, 999, or missing, or <b>_DRNKDY4</b> =99, or missing)
.	Respondent is male	Male respondents. (SEX=1)

**SAS Code:**

```

IF SEX=2 THEN DO;
  IF _DRNKDY4 NOTIN (99,.) THEN DO;
    IF _DRNKDY4 GT 1 THEN _RFDRWM4=2;
    ELSE IF _DRNKDY4 LE 1 THEN _RFDRWM4=1;
  END;
  ELSE IF ALCDAY5 IN (888) THEN _RFDRWM4=1;
ELSE _RFDRWM4=9;
END;
Else IF SEX=1 THEN _RFDRWM4=. ;
** ROUND OFF _DRNKMO4 TO NO DECIMAL PLACES ** MULTIPLY _DRNKDY4 BY
100 AND THEN ROUND OFF TO NO DECIMAL PLACES AND THEN REMOVE THE DECIMAL
PLACES **;
DROCDY3_=round((DROCDY3_*100),1);
_DRNKMO4=ROUND(_DRNKMO4,1);
_DRNKDY4=ROUND((_DRNKDY4*100),1);
    
```

**Section 11: Fruits & Vegetables**

FTJUDA1\_ *Calculated variable for fruit juice intake in times per day.* FTJUDA1\_ converts the FRUITJU1 variable to a per day response. (Two implied decimal places)

0 - 9999	Times per day	Respondents reported intake of fruit juice per day (FRUITJU1 not equal to 777,999, or missing)
.	Don't know/ Not Sure Or Refused/Missing	Respondents who reported they did not know the number of times fruit juice was consumed per day, those who refused to answer, and those with missing responses (FRUITJU1=777,999, or missing)
	<b>SAS Code:</b>	<pre> IF 100 &lt; FRUITJU1 &lt; 200 THEN FTJUDA1_=FRUITJU1-100; ELSE IF 200 &lt; FRUITJU1 &lt; 300 THEN FTJUDA1_=(ROUND((FRUITJU1-200)/7,0.01)); ELSE IF 300 &lt; FRUITJU1 &lt; 400 THEN FTJUDA1_=(ROUND((FRUITJU1-300)/30,0.01)); ELSE IF FRUITJU1 = 555 THEN FTJUDA1_=0; ELSE IF FRUITJU1 = 300 THEN FTJUDA1_=0.02; ELSE IF FRUITJU1 IN (.,777,999) THEN FTJUDA1_=.; ** ROUND OFF **; FTJUDA1_=round((FTJUDA1_*100),1); </pre>

**Section 11: Fruits & Vegetables**

FRUTDA1\_ *Calculated variable for fruit intake in times per day.* FRUTDA1\_ converts the FRUIT1 variable to a per day response. (Two implied decimal places)

0 - 9999	Times per day	Respondents reported intake of fruit per day (FRUIT1 not equal to 777,999, or missing)
.	Don't know/ Not Sure Or Refused/Missing	Respondents who reported they didn't know the number of times fruit was consumed per day, those who refused to answer, and those with missing responses (FRUIT1=777, 999, or missing)
	<b>SAS Code:</b>	<pre> IF 100 &lt; FRUIT1 &lt; 200 THEN FRUTDA1_=FRUIT1-100; ELSE IF 200 &lt; FRUIT1 &lt; 300 THEN FRUTDA1_=(ROUND((FRUIT1-200)/7,0.01)); ELSE IF 300 &lt; FRUIT1 &lt; 400 THEN FRUTDA1_=(ROUND((FRUIT1-300)/30,0.01)); ELSE IF FRUIT1 = 555 THEN FRUTDA1_=0; ELSE IF FRUIT1 = 300 THEN FRUTDA1_=0.02; ELSE IF FRUIT1 IN (.,777,999) THEN FRUTDA1_=.; ** ROUND OFF **; FRUTDA1_=round((FRUTDA1_*100),1); </pre>

**Section 11: Fruits & Vegetables**

BEANDAY\_ *Calculated variable for bean intake in times per day.* BEANDAY\_ converts the FVBEANS variable to a per day response (Two implied decimal places)

0 - 9999	Times per day	Respondents reported intake of beans per day (FVBEANS not equal to 777, 999, or missing)
.	Don't know/ Not Sure Or Refused/ Missing	Respondents who reported they didn't know the number of times beans were consumed per day, those who refused to answer, and those with missing responses (FVBEANS=777, 999, or missing)
	<b>SAS Code:</b>	<pre>IF 100 &lt; FVBEANS &lt; 200 THEN BEANDAY_=FVBEANS-100; ELSE IF 200 &lt; FVBEANS &lt; 300 THEN BEANDAY_=(ROUND((FVBEANS-200)/7,0.01)); ELSE IF 300 &lt; FVBEANS &lt; 400 THEN BEANDAY_=(ROUND((FVBEANS-300)/30,0.01)); ELSE IF FVBEANS = 555 THEN BEANDAY_=0; ELSE IF FVBEANS = 300 THEN BEANDAY_=0.02; ELSE IF FVBEANS IN (.,777,999) THEN BEANDAY_=.; ** ROUND OFF **; BEANDAY_=round((BEANDAY_*100),1);</pre>

**Section 11: Fruits & Vegetables**

GRENDAY\_ *Calculated variable for dark green vegetable intake in times per day.* GRENDAY\_ converts the FVGREEN variable to a per day response (Two implied decimal places)

0 - 9999	Times per day	Respondents reported intake of dark green vegetables per day (FVGREEN not equal to 777,999, or missing)
.	Don't know/ Not Sure Or Refused/ Missing	Respondents who reported they did not know the number of times dark green vegetables were consumed per day, those who refused to answer, and those with missing responses (FVGREEN=777,999, or missing)
	<b>SAS Code:</b>	<pre>IF 100 &lt; FVGREEN &lt; 200 THEN GRENDAY_=FVGREEN-100; ELSE IF 200 &lt; FVGREEN &lt; 300 THEN GRENDAY_=(ROUND((FVGREEN-200)/7,0.01)); ELSE IF 300 &lt; FVGREEN &lt; 400 THEN GRENDAY_=(ROUND((FVGREEN-300)/30,0.01)); ELSE IF FVGREEN = 555 THEN GRENDAY_=0; ELSE IF FVGREEN = 300 THEN GRENDAY_=0.02; ELSE IF FVGREEN IN (.,777,999) THEN GRENDAY_=.; ** ROUND OFF **; GRENDAY_=round((GRENDAY_*100),1);</pre>



**Section 11: Fruits & Vegetables**

ORNGDAY\_ *Calculated variable for orange-colored vegetable intake in times per day.* ORNGDAY\_ converts the FVORANG variable to a per day response (Two implied decimal places)

0 - 9999	Times per day	Respondents reported intake of orange-colored vegetables per day (FVORANG not equal to 777,999, or missing)
.	Don't know/ Not Sure Or Refused/ Missing	Respondents who reported they didn't know the number of times orange-colored vegetables were consumed per day, those who refused to answer, and those with missing responses (FVORANG=777,999, or missing)
	<b>SAS Code:</b>	<pre>IF 100 &lt; FVORANG &lt; 200 THEN ORNGDAY_=FVORANG-100; ELSE IF 200 &lt; FVORANG &lt; 300 THEN ORNGDAY_=(ROUND((FVORANG-200)/7,0.01)); ELSE IF 300 &lt; FVORANG &lt; 400 THEN ORNGDAY_=(ROUND((FVORANG-300)/30,0.01)); ELSE IF FVORANG = 555 THEN ORNGDAY_=0; ELSE IF FVORANG = 300 THEN ORNGDAY_=0.02; ELSE IF FVORANG IN (.,777,999) THEN ORNGDAY_=.; ** ROUND OFF **; ORNGDAY_=round((ORNGDAY_*100),1);</pre>

**Section 11: Fruits & Vegetables**

VEGEDA1\_ *Calculated variable for vegetable intake in times per day.* VEGEDA1\_ converts the VEGETAB1 variable to a per day response. (Two implied decimal places)

0 - 9999	Times per day	Respondents reported intake of other vegetables per day (VEGETAB1 not equal to 777,999, or missing)
.	Don't know/ Not Sure Or Refused/Missing	Respondents who reported they did not know the number of times other vegetables were consumed per day, those who refused to answer, and those with missing responses (VEGETAB1=777,999, or missing)
	<b>SAS Code:</b>	<pre>IF 100 &lt; VEGETAB1 &lt; 200 THEN VEGEDA1_=VEGETAB1-100; ELSE IF 200 &lt; VEGETAB1 &lt; 300 THEN VEGEDA1_=(ROUND((VEGETAB1-200)/7,0.01)); ELSE IF 300 &lt; VEGETAB1 &lt; 400 THEN VEGEDA1_=(ROUND((VEGETAB1-300)/30,0.01)); ELSE IF VEGETAB1 = 555 THEN VEGEDA1_=0; ELSE IF VEGETAB1 = 300 THEN VEGEDA1_=0.02; ELSE IF VEGETAB1 IN (.,777,999) THEN VEGEDA1_=.; ** ROUND OFF **; VEGEDA1_=round((VEGEDA1_*100),1);</pre>

**Section 11: Fruits & Vegetables**

**\_MISFRTN** *Calculated variable for the number of missing fruit responses.* We derive **\_MISFRTN** from **MFTJUDA1\_** and **MFRUTDA1\_**.

- 0            No missing fruit responses    Respondents with no missing fruit responses
- 1 - 2       Has 1 or 2 missing fruit responses   Respondents with missing fruit responses

**SAS Code:**

```
IF FTJUDA1_=. THEN MFTJUDA1_=1;
ELSE MFTJUDA1_=0;
IF FRUTDA1_=. THEN MFRUTDA1_=1;
ELSE MFRUTDA1_=0;
_MISFRTN=SUM(MFTJUDA1_, MFRUTDA1_);
```

**Section 11: Fruits & Vegetables**

**\_MISVEGN** *Calculated variable for the number of missing vegetable responses.* We derive **\_MISVEGN** from **MGRENDAY\_**, **MORNGDAY\_**, **MBEANDAY\_** and **MVEGEDA1\_**.

- 0            No missing vegetable responses    Respondents with no missing vegetable responses
- 1 - 4       Has 1, 2, 3, or 4 missing vegetable responses   Respondents with missing vegetable responses

**SAS Code:**

```
IF GRENDAY_=. THEN MGRENDAY_=1;
ELSE MGRENDAY_=0;
IF ORNGDAY_=. THEN MORNGDAY_=1;
ELSE MORNGDAY_=0;
IF BEANDAY_=. THEN MBEANDAY_=1;
ELSE MBEANDAY_=0;
IF VEGEDA1_=. THEN MVEGEDA1_=1;
ELSE MVEGEDA1_=0;
_MISVEGN=SUM(MGRENDAY_, MORNGDAY_, MBEANDAY_, MVEGEDA1_);
```

**Section 11: Fruits & Vegetables**

**\_FRTRESP** *Calculated variable for missing any fruit responses.* \_FRTRESP is derived from \_MISFRTN.

0 Not Included-- Missing Fruit Responses Respondents with a missing value for one of the fruit variables (1<=\_MISFRTN<=2)

1 Included -- Not Missing Fruit Responses Respondents with no missing fruit variables (\_MISFRTN=0)

**SAS Code:** `_FRTRESP=0;  
IF 1<=_MISFRTN<=2 THEN _FRTRESP=0;  
ELSE IF _MISFRTN=0 THEN _FRTRESP=1;`

**Section 11: Fruits & Vegetables**

**\_VEGRES** *Calculated variable for missing any vegetable responses.* We derive \_VEGRES from GRENDAY\_, ORNGDAY\_, BEANDAY\_, VEGEDA1\_ and \_MISVEGN.

0 Not Included - Missing Vegetable Responses Respondents with missing vegetable per day values (1<=\_MISVEGN<=4)

1 Included-- Not Missing Vegetable Responses Respondents with no missing vegetable per day values (\_MISVEGN=0)

. Not asked or Missing Responses with a 99 value for all vegetable per day variables.

**SAS Code:** `_VEGRES=0;  
IF 1<=_MISVEGN<=4 THEN _VEGRES=0;  
ELSE IF _MISVEGN=0 THEN _VEGRES=1;`

**Section 11: Fruits & Vegetables**

**\_FRUTSUM** *Calculated variable for total fruits consumed per day.* We derived \_FRUTSUM from the individual fruit variables (FTJUDA1\_, FRUTDA1\_). We exclude values for don't know, refused, or missing" (99) from the sum.

0 - Number of Fruits consumed per day (two implied decimal places) Number of Fruits consumed per day (two implied decimal places) (FTJUDA1\_+FRUTDA1\_)

. Not asked or Missing Responses with a 99 value for all four fruits per day variables.

**SAS Code:** `_FRUTSUM= (FTJUDA1_/100)+ (FRUTDA1_/100);  
_FRUTSUM=round((_FRUTSUM*100),1);`

**Section 11: Fruits & Vegetables**

**\_VEGESUM** *Calculated variable for total vegetables consumed per day.* We derive **\_VEGESUM** from the individual vegetable variables (**GRENDAY\_**, **ORNGDAY\_**, **BEANDAY\_**, and **VEGEDA1\_**). We exclude values for don't know, refused, or missing" (99) from the sum.

0 - Number of Sum of all vegetable per day values (two implied decimal places)  
 99998 Vegetables consumed (GRENDAY\_+ORNGDAY\_+BEANDAY\_+VEGEDA1\_)  
 per day (two implied  
 decimal places)

. Not asked or Missing Respondents with a 99 value for all vegetable per day variables.

**SAS Code:** `_VEGESUM=  
 (GRENDAY_/100)+(ORNGDAY_/100)+(BEANDAY_/100)+(VEGEDA1_/100);  
 _VEGESUM=round((_VEGESUM*100),1);`

**Section 11: Fruits & Vegetables**

**\_FRTL1** *Calculated variable for consume fruit 1 or more times per day.* We derive **\_FRTL1** from **\_FRUTSUM**.

- 1 Consumed fruit one Respondents that reported consuming Fruit 1 or more times a day (**\_FRUTSUM**/100 or more times per day  $\geq 1$ )
- 2 Consumed fruit less Respondents that reported consuming Fruit less than 1 time a day (**\_FRUTSUM**/100 than one time per day  $< 1$ )
- 9 Don't know, refused Respondents with don't know, not sure, refused or missing responses or missing values (**\_FRUTSUM**=.)

**SAS Code:** `IF 0 <= (_FRUTSUM/100) < 1 THEN _FRTL1=2;  
 ELSE IF (_FRUTSUM/100) >= 1 THEN _FRTL1=1;  
 ELSE _FRTL1=9;`

### Section 11: Fruits & Vegetables

**\_VEGLT1** *Calculated variable for consume vegetables 1 or more times per day. We derive \_VEGLT1 from \_VEGESUM.*

- |   |  |   |
|---|--|---|
| 1 | Consumed vegetables one or more times per day  | Respondents who reported consuming vegetables 1 or more times a day<br>( <code>_VEGESUM/100 &gt;=1</code> )   |
| 2 | Consumed vegetables less than one time per day | Respondents that reported consuming vegetables less than 1 time a day<br>( <code>_VEGESUM/100 &lt; 1</code> ) |
| 9 | Don't know, refused or missing values          | Respondents with don't know, not sure, refused or missing responses<br>( <code>_VEGESUM=.</code> )            |

**SAS Code:**  
`IF 0 <= (_VEGESUM/100) < 1 THEN _VEGLT1=2;`  
`ELSE IF (_VEGESUM/100) >= 1 THEN _VEGLT1=1;`  
`ELSE _VEGLT1=9;`

### Section 11: Fruits & Vegetables

**\_FRT16** *Calculated variable for reported consuming fruit >16 per day. We derive \_FRT16 is derived from \_FRUTSUM.*

- |   |  |  |
|---|--|--|
| 0 | Not Included-- Values are too high     | Respondents with an out-of-range value for sum of fruits per day ( <code>_FRUTSUM&gt;16</code> )         |
| 1 | Included--Values are in accepted range | Respondents with value for sum of fruits per day in acceptable range<br>( <code>_FRUTSUM&lt;=16</code> ) |
| . | Not asked or Missing                   | Respondents with a 99 value for both fruit per day variables.  |

**SAS Code:**  
`IF (_FRUTSUM/100)>16 THEN _FRT16=0;`  
`ELSE IF (_FRUTSUM/100)<=16 THEN _FRT16=1;`

### Section 11: Fruits & Vegetables

**\_VEG23** *Calculated variable for reported consuming vegetables >23 per day. We derive \_VEG23 from VEGESUM.*

- |   |  |  |
|---|--|--|
| 0 | Not Included-- Values are too high     | Respondents with an out-of-range value for sum of vegetables per day<br>( <code>_VEGESUM&gt;23</code> )      |
| 1 | Included--Values are in accepted range | Respondents with value for sum of vegetables per day in acceptable range<br>( <code>_VEGESUM&lt;=23</code> ) |
| . | Not asked or Missing                   | Respondents with a 99 value for all vegetable per day variables.   |

**SAS Code:**  
`IF (_VEGESUM/100)>23 THEN _VEG23=0;`  
`ELSE IF (_VEGESUM/100)<=23 THEN _VEG23=1;`

### Section 11: Fruits & Vegetables

*\_FRUITEX* Calculated variable for fruit exclusion from analyses. We derive *\_FRUITEX* from *\_FRTRESP*.

- 0 No missing values and in accepted range Respondents with no missing fruit values and in accepted range (*\_FRTRESP*=1 AND *\_FRT16*=1)
- 1 Missing Fruit responses Respondents missing at least one fruit per day value (*\_FRTRESP*=0)
- 2 Fruit values out of range Respondents with an out-of-range value for sum of fruits per day (*\_FRTRESP*=1 AND *\_FRT16*=0)
- . Not asked or Missing Respondents with a 99 value for both fruit per day variables.

**SAS Code:**  
 IF *\_FRTRESP*=1 AND *\_FRT16*=0 THEN *\_FRUITEX*=2;  
 ELSE IF *\_FRTRESP*=1 AND *\_FRT16*=1 THEN *\_FRUITEX*=0;  
 ELSE *\_FRUITEX*=1;

### Section 11: Fruits & Vegetables

*\_VEGETEX* Calculated variable for vegetable exclusion from analyses. We derive *\_VEGETEX* from *\_VEGRES* and *\_VEG23*.

- 0 No missing values and in accepted range Respondents with no missing vegetable per day values and in all accepted range (*\_VEGRES*=1 AND *\_VEG23*=1)
- 1 Missing vegetable responses Respondents with missing vegetable per day values (*\_VEGRES*=0)
- 2 Vegetable values out of range Respondents with out-of-range vegetable per day values (*\_VEGRES*=1 AND *\_VEG23*=0)
- . Not asked or Missing Respondents with a 99 value for all vegetable per day variables.

**SAS Code:**  
 IF *\_VEGRES*=1 AND *\_VEG23*=0 THEN *\_VEGETEX*=2;  
 ELSE IF *\_VEGRES*=1 AND *\_VEG23*=1 THEN *\_VEGETEX*=0;  
 ELSE *\_VEGETEX*=1;

**Section 12: Exercise (Physical Activity)**

*\_TOTINDA* Calculated variable for adults who reported doing physical activity or exercise during the past 30 days other than their regular job. We derive *\_TOTINDA* from EXERANY2.

- |   |  |  |
|---|--|--|
| 1 | Had physical activity or exercise                | Respondents who reported doing any physical activity or exercise. (EXERANY2=1)   |
| 2 | No physical activity or exercise in last 30 days | Respondents who reported doing no physical activity or exercise. (EXERANY2=2)  |
| 9 | Don't know/Refused/Missing                       | Respondents who reported they didn't know or refused to answer, and those with missing responses for the physical activity/exercise question. (EXERANY2=7, 9, missing) |

**SAS Code:**

```
IF EXERANY2 IN (1) THEN _TOTINDA=1;  
ELSE IF EXERANY2 IN (2) THEN _TOTINDA=2;  
ELSE IF EXERANY2 IN (.,7,9) THEN _TOTINDA=9;
```

**Section 12: Exercise (Physical Activity)**

METVL11\_ *Calculated variable for activity met value for first activity.* We derive METVL11\_ from EXTRACT11.

- 0 Activity MET Value Estimated first activity MET value
- 1 - 128 Activity MET Value Estimated first activity MET value  
(one implied decimal place)
- . Not asked or Missing Respondents with a don't know, refused or missing value for the first activity  
(EXTRACT11=(77,99, missing))

**SAS Code:**

```

IF EXTRACT11 IN (34,60,67,69) THEN METVL11_=0;
ELSE IF EXTRACT11 IN (47) THEN METVL11_=2.5;
ELSE IF EXTRACT11 IN (13,17,56,63) THEN METVL11_=3;
ELSE IF EXTRACT11 IN (33,73) THEN METVL11_=3.3;
ELSE IF EXTRACT11 IN (16,19,64,71) THEN METVL11_=3.5;
ELSE IF EXTRACT11 IN (1,9,11,36) THEN METVL11_=3.8;
ELSE IF EXTRACT11 IN (59,76) THEN METVL11_=4;
ELSE IF EXTRACT11 IN (20,75) THEN METVL11_=4.3;
ELSE IF EXTRACT11 IN (72) THEN METVL11_=4.8;
ELSE IF EXTRACT11 IN (15,18,26,43,46,52) THEN METVL11_=5;
ELSE IF EXTRACT11 IN (48,50) THEN METVL11_=5.3;
ELSE IF EXTRACT11 IN (4,24,31) THEN METVL11_=5.5;
ELSE IF EXTRACT11 IN (8,58) THEN METVL11_=5.8;
ELSE IF EXTRACT11 IN (22,25,32,37,55,57,66,68) THEN METVL11_=6;
ELSE IF EXTRACT11 IN (41) THEN METVL11_=6.3;
ELSE IF EXTRACT11 IN (5) THEN METVL11_=6.5;
ELSE IF EXTRACT11 IN (6,7) THEN METVL11_=6.8;
ELSE IF EXTRACT11 IN (3,28,35,40,42,44,45,49,51) THEN METVL11_=7;
ELSE IF EXTRACT11 IN (2,53,61) THEN METVL11_=7.3;
ELSE IF EXTRACT11 IN (14) THEN METVL11_=7.8;
ELSE IF EXTRACT11 IN (23,29,30,38,62) THEN METVL11_=8;
ELSE IF EXTRACT11 IN (54) THEN METVL11_=9;
ELSE IF EXTRACT11 IN (27) THEN METVL11_=9.8;
ELSE IF EXTRACT11 IN (74) THEN METVL11_=10.3;
ELSE IF EXTRACT11 IN (39) THEN METVL11_=11;
ELSE IF EXTRACT11 IN (21) THEN METVL11_=12;
ELSE IF EXTRACT11 IN (12) THEN METVL11_=12.5;
ELSE IF EXTRACT11 IN (10) THEN METVL11_=12.8;
ELSE IF EXTRACT11 IN (98) THEN METVL11_=4.5;
METVL11_=(ROUND(METVL11_,0.1))*10;
    
```



**Section 12: Exercise (Physical Activity)**

METVL21\_ *Calculated variable for activity met value for second activity.* We derive METVL21\_ from EXTRACT21.

0 Activity MET Value Estimated second activity MET value

1 - 128 Activity MET Value Estimated second activity MET value  
(one implied decimal place)

. Not asked or Missing Respondents with a don't know, refused or missing value for the second activity (EXTRACT21=(77,99, missing))

**SAS Code:**

```
IF EXTRACT21 IN (34,60,67,69,88) THEN METVL21_=0;
ELSE IF EXTRACT21 IN (47) THEN METVL21_=2.5;
ELSE IF EXTRACT21 IN (13,17,56,63) THEN METVL21_=3;
ELSE IF EXTRACT21 IN (33,73) THEN METVL21_=3.3;
ELSE IF EXTRACT21 IN (16,19,64,71) THEN METVL21_=3.5;
ELSE IF EXTRACT21 IN (1,9,11,36) THEN METVL21_=3.8;
ELSE IF EXTRACT21 IN (59,76) THEN METVL21_=4;
ELSE IF EXTRACT21 IN (20,75) THEN METVL21_=4.3;
ELSE IF EXTRACT21 IN (72) THEN METVL21_=4.8;
ELSE IF EXTRACT21 IN (15,18,26,43,46,52) THEN METVL21_=5;
ELSE IF EXTRACT21 IN (48,50) THEN METVL21_=5.3;
ELSE IF EXTRACT21 IN (4,24,31) THEN METVL21_=5.5;
ELSE IF EXTRACT21 IN (8,58) THEN METVL21_=5.8;
ELSE IF EXTRACT21 IN (22,25,32,37,55,57,66,68) THEN METVL21_=6;
ELSE IF EXTRACT21 IN (41) THEN METVL21_=6.3;
ELSE IF EXTRACT21 IN (5) THEN METVL21_=6.5;
ELSE IF EXTRACT21 IN (6,7) THEN METVL21_=6.8;
ELSE IF EXTRACT21 IN (3,28,35,40,42,44,45,49,51) THEN METVL21_=7;
ELSE IF EXTRACT21 IN (2,53,61) THEN METVL21_=7.3;
ELSE IF EXTRACT21 IN (14) THEN METVL21_=7.8;
ELSE IF EXTRACT21 IN (23,29,30,38,62) THEN METVL21_=8;
ELSE IF EXTRACT21 IN (54) THEN METVL21_=9;
ELSE IF EXTRACT21 IN (27) THEN METVL21_=9.8;
ELSE IF EXTRACT21 IN (74) THEN METVL21_=10.3;
ELSE IF EXTRACT21 IN (39) THEN METVL21_=11;
ELSE IF EXTRACT21 IN (21) THEN METVL21_=12;
ELSE IF EXTRACT21 IN (12) THEN METVL21_=12.5;
ELSE IF EXTRACT21 IN (10) THEN METVL21_=12.8;
ELSE IF EXTRACT21 IN (98) THEN METVL21_=4.5;
METVL21_=(ROUND(METVL21_,0.1))*10;
```

**Section 12: Exercise (Physical Activity)**

MAXVO2\_ *Calculated variable for estimated age-gender specific maximum oxygen consumption. We derive MAXVO2\_ from SEX and AGE.*

0–501 Estimated Maximum Respondents estimated maximum oxygen consumption ((IF (SEX=1) THEN  
Oxygen Consumption MAXVO2\_=60-(.55\*AGE)) or (IF (SEX=2) THEN MAXVO2\_=48-(.37\*AGE)))  
(two implied  
decimal places)

99900 Don't know/  
Not Sure/Refused/  
Missing Respondents with a missing value for age

**SAS Code:**  
MAXVO2\_=999;  
IF (18<= AGE <=99 & (SEX=1 OR SEX=2)) THEN DO;  
IF (SEX=1) THEN MAXVO2\_=60-(.55\*AGE);  
ELSE IF (SEX=2) THEN MAXVO2\_=48-(.37\*AGE);  
END;  
MAXVO2\_=(ROUND(MAXVO2\_,0.01)\*100);

**Section 12: Exercise (Physical Activity)**

FC60\_ *Calculated variable for estimated functional capacity. We derive FC60\_ from MAXVO2\_.*

0– 8590 Estimated Respondents estimated functional capacity  
Functional Capacity ((ROUND((.60\*(MAXVO2\_/100)/3.5),0.01))\*100)  
(2 implied decimal  
places)

99900 Don't know/  
Not Sure/ Refused/  
Missing Respondents with no estimate for functional capacity

**SAS Code:**  
IF (0 < MAXVO2\_/100 < 55) THEN FC60\_=(.60\*(MAXVO2\_/100))/3.5;  
ELSE FC60\_=999;  
FC60\_=(ROUND(FC60\_,0.01))\*100;

**Section 12: Exercise (Physical Activity)**

ACTIN11\_ *Calculated variable for estimated activity intensity for first activity.* We derive ACTIN11\_ from FC60\_ and METVL11\_.

- |   |   |  |
|---|---|--|
| 0 | Not Moderate or Vigorous or No Activity | Respondent reported first activity to be one with estimated intensity not moderate or vigorous ((METVL11_/10>=0)). |
| 1 | Moderate                                | Respondent reported first activity to be one with moderate estimated intensity ((METVL11_/10>=3.0)).               |
| 2 | Vigorous                                | Respondent reported first activity to be one with vigorous estimated intensity ((METVL11_/10 >= FC60_/100)).       |
| . | Not asked or Missing                    | Respondent reported first activity to be one with no estimated intensity.  |

**SAS Code:**

```
IF FC60_ < 99900 THEN DO;
IF ((METVL11_/10) >= (FC60_/100)) THEN ACTIN11_=2;
ELSE IF ((METVL11_/10) >= 3.0) THEN ACTIN11_=1;
ELSE IF ((METVL11_/10) >= 0) THEN ACTIN11_=0;
END;
```

**Section 12: Exercise (Physical Activity)**

ACTIN21\_ *Calculated variable for estimated activity intensity for second activity.* We derive ACTIN21\_ from FC60\_ and METVL21\_.

- |   |   |   |
|---|---|---|
| 0 | Not Moderate or Vigorous or No Activity | Respondent reported second activity to be one with estimated intensity not moderate or vigorous ((METVL21_/10>=0)). |
| 1 | Moderate                                | Respondent reported second activity to be one with moderate estimated intensity ((METVL21_/10>=3.0)).               |
| 2 | Vigorous                                | Respondent reported second activity to be one with vigorous estimated intensity ((METVL21_/10 >= FC60_/100)).       |
| . | Not asked or Missing                    | Respondent reported second activity to be one with no estimated intensity   |

**SAS Code:**

```
IF FC60_ < 99900 THEN DO;
IF ((METVL21_/10) >= (FC60_/100)) THEN ACTIN21_=2;
ELSE IF ((METVL21_/10) >= 3.0) THEN ACTIN21_=1;
ELSE IF ((METVL21_/10) >= 0) THEN ACTIN21_=0;
END;
```

**Section 12: Exercise (Physical Activity)**

PADUR1\_ *Calculated variable for minutes of first activity.* We derive PADUR1\_ from EXERHMM1.

0 – 599	Minutes of Activity	Respondents number of minutes of first activity (INT(EXERHMM1/100)*60 + (EXERHMM1-INT(EXERHMM1/100)*100))
.	Not asked or Missing	Respondents who reported they didn't know, refused or had a missing value for EXERHMM1 (EXERHMM1= (777,999, missing))
<b>SAS Code:</b>		IF EXERHMM1 NOTIN (777,999,.) THEN DO; PADUR1_=INT(EXERHMM1/100)*60 + (EXERHMM1-INT(EXERHMM1/100)*100); END;

**Section 12: Exercise (Physical Activity)**

PADUR2\_ *Calculated variable for minutes of second activity.* We derive PADUR2\_ from EXERHMM2.

0 – 599	Minutes of Activity	Respondents number of minutes of second activity (INT(EXERHMM2/100)*60 + (EXERHMM2-INT(EXERHMM2/100)*100))
.	Not asked or Missing	Respondents who reported they didn't know, refused or had a missing value for EXERHMM2 (EXERHMM2= (777,999,..))
<b>SAS Code:</b>		IF EXERHMM2 NOTIN (777,999,.) THEN DO; PADUR2_=INT(EXERHMM2/100)*60 + (EXERHMM2-INT(EXERHMM2/100)*100); END;

**Section 12: Exercise (Physical Activity)**

PAFREQ1\_ *Calculated variable for physical activity frequency per week for first activity.* We derive PAFREQ1\_ from EXERANY2 and EXEROFT1.

0 – 98999	Activity times per week (3 implied decimal places)	Respondents report times per week for the first activity (EXERANY2=1 and (101 <= EXEROFT1 <= 199) or (201 <= EXEROFT1 <= 299)).
.	Not asked or Missing	Respondents who did not report doing the first activity or did not know, refused, or had a missing value for EXEROFT1 ((EXERANY2=1 and EXEROFT1 = (777,999,missing)) or (EXERANY2=2,7,9,missing))
<b>SAS Code:</b>		IF EXERANY2=1 AND EXEROFT1 NOTIN (777,999,.) THEN DO; IF (101 <= EXEROFT1 <= 199) THEN PAFREQ1_=EXEROFT1-100; ELSE IF (201 <= EXEROFT1 <= 299) THEN PAFREQ1_=(EXEROFT1-200)/(30/7); END; ELSE PAFREQ1_=.; PAFREQ1_=(ROUND(PAFREQ1_,.001))*1000;

**Section 12: Exercise (Physical Activity)**

**PAFREQ2\_** *Calculated variable for physical activity frequency per week for second activity. We derive PAFREQ2\_ from EXERANY2 and EXEROFT2.*

- 0 – 98999 Activity times per week (3 implied decimal places) Respondents report times per week for the second activity (EXERANY2=1 and (101 <= EXEROFT2 <= 199) or (201 <= EXEROFT2 <= 299))
- . Not asked or Missing Respondents who did not report doing the second activity or didn't know, refused or had a missing value for EXEROFT2 ((EXERANY2=1 and EXEROFT2 = (777,999,missing)) or (EXERANY2=2,7,9,missing))

**SAS Code:**  

```
IF EXERANY2=1 AND EXEROFT2 NOTIN (777,999,.) THEN DO;
IF (101 <= EXEROFT2 <= 199) THEN PAFREQ2_=EXEROFT2-100;
ELSE IF (201 <= EXEROFT2 <= 299) THEN PAFREQ2_=(EXEROFT2-200)/(30/7);
END;
ELSE PAFREQ2_=.;
PAFREQ2_=(ROUND(PAFREQ2_,.001))*1000;
```

**Section 12: Exercise (Physical Activity)**

**\_MINAC11** *Calculated variable for minutes of physical activity per week for first activity. We derive \_MINAC11 from PADUR1\_, PAFREQ1\_, ACTIN11\_ and EXTRACT11.*

- 0 Minutes of Activity per week Respondents who reported doing zero minutes of first activity per week ((PADUR1\_>=0 AND PADUR1\_<10) or (PADUR2\_= AND ACTIN21\_=0))
- 1 – 99999 Minutes of Activity per week Respondents who reported doing one or more minutes of first activity per week (ROUND((PAFREQ1\_/1000)\*PADUR1\_,1))
- . Not asked or Missing Respondents who reported they didn't know, refused or had a missing value for the number of minutes per week for the first activity

**SAS Code:**  

```
IF PADUR1_>=10 THEN _MINAC11=ROUND((PAFREQ1_/1000)*PADUR1_,1);
ELSE IF (PADUR1_>=0 AND PADUR1_<10) THEN _MINAC11=0;
IF (ACTIN11_=0) THEN _MINAC11=0;
IF EXTRACT11 IN (34,60,67,69) THEN _MINAC11=0;
```

**Section 12: Exercise (Physical Activity)**

**\_MINAC21** *Calculated variable for minutes of physical activity per week for second activity. We derive \_MINAC21 from PADUR1\_, PAFREQ1\_, ACTIN21\_ and EXTRACT21.*

- 0 Minutes of Activity per week Respondents who reported doing zero minutes of second activity per week ((PADUR2\_>=0 AND PADUR2\_<10) or (PADUR2\_= AND ACTIN21\_=0))
- 1 – 99999 Minutes of Activity per week Respondents who reported doing one or more minutes of second activity per week (ROUND((PAFREQ2\_/1000)\*PADUR2\_))
- . Not asked or Missing Respondents who reported they did not know, refused, or had a missing value for the number of minutes per week for the second activity

**SAS Code:**  

```
IF PADUR2_>=10 THEN _MINAC21=ROUND((PAFREQ2_/1000)*PADUR2_);
ELSE IF (PADUR2_>=0 AND PADUR2_<10) THEN _MINAC21=0;
IF (ACTIN21_=0) THEN _MINAC21=0;
IF EXTRACT21 IN (34,60,67,69,88) THEN _MINAC21=0;
```

**Section 12: Exercise (Physical Activity)**

**STRFREQ\_** *Calculated variable for strength activity frequency per week.* We derive STRFREQ\_ from STRENGTH.

- |              |  |   |
|--------------|--|---|
| 0 –<br>98999 | Strength Activity<br>times per week<br>(3 implied decimal<br>places) | Respondents reported times per week for strengthening activity  |
| .            | Not asked or Missing   | Respondents who did not report doing any strengthening activity or did not know, refused, or had a missing value for STRENGTH |

**SAS Code:**

```
IF STRENGTH IN (777,999,.) THEN STRFREQ_=.;
ELSE IF (STRENGTH < 200) THEN STRFREQ_=STRENGTH-100;
ELSE IF (200 < STRENGTH < 300) THEN STRFREQ_=(STRENGTH-200)/(30/7);
ELSE IF (STRENGTH = 888) THEN STRFREQ_=0;
STRFREQ_=(ROUND(STRFREQ_,.001))*1000;
```

**Section 12: Exercise (Physical Activity)**

**PAMISS1\_** *Calculated variable for missing physical activity data.* We derive PAMISS1\_ from ACTIN11\_, \_MINAC11, ACTIN21\_, \_MINAC21 and EXERANY2.

- |   |  |  |
|---|--|--|
| 0 | Not Missing<br>Physical Activity<br>Data | Respondents with no missing physical activity data<br>((NMISS(ACTIN11_,_MINAC11,ACTIN21_,_MINAC21)=0 AND EXERANY2=1) or<br>EXERANY2=2) |
| 1 | Missing Physical<br>Activity Data        | Respondents with missing physical activity data<br>((NMISS(ACTIN11_,_MINAC11,ACTIN21_,_MINAC21)>0 AND EXERANY2=1))                     |
| 9 | Don't know/<br>Not Sure/ Refused         | Respondents that didn't know or refused to answer if they did any activity   |

**SAS Code:**

```
IF (NMISS(ACTIN11_,_MINAC11,ACTIN21_,_MINAC21)>0 AND EXERANY2=1)
THEN PAMISS1_=1;
ELSE IF EXERANY2=1 OR EXERANY2=2 THEN PAMISS1_=0;
ELSE PAMISS1_=9;
```

**Section 12: Exercise (Physical Activity)**

PAMIN11\_ *Calculated variable for minutes of physical activity per week for first activity.* We derive PAMIN11\_ from ACTIN11\_ and \_MINAC11.

- 0 – Minutes of Activity Respondents minutes of first activity or vigorous equivalent minutes
- 99999 per week
- . Not asked or Missing Respondents with no value for minutes of first activity and no value for vigorous equivalent minutes

**SAS Code:**

```
IF ACTIN11_=2 THEN DO;
PAMIN11_=ROUND(_MINAC11*2,1);
END;
ELSE IF ACTIN11_=1 THEN DO;
PAMIN11_=ROUND(_MINAC11,1);
END;
IF ACTIN11_=0 THEN PAMIN11_=0;
```

**Section 12: Exercise (Physical Activity)**

PAMIN21\_ *Calculated variable for minutes of physical activity per week for second activity.* We derive PAMIN21\_ from ACTIN21\_ and \_MINAC21.

- 0 – Minutes of Activity Respondents' minutes of second activity or vigorous equivalent
- 99999 per week
- . Not asked or Missing Respondents with no value for minutes of second activity and no value for vigorous equivalent minutes

**SAS Code:**

```
IF ACTIN21_=2 THEN DO;
PAMIN21_=ROUND(_MINAC21*2,1);
END;
ELSE IF ACTIN21_=1 THEN DO;
PAMIN21_=ROUND(_MINAC21,1);
END;
IF ACTIN21_=0 THEN PAMIN21_=0;
```

**Section 12: Exercise (Physical Activity)**

PA1MIN\_ *Calculated variable for minutes of total physical activity per week.* We derive PA1MIN\_ from PAMIN11\_ and PAMIN21\_.

- 0 – Minutes of Activity Respondents minutes of combined activity or vigorous equivalent minutes
- 99999 per week (ROUND((SUM(PAMIN11\_,PAMIN21\_)),1))
- . Not asked or Missing Respondents with no value for minutes of combined activity and no value for vigorous equivalent minutes

**SAS Code:**

```
PA1MIN_=ROUND( ( SUM( PAMIN11_ , PAMIN21_ ) ) , 1 ) ;
```

**Section 12: Exercise (Physical Activity)**

PAVIG11\_ *Calculated variable for minutes of vigorous physical activity per week for first activity.* We derive PAVIG11\_ from ACTIN11\_ and \_MINAC11.

0 – Minutes of Activity Respondents vigorous activity minutes of first activity  
99999 per week

. Not asked or Missing Respondents with no value for vigorous activity minutes of first activity

**SAS Code:** IF ACTIN11\_=2 THEN PAVIG11\_=ROUND(\_MINAC11,1);  
ELSE IF ACTIN11\_ IN (0,1) THEN PAVIG11\_=0;

**Section 12: Exercise (Physical Activity)**

PAVIG21\_ *Calculated variable for minutes of vigorous physical activity per week for second activity.* We derive PAVIG21\_ from ACTIN21\_ and \_MINAC21.

0– Minutes of Activity Respondents' vigorous activity minutes of second activity  
99999 per week

. Not asked or Missing Respondents with no value for vigorous activity minutes of second activity

**SAS Code:** IF ACTIN21\_=2 THEN PAVIG21\_=ROUND(\_MINAC21,1);  
ELSE IF ACTIN21\_ IN (0,1) THEN PAVIG21\_=0;

**Section 12: Exercise (Physical Activity)**

PA1VIGM\_ *Calculated variable for minutes of total vigorous physical activity per week.* We derive PA1VIGM\_ from PAVIG11\_ and PAVIG21\_.

0 – Minutes of Activity Respondents vigorous activity minutes of combined activity  
99999 per week (ROUND((SUM(PAVIGM1\_,PAVIGM2\_)),1))

. Not asked or Missing Respondents with no value for vigorous activity minutes of combined activity

**SAS Code:** PA1VIGM\_=ROUND( (SUM(PAVIG11\_, PAVIG21\_)) , 1 );



**Section 12: Exercise (Physical Activity)**

**\_PACAT1** *Calculated variable for physical activity categories.* We derive \_PACAT1 from EXERANY2, PA1MIN\_, PAMISS1\_ and PA1VIGM\_.

- |   |   |  |
|---|---|--|
| 1 | Highly Active                               | Respondents who reported doing enough physical activity to meet the 300-minute (or vigorous equivalent) aerobic recommendation ((PA1MIN_ > 300) or (PA1VIGM_ > 150))   |
| 2 | Active                                      | Respondents who reported doing 150–300 minutes (or vigorous equivalent) of physical activity (150 <= PA1MIN_ <= 300 AND PAMISS1_=0)  |
| 3 | Insufficiently Active                       | Respondents who reported doing insufficient physical activity (11–149 minutes) (1 <= PA1MIN_ <=149 AND PAMISS1_=0)   |
| 4 | Inactive                                    | Respondents who reported doing no physical activity ((PA1MIN_=0 AND PAMISS1_=0) or (EXERANY2=2))   |
| 9 | Don't know/<br>Not Sure/Refused/<br>Missing | Respondents who reported they did not know whether they did physical activity or didn't know how many days or didn't know how much time they did the activity, those who refused to answer, and those with missing responses |

**SAS Code:**

```
IF EXERANY2=2 THEN _PACAT1=4;
  ELSE IF EXERANY2 IN (.,7,9) THEN _PACAT1=9;
  ELSE IF EXERANY2=1 THEN DO;
    IF PA1MIN_ > 300 THEN _PACAT1=1;
    ELSE IF PA1VIGM_ > 150 THEN _PACAT1=1;
    ELSE IF 150 <= PA1MIN_ <= 300 AND PAMISS1_=0 THEN _PACAT1=2;
    ELSE IF 1 <= PA1MIN_ <=149 AND PAMISS1_=0 THEN _PACAT1=3;
    ELSE IF PA1MIN_=0 AND PAMISS1_=0 THEN _PACAT1=4;
    ELSE _PACAT1=9;
  END;
```

**Section 12: Exercise (Physical Activity)**

**\_PAINDX1** *Calculated variable for physical activity index.* We derive \_PAINDX1 from EXERANY2, PAMISS1\_ and PA1MIN\_.

- |   |   |  |
|---|---|--|
| 1 | Meet Aerobic<br>Recommendations             | Respondents who reported doing 150+ minutes (or vigorous equivalent) of physical activity (PA1MIN_ >= 150)   |
| 2 | Did Not Meet<br>Aerobic<br>Recommendations  | Respondents who reported doing insufficient physical activity (0-149 minutes) ((0 <= PA1MIN_ < 150 AND PAMISS1_=0) or (EXERANY2=2))  |
| 9 | Don't know/<br>Not Sure/Refused/<br>Missing | Respondents who reported they did not know whether they did physical activity or did not know how many days or did not know how much time they did the activity, those who refused to answer, and those with missing responses |

**SAS Code:**

```
IF EXERANY2=2 THEN _PAINDX1=2;
  ELSE IF EXERANY2 IN (.,7,9) THEN _PAINDX1=9;
  ELSE IF EXERANY2=1 THEN DO;
    IF PA1MIN_ >= 150 THEN _PAINDX1=1;
    ELSE IF 0 <= PA1MIN_ < 150 AND PAMISS1_=0 THEN _PAINDX1=2;
    ELSE _PAINDX1=9;
  END;
```

**Section 12: Exercise (Physical Activity)**

*\_PA150R2* Calculated variable for adults who participated in 150 minutes (or vigorous equivalent minutes) of physical activity per week. We derive *\_PA150R2* from EXERANY2, PA1VIGM\_, PAMISS1\_, and PA1MIN\_.

- |   |  |  |
|---|--|--|
| 1 | 150+ minutes<br>(or vigorous equivalent minutes) of physical activity  | Respondents who reported doing enough physical activity to meet the 150-minute aerobic recommendation (PA1MIN_ >= 150 or PA1VIGM_ >= 75)   |
| 2 | 1–149 minutes<br>(or vigorous equivalent minutes) of physical activity | Respondents who reported doing insufficient physical activity to meet the 150-minute aerobic recommendation (0 < PA1MIN_ < 150 AND PAMISS1_=0)   |
| 3 | 0 minutes<br>(or vigorous equivalent minutes) of physical activity     | Respondents who reported doing no physical activity (PA1MIN_=0 AND PAMISS1_=0)   |
| 9 | Don't know/<br>Not Sure/ Refused/<br>Missing                           | Respondents who reported they did not know whether they did physical activity or did not know how many days or did not know how much time they did the activity, those who refused to answer, and those with missing responses |

**SAS Code:**

```
IF EXERANY2=2 THEN _PA150R2=3;
ELSE IF EXERANY2 IN (7,9,.) THEN _PA150R2=9;
ELSE IF EXERANY2=1 THEN DO;
  IF PA1VIGM_ >= 75 THEN _PA150R2=1;
  ELSE IF PA1MIN_ >= 150 THEN _PA150R2=1;
  ELSE IF 0 < PA1MIN_ < 150 AND PAMISS1_=0 THEN _PA150R2=2;
  ELSE IF PA1MIN_=0 AND PAMISS1_=0 THEN _PA150R2=3;
  ELSE _PA150R2=9;
END;
```

**Section 12: Exercise (Physical Activity)**

*\_PA300R2 Calculated variable for adults who participated in 300 minutes*

*(or vigorous equivalent minutes) of physical activity per week.*

We derive *\_PA300R2* from EXERANY2, PAMISS1\_ and PA1MIN\_.

- |   |  |  |
|---|--|--|
| 1 | 301+ minutes<br>(or vigorous<br>equivalent minutes)<br>of physical activity  | Respondents who reported doing enough physical activity to meet the 300-minute aerobic recommendation (PA1MIN_ > 300)  |
| 2 | 1–300 minutes<br>(or vigorous<br>equivalent minutes)<br>of physical activity | Respondents who reported doing insufficient physical activity to meet the 300-minute aerobic recommendation (0 < PA1MIN_ <= 300 AND PAMISS1_=0)  |
| 3 | 0 minutes<br>(or vigorous<br>equivalent minutes)<br>of physical activity     | Respondents who reported doing no physical activity ((PA1MIN_=0 AND PAMISS1_=0) or (EXERANY2=2))   |
| 9 | Don't know/<br>Not Sure/Refused/<br>Missing                                  | Respondents who reported they did not know whether they did physical activity or did not know how many days or did not know how much time they did the activity, those who refused to answer, and those with missing responses |

**SAS Code:**

```
IF EXERANY2=2 THEN _PA300R2=3;
ELSE IF EXERANY2 IN (9,7,..) THEN _PA300R2=9;
ELSE IF EXERANY2=1 THEN DO;
IF PA1MIN_ > 300 THEN _PA300R2=1;
ELSE IF 0 < PA1MIN_ <= 300 AND PAMISS1_=0 THEN _PA300R2=2;
ELSE IF PA1MIN_=0 AND PAMISS1_=0 THEN _PA300R2=3;
ELSE _PA300R2=9;
END;
```

**Section 12: Exercise (Physical Activity)**

*\_PA30021* Calculated variable for adults who participated in 300 minutes (or vigorous equivalent minutes) of physical activity per week (2-levels). We derive PA30021 from *\_PA300R2*.

1	301+ minutes (or vigorous equivalent minutes) of physical activity	Respondents who reported doing enough physical activity to meet the 300+ minute aerobic recommendation ( <i>_PA300R2</i> =1)
2	0–300 minutes (or vigorous equivalent minutes) of physical activity	Respondents who reported doing insufficient physical activity to meet the 300-minute aerobic recommendation ( <i>_PA300R2</i> IN (2,3))
9	Don't know/ Not Sure/ Refused/ Missing	Respondents who reported they did not know whether they did physical activity or did not know how many days or did not know how much time they did the activity, those who refused to answer, and those with missing responses
	<b>SAS Code:</b>	<pre>IF _PA300R2=1 THEN _PA30021=1; ELSE IF _PA300R2 IN (2,3) THEN _PA30021=2; ELSE _PA30021=9;</pre>

**Section 12: Exercise (Physical Activity)**

*\_PASTRNG* Calculated variable for muscle strengthening recommendation. We derive *\_PASTRNG* from *STRFREQ\_*.

1	Meet muscle strengthening recommendations	Respondents who reported doing enough physical activity to meet the strengthening recommendation ( <i>STRFREQ_/1000</i> >=2)
2	Did not meet muscle strengthening recommendations	Respondents who reported doing physical activity but not enough to meet the strengthening recommendation (0 <= <i>STRFREQ_/1000</i> < 2)
9	Don't know/ Not Sure/Refused/ Missing	Respondents who reported they did not know whether they did physical activity or did not know how many days or did not know how much time they did the activity, those who refused to answer, and those with missing responses
	<b>SAS Code:</b>	<pre>IF STRFREQ_/1000 &gt;=2 THEN _PASTRNG=1; ELSE IF 0 &lt;= STRFREQ_/1000 &lt; 2 THEN _PASTRNG=2; ELSE _PASTRNG=9;</pre>

**Section 12: Exercise (Physical Activity)**

**\_PAREC1** *Calculated variable for aerobic and strengthening guideline.* We derive **\_PAREC1** from **\_PASTRNG** and **\_PAINDX1**.

- |   |   |  |
|---|---|--|
| 1 | Met Both Guidelines                         | Respondents who reported doing enough physical activity to meet the aerobic and strengthening recommendations ( <b>_PASTRNG=1 AND _PAINDX1=1</b> )   |
| 2 | Met Aerobic Guidelines Only                 | Respondents who reported doing enough physical activity to meet the aerobic recommendation but not the strengthening ( <b>_PASTRNG=2 AND _PAINDX1=1</b> )  |
| 3 | Met Strengthening Guidelines Only           | Respondents who reported doing enough physical activity to meet the strengthening recommendation but not the aerobic ( <b>_PASTRNG=1 AND _PAINDX1=2</b> )  |
| 4 | Did Not Meet Either Guideline               | Respondents who reported doing physical activity but not enough to meet either the aerobic or strengthening recommendations ( <b>_PASTRNG=2 AND _PAINDX1=2</b> )   |
| 9 | Don't know/<br>Not Sure/Refused/<br>Missing | Respondents who reported they did not know whether they did physical activity or did not know how many days or did not know how much time they did the activity, those who refused to answer, and those with missing responses |
- SAS Code:**
- ```
IF _PASTRNG=1 AND _PAINDX1=1 THEN _PAREC1=1;
ELSE IF _PASTRNG=2 AND _PAINDX1=1 THEN _PAREC1=2;
ELSE IF _PASTRNG=1 AND _PAINDX1=2 THEN _PAREC1=3;
ELSE IF _PASTRNG=2 AND _PAINDX1=2 THEN _PAREC1=4;
ELSE _PAREC1=9;
```

**Section 12: Exercise (Physical Activity)**

**\_PASTAE1** *Calculated variable for aerobic and strengthening (2-level).* We derive **\_PASTAE1** from **\_PAREC1**.

- |   |                                             |                                                                                                                                                                                                                                |
|---|---------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Met Both Guidelines                         | Respondents who reported doing enough physical activity to meet the aerobic and strengthening recommendations ( <b>_PAREC1=1</b> )                                                                                             |
| 2 | Did Not Meet Both Guidelines                | Respondents who reported doing physical activity but not enough to meet both the aerobic and strengthening recommendations ( <b>_PAREC1 IN (2,3,4)</b> )                                                                       |
| 9 | Don't know/<br>Not Sure/Refused/<br>Missing | Respondents who reported they did not know whether they did physical activity or did not know how many days or did not know how much time they did the activity, those who refused to answer, and those with missing responses |
- SAS Code:**
- ```
IF _PAREC1=1 THEN _PASTAE1=1;
ELSE IF _PAREC1 IN (2,3,4) THEN _PASTAE1=2;
ELSE _PASTAE1=9;
```

**Section 13: Arthritis Burden**

**\_LMTACT1** *Calculated variable for limited usual activities.* We derive **\_LMTACT1** from **HAVARTH3** and **LMTJOIN3**.

- |   |   |  |
|---|---|--|
| 1 | Told have arthritis and have limited usual activities   | Respondents who have been told they have arthritis and have limited usual activities <b>HAVARTH3=1</b> and <b>LMTJOIN3=1</b>   |
| 2 | Told have arthritis and no limited usual activities     | Respondents who have been told they have arthritis and have no limited usual activities <b>HAVARTH3=1</b> and <b>LMTJOIN3=2</b>  |
| 3 | Not told they have arthritis                            | Respondents who have not been told they have arthritis <b>HAVARTH3=2</b>   |
| 9 | Don't know, refused or missing usual activities limited | Respondents who have been told they have arthritis and reported they did not know, refused or had a missing value for limited usual activities <b>HAVARTH3=1</b> and <b>LMTJOIN3=7, 9</b> or missing |
| . | Don't know, refused or missing arthritis or not asked   | Respondents who refused, did not know or were missing a response to being told they had arthritis <b>HAVARTH3=7, 9</b> or missing  |

**SAS Code:**

```
IF HAVARTH3=1 THEN DO;
  IF LMTJOIN3=1 THEN _LMTACT1=1;
  ELSE IF LMTJOIN3=2 THEN _LMTACT1=2;
  ELSE _LMTACT1=9;
END;
ELSE IF HAVARTH3=2 THEN _LMTACT1=3;
ELSE _LMTACT1=.;
```

### Section 13: Arthritis Burden

\_LMTWRK1 *Calculated variable for limited work activities.* We derive \_LMTWRK1 from HAVARTH3 and ARTHDIS2.

- |   |  |  |
|---|--|--|
| 1 | Told Have Arthritis and Have Limited Work              | Respondents who have been told they have arthritis and have limited work<br>HAVARTH3=1 and ARTHDIS2=1  |
| 2 | Told Have Arthritis and No Limited Work                | Respondents who have been told they have arthritis and have no limited work<br>HAVARTH3=1 and ARTHDIS2=2   |
| 3 | Not Told They Have Arthritis                           | Respondents who have not been told they have arthritis<br>HAVARTH3=2   |
| 9 | Don't Know, Refused or Missing Work Limited            | Respondents who have been told they have arthritis and reported they didn't know, refused or had a missing value for limited work<br>HAVARTH3=1 and ARTHDIS2=7, 9 or missing |
| . | Don't Know, Refused, or Missing Arthritis or Not Asked | Respondents who refused, didn't know or were missing a response to being told they had arthritis<br>HAVARTH3=7, 9 or missing   |

**SAS Code:**

```
IF HAVARTH3=1 THEN DO;  
  IF ARTHDIS2=1 THEN _LMTWRK1=1;  
  ELSE IF ARTHDIS2=2 THEN _LMTWRK1=2;  
  ELSE _LMTWRK1=9;  
END;  
ELSE IF HAVARTH3=2 THEN _LMTWRK1=3;  
ELSE _LMTWRK1=.;
```

**Section 13: Arthritis Burden**

**\_LMTSCL1** *Calculated variable for limited social activities.* We derive **\_LMTSCL1** from HAVARTH3 and ARTHSOCL.

1	Told Have Arthritis and Social Activities Limited a Lot	Respondents who have been told they have arthritis and have a lot of limited social activities HAVARTH3=1 and ARTHSOCL=1
2	Told Have Arthritis And Social Activities Limited a Little	Respondents who have been told they have arthritis and have a little of limited social activities HAVARTH3=1 and ARTHSOCL=2
3	Told Have Arthritis and Social Activities Not Limited	Respondents who have been told they have arthritis and have no limited social activities HAVARTH3=1 and ARTHSOCL=3
4	Not Told They Have Arthritis	Respondents who have not been told they have arthritis HAVARTH3=2
9	Don't Know, Refused or Missing Social Activities Limited	Respondents who have been told they have arthritis and reported they did not know, refused, or had a missing value for limited social activities HAVARTH3=1 and ARTHSOCL=7, 9 or missing
.	Don't Know, Refused or Missing Arthritis or Not Asked	Respondents who refused, did not know or were missing a response to being told they had arthritis HAVARTH3=7, 9 or missing

**SAS Code:**

```
IF HAVARTH3=1 THEN DO;
IF ARTHSOCL=1 THEN _LMTSCL1=1;
ELSE IF ARTHSOCL=2 THEN _LMTSCL1=2;
ELSE IF ARTHSOCL=3 THEN _LMTSCL1=3;
ELSE _LMTSCL1=9;
END;
ELSE IF HAVARTH3=2 THEN _LMTSCL1=4;
ELSE _LMTSCL1=.;
```



**Section 14: Seatbelt Use**

**\_RFSEAT2** *Calculated variable for always or nearly always wear seat belts calculated variable.* We derive **\_RFSEAT2** from SEATBELT.

- |   |  |   |
|---|--|---|
| 1 | Always or Almost Always Wear Seat Belt     | Respondents who reported they always or nearly always use a seatbelt when they ride or drive in a car or they never drive or ride in a car. (SEATBELT=1,2,8)                      |
| 2 | Sometimes, Seldom, or Never Wear Seat Belt | Respondents who reported they sometimes, seldom or never use a seatbelt when they ride or drive in a car. (SEATBELT=3,4,5)  |
| 9 | Don't know/ Not Sure or Refused/Missing    | Respondents who reported they do not know, are not sure, refused or with missing responses for if they use a seatbelt when they ride or drive in a car. (SEATBELT=7,9 or missing) |

**SAS Code:**

```
IF SEATBELT IN (1,2,8) THEN _RFSEAT2=1;
ELSE IF SEATBELT IN (3,4,5) THEN _RFSEAT2=2;
ELSE _RFSEAT2=9;
```

**Section 14: Seatbelt Use**

**\_RFSEAT3** *Calculated variable for always wear seat belts calculated variable.* We derive **\_RFSEAT3** from SEATBELT.

- |   |  |   |
|---|--|---|
| 1 | Always Wear Seat Belt                    | Respondents who reported they always use a seatbelt when they ride or drive in a car or they never drive or ride in a car. (SEATBELT=1,8)                                       |
| 2 | Don't Always Wear Seat Belt              | Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car. (SEATBELT=2,3,4,5)                                     |
| 9 | Don't know/ Not Sure Or Refused/ Missing | Respondents who reported they do not know, are unsure, refused, or have missing responses to if they use a seatbelt when they ride or drive in a car. (SEATBELT=7,9 or missing) |

**SAS Code:**

```
IF SEATBELT IN (1,8) THEN _RFSEAT3=1;
ELSE IF SEATBELT IN (2,3,4,5) THEN _RFSEAT3=2;
ELSE _RFSEAT3=9;
```

### Section 15: Immunization

*\_FLSHOT6* Calculated variable for adults aged 65+ who have had a flu shot within the past year. We derive *\_FLSHOT6* from *FLUSHOT6*.

1	Yes	Respondents aged 65 or older who reported having a flu shot within the past 12 months. (AGE >= 65 and FLUSHOT6=1)
2	No	Respondents aged 65 or older who reported not having had a flu shot within the past 12 months. (AGE >= 65 and FLUSHOT6=2)
9	Don't know/ Not Sure or Refused/Missing	Respondents who did not know their age, those who refused to report their age, those who did not know if they had a flu shot in the past 12 months, or those who refused to answer if they had a flu shot in the past 12 months, or those with missing responses. (AGE >= 65 and FLUSHOT6=7,9, or missing or AGE=7,9, or missing)
.	Age Less Than 65	Respondents aged 18-64. (18 <= AGE <= 64)
	<b>SAS Code:</b>	<pre> IF AGE GE 65 THEN DO;   IF FLUSHOT6=1 THEN _FLSHOT6=1;   ELSE IF FLUSHOT6=2 THEN _FLSHOT6=2;   ELSE IF FLUSHOT6 IN (.,7,9) THEN _FLSHOT6=9;   END;   ELSE IF AGE IN (.,7,9) THEN _FLSHOT6=9;   ELSE _FLSHOT6=.; </pre>

### Section 15: Immunization

*\_PNEUMO2* Calculated variable for adults aged 65+ who have ever had a pneumonia vaccination. We derive *\_PNEUMO2* from *PNEUVAC3*.

1	Yes	Respondents aged 65 or older who reported having a pneumonia shot. (AGE >= 65 and FLUSHOT3=1)
2	No	Respondents aged 65 or older who reported not having had a pneumonia shot. (AGE >= 65 and FLUSHOT3=2)
9	Don't know/ Not Sure or Refused/Missing	Respondents who did not know their age, those who refused to report their age, those who did not know if they ever had a pneumonia shot, those who refused to answer if they had a pneumonia shot, or those with missing responses. (AGE >= 65 and PNEUVAC3=7,9, or missing or AGE=7,9, or missing)
.	Age Less Than 65	Respondents aged 18-64. (18 <= AGE <= 64)
	<b>SAS Code:</b>	<pre> IF AGE GE 65 THEN DO;   IF PNEUVAC3=1 THEN _PNEUMO2=1;   ELSE IF PNEUVAC3=2 THEN _PNEUMO2=2;   ELSE IF PNEUVAC3 IN (.,7,9) THEN _PNEUMO2=9;   ELSE _PNEUMO2=.;   END;   ELSE IF AGE IN (.,7,9) THEN _PNEUMO2=9;   ELSE _PNEUMO2=.; </pre>

**Section 16: HIV/AIDS**

**\_AIDTST3** *Calculated variable for adults who have ever been tested for HIV.* We derive \_AIDTST3 from HIVTST6.

- |   |                                  |   |
|---|----------------------------------|---|
| 1 | Yes                              | Respondents who reported to having been tested for HIV. (HIVTST6=1)   |
| 2 | No                               | Respondents who did not report having been tested for HIV. (HIVTST6=2)  |
| 9 | Don't know/<br>Not Sure/ Refused | Respondents who reported they did not know if they had been tested for HIV, or those who refused to answer if they had been tested for HIV. (HIVTST6=7,9) |
| . | Not asked or missing             | Respondents with missing responses for HIVTST6. (HIVTST6=missing)   |

**SAS Code:**

```
IF HIVTST6=1 THEN _AIDTST3=1;  
ELSE IF HIVTST6=2 THEN _AIDTST3=2;  
ELSE IF HIVTST6 IN (7,9) THEN _AIDTST3=9;  
ELSE IF HIVTST6=. THEN _AIDTST3=.;
```

For more information, please refer to the following links on the [BRFSS Web page](#):

[Annual Survey Data and Support Documentation](#)

[State Coordinators](#)

[Questionnaires](#)

## Calculated Variables in the Data File of the 2013 Behavioral Risk Factor Surveillance System

List of all calculated variables in the 2013 data set.

\_RFHLTH  
\_HCVU651  
\_RFHYPE5  
\_CHOLCHK  
\_RFCHOL  
\_LTASTH1  
\_CASTHM1  
\_ASTHMS1  
\_DRDXAR1  
MRACORG1  
MRACASC1  
\_PRACE1  
\_MRACE1  
\_M\_RACE  
\_HISPANC  
\_RACE  
\_RACEG21  
\_RACEGR3  
\_RACE\_G1  
\_AGEG5YR  
\_AGE65YR  
\_AGE\_G  
HTIN4  
HTM4  
WTKG3  
\_BMI5  
\_BMI5CAT  
\_RFBMI5  
\_CHLDCNT  
\_EDUCAG  
\_INCOMG  
\_SMOKER3  
\_RFSMOK3  
DRNKANY5  
DROCDY3\_  
\_RFBING5  
\_DRNKDY4  
\_DRNKMO4  
\_RFDRHV4  
\_RFDRMN4  
\_RFDRWM4  
FTJUDA1\_  
FRUTDA1\_  
BEANDAY\_  
GRENDAY\_  
ORNGDAY\_

Calculated Variables in the Data File of the 2013 Behavioral Risk Factor Surveillance System

VEGEDA1\_  
\_MISFRTN  
\_MISVEGN  
\_FRTRESP  
\_VEGRES  
\_FRUTSUM  
\_VEGESUM  
\_FRTL1  
\_VEGL1  
\_FRT16  
\_VEG23  
\_FRUITEX  
\_VEGETEX  
\_FRTL1  
\_VEGL1  
\_TOTINDA  
METVL11\_  
METVL21\_  
MAXVO2\_  
FC60\_  
ACTIN11\_  
ACTIN21\_  
PADUR1\_  
PADUR2\_  
PAFREQ1\_  
PAFREQ2\_  
\_MINAC11  
\_MINAC21  
STRFREQ\_  
PAMISS1\_  
PAMIN11\_  
PAMIN21\_  
PA1MIN\_  
PAVIG11\_  
PAVIG21\_  
PA1VIGM\_  
\_PACAT1  
\_PAINDX1  
\_PA150R2  
\_PA300R2  
\_PA30021  
\_PASTRNG  
\_PAREC1  
\_PASTAE1  
\_LMTACT1  
\_LMTWRK1  
\_LMTSCL1  
\_RFSEAT2

Calculated Variables in the Data File of the 2013 Behavioral Risk Factor Surveillance System

\_RFSEAT3  
\_FLSHOT6  
\_PNEUMO2  
\_AIDTST3  
\_AGE80  
\_CHISPNC  
CRACORG1  
CRACASC1  
\_CRACE1  
\_IMPCAGE  
\_IMPCRAC  
\_IMPCSEX