

Leading Causes of Death by Age Group, Hispanic Females-United States, 2009*

Age in Groups

Rank	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65+	65-74	75-84	85+	All Ages
1	Unintentional injuries 24.9%	Unintentional injuries 29.4%	Unintentional injuries 24.9%	Unintentional injuries 37.3%	Unintentional injuries 31.6%	Unintentional injuries 22.6%	Cancer 30.2%	Cancer 35.4%	Cancer 37.2%	Heart disease 26.5%	Cancer 31.8%	Heart disease 25.1%	Heart disease 31.4%	Cancer 22.3%
2	Birth defects 14.2%	Cancer 18.9%	Cancer 18.7%	Cancer 10.9%	Homicide 10.7%	Cancer 17.4%	Unintentional injuries 12.7%	Heart disease 11.9%	Heart disease 16.2%	Cancer 19.6%	Heart disease 20.3%	Cancer 21.1%	Cancer 10.8%	Heart disease 21.0%
3	Cancer 11.8%	Birth defects (3) 6.4%	Influenza & pneumonia (3) 6.2%	Homicide 10.0%	Cancer 8.7%	Homicide 7.4%	Heart disease 7.5%	Unintentional injuries 7.5%	Diabetes 6.4%	Stroke 7.1%	Diabetes 6.8%	Stroke 7.4%	Stroke 7.9%	Stroke 6.0%
4	Homicide 9.2%	Homicide (3) 6.4%	Suicide (3) 6.2%	Suicide 9.8%	Suicide 6.3%	Heart disease 6.6%	Stroke 4.1%	Chronic liver disease 4.9%	Stroke 5.0%	Diabetes 5.4%	Stroke 5.3%	Diabetes 6.3%	Alzheimer's disease 7.8%	Diabetes 4.9%
5	Influenza & pneumonia 3.9%	Influenza & pneumonia 5.3%	Birth defects 5.1%	Influenza & pneumonia 3.5%	Heart disease 4.6%	Suicide 5.8%	Influenza & pneumonia (5) 3.3%	Stroke 4.6%	Chronic liver disease 4.4%	Alzheimer's disease 4.8%	Kidney disease 3.3%	Chronic lower respiratory diseases 4.4%	Chronic lower respiratory diseases 4.3%	Unintentional injuries 4.4%
6	Heart disease 3.2%	Heart disease 4.5%	Heart disease 3.9%	Heart disease 3.1%	Influenza & pneumonia (6) 4.5%	Pregnancy complications 5.0%	Homicide (5) 3.3%	Diabetes 4.2%	Unintentional injuries 2.8%	Chronic lower respiratory diseases 4.1%	Chronic lower respiratory diseases 3.1%	Alzheimer's disease 3.8%	Diabetes 3.8%	Alzheimer's disease 3.2%
7	Chronic lower respiratory diseases 1.5%	Septicemia 2.3%	Homicide 3.1%	Birth defects 2.6%	Pregnancy complications (6) 4.5%	Influenza & pneumonia 3.9%	Chronic liver disease 3.2%	Influenza & pneumonia 2.8%	Kidney disease 2.6%	Influenza & pneumonia 3.0%	Chronic liver disease 2.9%	Kidney disease 3.0%	Influenza & pneumonia 3.4%	Chronic lower respiratory diseases 3.2%
8	Benign neoplasms (8) 1.3%	Benign neoplasms 1.9%	Septicemia 2.3%	Pregnancy complications 2.2%	Birth defects 2.6%	Stroke 3.0%	Suicide 3.2%	Viral hepatitis 2.0%	Septicemia 2.2%	Kidney disease 2.7%	Influenza & pneumonia 2.5%	Influenza & pneumonia 2.8%	Kidney disease 2.2%	Influenza & pneumonia 2.8%
9	*** Stroke (8) 1.3%	Chronic lower respiratory diseases 1.5%	Benign neoplasms 1.9%	Septicemia (9) 1.3%	Diabetes (9) 1.7%	Diabetes 2.1%	Diabetes 3.0%	Kidney disease 1.8%	Chronic lower respiratory diseases 2.0%	Unintentional injuries 1.8%	Unintentional injuries 2.0%	Septicemia 1.8%	Hypertension 1.9%	Kidney disease 2.4%
10	*** Perinatal conditions (8) 1.3%	Stroke 1.1%	Anemias 1.2%	Chronic lower respiratory diseases (9) 1.3%	*** Stroke (9) 1.7%	Birth defects 1.5%	HIV disease 2.9%	HIV disease 1.7%	Influenza & pneumonia 1.8%	Septicemia 1.6%	Septicemia 2.0%	Unintentional injuries 1.7%	Unintentional injuries 1.6%	Chronic liver disease 2.1%

*Percentages represent total deaths in the age group due to the cause indicated. Numbers in parentheses indicate tied rankings. The white, black, American Indian/Alaska Native, and Asian/Pacific Islander race groups include persons of Hispanic and non-Hispanic origin may be of any race. Some terms have been shortened from those used in the National Vital Statistics Report. See the next page for a listing of the shortened terms in the table and their full unabridged equivalents used in the report. To learn more, visit *Mortality Tables* at http://www.cdc.gov/nchs/nvss/mortality_tables.htm or <http://www.cdc.gov/nchs/deaths.htm> (HHS, CDC, NCHS).